CARNEGIE SHAPE BOOK

Digitized by




ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org


BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA









CARNEGIE SHAPE BOOK

PROFILES, TABLES, AND DATA

FOR.

ROLLED PRODUCTS

SHAPES,
PLATES, BARS

RAILS

MANUFACTURED BY

CARNEGIE STEEL COMPANY

SUBSIDIARY OF UNITED STATES STEEL CORPORATION PITTSBURGH, PA.

A. I. A. FILE No. 13-b

Copyright, 1929, by CARNEGIE STEEL COMPANY Pittsburgh, Pa. THIS, the Tenth Edition of the Carnegie Shape Book, contains the profiles of the sections rolled on the Structural, Bar, Plate and Rail Mills of the Carnegie Steel Company, together with tables and other data in regard to these products, and supersedes and cancels all previous issues.

The present edition contains the profiles of the new Carnegie Beam Sections; complete data, properties and safe loads of these sections are given in "Carnegie Pocket Companion," with an explanation of their structural and economic advantages.

The American Standard Beams and Channels conform with regard to their profiles and weights to the regulations of the Association of American Steel Manufacturers, of September 1, 1920.

All dimensions of profiles are theoretical, the exact dimensions depending upon the condition of rolls.

Wherever the profile applies to more than one weight of section, the dimensions are for the section of minimum thickness, unless otherwise indicated in bold type. Sections of but one specified weight, such as T-sections, are rolled to that weight only.

ORDERING MATERIAL


SECTION NUMBER TO BE SPECIFIED ON ALL ORDERS

Structural Mill Products. Orders to specify size in inches, weight in pounds per foot, and lengths in feet and inches.

Bar Mill Products. Orders to specify sizes in inches, and lengths in feet and inches.


Plate Mill Products. Orders to specify all dimensions in inches.

Rail Mill Products. Orders for Rails, Ties and Track Accessories to specify the section number but not the linear weight, which for rails is given in pounds per lineal yard.




PROFILES OF STRUCTURAL AND BAR SHAPES


CARNEGIE BEAM SECTIONS




| Section Index | | Section, hes | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|---------|-----------------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 36.851 | 362732 | 300 | 16.189 | 16346 | 1.7155 | 12332 | 0.958 | 61/64 |
| CB 362 | 36.550 | 363564 | 275 | 16.121 | 161/8 | 1.565 | 1946 | 0.890 | 5764 |
| CD 302 | 36.243 | 3614 | 250 | 16.055 | 16 1/16 | 1.4115 | 11332 | 0.824 | 5364 |
| | 36.000 | 36 | 230 | 16.000 | 16 | 1.290 | 11964 | 0.769 | 4964 |
| | 36.645 | 364364 | 192 | 12.150 | 12532 | 1.257 | 114 | 0.740 | 4764 |
| CB 361 | 36.395 | 362564 | 175 | 12.096 | 12332 | 1.132 | 11/8 | 0.686 | 11/16 |
| OD 301 | 36.183 | 36346 | 160 | 12.045 | 12364 | 1.026 | 11/32 | 0.635 | 4164 |
| | 36.000 | 36 | 147 | 12.000 | 12 | 0.9345 | 1546 | 0.590 | 1942 |




| Section | | Section, hes | Weight per Foot. | Flange Inc | | Flange T Inc | hickness, hes | Web Thickness, Inches | |
|---------|---------|-----------------|---------------------|---------------|----------|-----------------|------------------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 33.786 | 3325/32 | 260 | 16.150 | 16532 | 1.5185 | 1 3 3 6 4 | 0.870 | 78 |
| GD 000 | 33.546 | 333564 | 240 | 16.090 | 16332 | 1.3985 | 11332 | 0.810 | 13/16 |
| CB 332 | 33.272 | 331764 | 220 | 16.046 | 16364 | 1.2615 | 11764 | 0.766 | 4964 |
| | 33.000 | 33 | 200 | 16.000 | 16 | 1.1255 | 11/8 | 0.720 | 23/32 |
| | 33.530 | 331732 | 167 | 12.179 | 121164 | 1.062 | 1316 | 0.719 | 2342 |
| CD cos | 33.342 | 3311/32 | 152 | 12.115 | 12764 | 0.968 | 31/32 | 0.655 | 21/32 |
| CB 331 | 33.164 | 331164 | 138 | 12.056 | 12346 | 0.879 | 7/8 | 0.596 | 1932 |
| | 33.000 | 33 | 125 | 12.000 | 12 | 0.797 | 51/64 | 0.540 | 3564 |



| Section | | Section, ches | per Foot, | | Width, | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|---------|------------------|-----------|---------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 30.781 | 302532 | 240 | 14.218 | 14732 | 1.597 | 11982 | 0.888 | 5764 |
| CB 302 | 30.522 | 303364 | 220 | 14.146 | 14964 | 1.4675 | 11532 | 0.816 | 13/16 |
| CD 002 | 30.263 | 301764 | 200 | 14.073 | 14564 | 1.338 | 111/32 | 0.743 | 3.4 |
| | 30.000 | 30 | 180 | 14.000 | 14 | 1.2065 | 11364 | 0.670 | 4364 |
| | 30.742 | 3034 | 165 | 10.725 | 102332 | 1.253 | 114 | 0.755 | 34 |
| | 30.538 | 301742 | 151 | 10.662 | 1021/32 | 1.151 | 15/32 | 0.692 | 1116 |
| CB 301 | 30.344 | 3011/32 | 138 | 10.604 | 103964 | 1.054 | 1364 | 0.634 | 4164 |
| | 30.162 | 30532 | 126 | 10.551 | 103564 | 0.963 | 31/32 | 0.581 | 3764 |
| | 30.000 | 30 | 115 | 10.500 | 101/2 | 0.882 | 78 | 0.530 | 1732 |




| Section Index | Depth of Section, Inches | | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------------------|----------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 27.598 | 271932 | 190 | 14.176 | 141164 | 1.284 | 1932 | 0.756 | 34 |
| CD 070 | 27.400 | 271332 | 175 | 14.118 | 141/8 | 1.185 | 1316 | 0.698 | 4564 |
| CB 272 | 27.200 | 271364 | 160 | 14.059 | 141/16 | 1.085 | 1564 | 0.639 | 4164 |
| | 27.000 | 27 | 145 | 14.000 | 14 | 0.985 | 6364 | 0.580 | 3764 |
| | 27.742 | 2734 | 137 | 9.977 | 96364 | 1.126 | 1 1/8 | 0.688 | 11/16 |
| | 27.536 | 271732 | 124 | 9.913 | 92932 | 1.023 | 11/32 | 0.624 | 58 |
| CB 271 | 27.340 | 2711/32 | 112 | 9.855 | 95564 | 0.925 | 5964 | 0.566 | 916 |
| | 27.166 | 2711/64 | 101 | 9.799 | 951/64 | 0.838 | 27/32 | 0.510 | 3364 |
| | 27.000 | 27 | 91 | 9.750 | 934 | 0.755 | 34 | 0.461 | 15/32 |
| | 26.820 | 261316 | 85 | 9.750 | 934 | 0.665 | 4364 | 0.461 | 15/32 |




| Section Index | Depth of Section, Inches | | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------------------|----------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| mdex | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 24.664 | 242132 | 160 | 14.123 | 141/8 | 1.119 | 11/8 | 0.670 | 4364 |
| CB 244 | 24.526 | 2417/32 | 150 | 14.082 | 14564 | 1.050 | 1364 | 0.629 | 58 |
| CD 244 | 24.388 | 242564 | 140 | 14.041 | 14364 | 0.981 | 6364 | 0.588 | 19/32 |
| | 24.250 | 241/4 | 130 | 14.000 | 14 | 0.912 | 2932 | 0.547 | 35/64 |
| | 24.310 | 24516 | 120 | 12.089 | 12332 | 0.942 | 15/16 | 0.539 | 17/32 |
| CB 243 | 24.156 | 24532 | 110 | 12.044 | 12364 | 0.865 | 55/64 | 0.494 | 1/2 |
| | 24.000 | 24 | 100 | 12.000 | 12 | 0.787 | 25/32 | 0.450 | 2964 |







| Section | | Depth of Section, Inches | | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|----------------------------|-----------------------------|----------------|-------------------------|--|-----------------------------|-------------------------|--------------------------|-----------------------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 242 | 24.308 24.154 24.000 | 24546 24532 24 | 94 85 76 | 9.844 9.797 9.750 | 9 ² 7⁄ ₃ ² 9 ⁵ 1⁄ ₆ ⁴ 93⁄ ₄ | 0.817 0.740 0.663 | 13/16 47/64 21/32 | 0.499 0.452 0.405 | 1/2 29/64 13/32 |
| CB 241 | 24.000 | 24 | 70 | 8.500 | 81/2 | 0.663 | 21,32 | 0.400 | 13/32 |




| Section Index | | Section, thes | Weight per Foot. | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------------|--|---------------------------------------|---------------------------------|--|---|---|---------------------------------|---|---------------------------|
| ·Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 213 | 21.492 21.372 21.248 21.126 21.000 | 21½ 21¾ 21¼ 21¼ 21½ 21 | 136 128 120 112 104 | 13.141 13.105 13.070 13.034 13.000 | 13%4 13764 1316 1316 1316 1316 | 1.061 1.001 0.939 0.878 0.815 | 1346 1 1546 78 1346 | 0.606 0.570 0.535 0.499 0.465 | 3964 916 1732 15 |




| Section | | Section, | Weight per Foot, | Inc | Width, | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|---------|----------|---------------------|---------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 21.358 | 212364 | 98 | 9.097 | 9342 | 0.994 | 1 | 0.535 | 1732 |
| | 21.240 | | 92 | 9.064 | 91/16 | 0.935 | 15/16 | 0.502 | 1,6 |
| CB 212 | 21.120 | | 86 | 9.032 | 9142 | 0.875 | 78 | 0.470 | 1532 |
| | 21.000 | , - | 80 | 9.000 | 9 | 0.815 | 13/16 | 0.438 | 716 |
| | 21.370 | 2136 | 76 | 8.109 | 8764 | 0.793 | 5164 | 0.469 | 1542 |
| | 21.248 | /- | 70 | 8.073 | 8564 | 0.732 | 47/64 | 0.433 | 716 |
| CB 211 | 21.126 | | 64 | 8.036 | 8132 | 0.671 | 4364 | 0.396 | 2564 |
| 01) 211 | 21.000 | | 58 | 8.000 | 8 | 0.608 | 3964 | 0.360 | 2364 |
| | | 205764 | 55 | 8.000 | 8 | 0.553 | 3564 | 0.360 | 2364 |




| Section | | Section, | Weight per Foot. | | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|----------------------------|--|---------------------|------------------------------|-------------------------|-----------------------|-----------------------------|-----------------------|-----------------------------|--|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction | |
| CB 183 | 18.238 18.120 18.000 | 18 ¹⁵ / ₆₄ 18 ¹ / ₈ 18 | 100 93 - 86 | $12.069 \\ 12.034 \\ 12.000$ | 12/16 12/32 12 | 0.864 0.805 0.745 | 5564 1316 34 | 0.498 0.463 0.429 | 1.5 1.5 3.2 2.76.4 | |




| Section Index | Depth of Section, Inches | | Weight per Foot. | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------------------|----------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 18.242 | 181561 | 78 | 8.565 | 8916 | 0.866 | 55/6-1 | 0.471 | 1532 |
| CB 182 | 18.110 | 18764 | 72 | 8.530 | 81732 | 0.800 | 51/64 | 0.436 | 716 |
| | 18.000 | 18 | 67 | 8.500 | 81/2 | 0.745 | 34 . | 0.406 | 1332 |
| | 18.252 | 1814 | 58 | 7.573 | 73764 | 0.676 | 4364 | 0.393 | 2564 |
| OD 101 | *18.024 | 18132 | 51 | 7.555 | 7916 | 0.562 | 916 | 0.375 | 38 |
| CB 181 | 18.114 | 18764 | 52 | 7.534 | 717/32 | 0.607 | 3964 | 0.354 | 2364 |
| | 18.000 | 18 | 47 | 7.500 | 732 | 0.550 | 3564 | 0.320 | 546 |




| Section | | Depth of Section, | | Flange Width, | | Flange Thickness, | | Web Thickness, | |
|---------------------------------------|----------------------------|--|----------------|----------------------------|--------------------------------------|-----------------------|-------------------------|-----------------------|-----------------------|
| Index — | | Inches | | Inches | | Inches | | Inches | |
| · · · · · · · · · · · · · · · · · · · | Decimal 1 | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 165 | 16.236 | 16 ¹⁵ 6 ₄ | 115 | 14.068 | 14½6 | 0.918 | 5964 | 0.532 | 17%2 |
| | 16.110 | 167 ₆ 4 | 107 | 14.032 | 14½2 | 0.855 | 5564 | 0.496 | 1% |
| | 16.000 | 16 | 100 | 14.000 | 14 | 0.800 | 5164 | 0.464 | 15%2 |
| CB 164 | 16.240 16.120 16.000 | 16 ¹⁵ 6 ₄ 16 ¹ 8 16 | 90 83 76 | 12.076 12.039 12.000 | $12\frac{6}{4}$ $12\frac{1}{3}$ 12 | 0.783 0.723 0.663 | 25/32 23/32 21/32 | 0.495 0.458 0.419 | 1/2 29/64 27/64 |




| Section | | Section, hes | Weight per Foot. | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|---------|-----------------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 16.226 | 16732 | 68 | 8.563 | 8916 | 0.776 | 2532 | 0.438 | 716 |
| CB 163 | 16.114 | 16764 | 63 | 8.531 | 81732 | 0.720 | 2332 | 0.406 | 1332 |
| | 16.000 | 16 | 58 | 8.500 | 812 | 0.663 | 21/32 | 0.375 | 34 |
| | *15.934 | 1515/16 | 43 | 7.085 | 7564 | 0.487 | 31/64 | 0.375 | 3.8 |
| CID 140 | 16.254 | 1634 | 50 | 7.072 | 7561 | 0.647 | 41/64 | 0.362 | 2361 |
| CB 162 | 16.128 | 1618 | 45 | 7.036 | 7132 | 0.584 | 3764 | 0.326 | 2164 |
| | 16.000 | 16 | 40 | 7.000 | 7 | 0.520 | 3364 | 0.290 | 1964 |
| op 101 | 16.012 | 16164 | 38 | 6.024 | 6132 | 0.526 | 1732 | 0.314 | 516 |
| CB 161 | 15.930 | 151546 | 35 | 6.000 | 6 | 0.485 | 3164 | 0.290 | 1964 |




| Section Index | | f Section, ches | Weight per Foot, | Two. | Width, | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|---------|--------------------|---------------------|---------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 18.510 | 183364 | 425 | 16.506 | 1632 | 3.060 | 31/16 | 1.912 | 12932 |
| | 18.246 | 1814 | 405 | 16.423 | 162764 | 2.928 | 25964 | 1.829 | 1 5364 |
| | 17.978 | 176364 | 385 | 16.340 | 1611/32 | 2.794 | 251/64 | 1.746 | 134 |
| | 17.710 | 174564 | 365 | 16.255 | 16!4 | 2.660 | 221/32 | 1.661 | 12132 |
| | 17.438 | 173/16 | 345 | 16.172 | 1611/64 | 2.524 | 21762 | 1.578 | 13764 |
| | 17.164 | 171164 | 325 | 16.087 | 16332 | 2.387 | 22564 | 1.493 | 136 |
| | 16.890 | 165764 | 305 | 16.000 | 16 | 2.250 | 21/4 | 1.406 | 11362 |
| CB 146 | 16.752 | 1634 | 295 | 15.956 | 156161 | 2.181 | 2316 | 1.362 | 12364 |
| | 16.614 | 163964 | 285 | 15.912 | 152932 | 2.112 | 2764 | 1.318 | 1516 |
| | 16.472 | 161532 | 275 | 15.870 | 1538 | 2.041 | 2364 | 1.276 | 1932 |
| | 16.332 | 162164 | 265 | 15.826 | 15536: | 1.971 | 131/32 | 1.232 | 11564 |
| | 16.192 | 16346 | 255 | 15.781 | 152532 | 1.901 | 12932 | 1.187 | 1346 |
| | 16.050 | 16364 | 245 | 15.738 | 154764 | 1.830 | 15364 | 1.144 | 1964 |
| | 15.908 | 152932 | 235 | 15.693 | 1511/16 | 1.759 | 14964 | 1.099 | 1332 |
| | 15.764 | 154964 | 225 | 15.650 | 152132 | 1.687 | 11140 | 1.056 | 11/16 |



| Section | Depth of Inc | | Weight per Foot, | Inc | Width, | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|-----------------|----------|---------------------|---------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 15.622 | 1556 | 215 | 15.604 | 153964 | 1.616 | 13964 | 1.010 | 11/64 |
| | 15.478 | 153164 | 205 | 15.559 | 15916 | 1.544 | 13564 | 0.965 | 31/32 |
| | 15.334 | | 195 | 15.513 | 153364 | 1.472 | 11542 | 0.919 | 5964 |
| | 15.188 | 15316 | 185 | 15.469 | 151582 | 1.399 | 11342 | 0.875 | 38 |
| | 15.042 | 15364 | 175 | 15.424 | 152761 | 1.326 | 12164 | 0.830 | 5364 |
| | 14.896 | 145761 | 165 | 15.377 | 1536 | 1.253 | 114 | 0.783 | 2532 |
| | 14.750 | , | 155 | 15.330 | 152161 | 1.180 | 1316 | 0.736 | 4764 |
| CB 146 | | | 145 | 15.284 | 15932 | 1.106 | 1761 | 0.690 | 11/16 |
| CB 140 | 14.452 | | 135 | 15.239 | 151564 | 1.031 | 1132 | 0.645 | 41/64 |
| | *14.162 | | 131 | 15.468 | 151532 | 0.886 | 57/64 | 0.874 | 78 |
| | 14.304 | 141961 | 125 | 15.191 | 15346 | 0.957 | 61/64 | 0.597 | 1932 |
| | 14.154 | | 115 | 15.145 | 15%4 | 0.882 | 78 | 0.551 | 3564 |
| 1 | 14.018 | | 106 | 15.103 | 15764 | 0.814 | 13/16 | 0.509 | 3364 |
| | 13.866 | | 96 | 15.056 | 151/16 | 0.738 | 4764 | 0.462 | 1532 |
| | 13.714 | | 86 | 15.008 | 15164 | 0.662 | 2132 | 0.414 | 2764 |



| Section Index | | f Section, ches | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|----------------|--------------------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal Fracti | | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 14.370 | 1436 | 105 | 12.101 | 12332 | 0.990 | 6364 | 0.536 | 1742 |
| CB 145 | 14.186 | 143/16 | 95 | 12.050 | 12364 | 0.898 | 5764 | 0.485 | 3164 |
| | 14.000 | 14 | 85 | 12.000 | 12 | 0.805 | 1316 | 0.435 | 716 |
| | 14.382 | 1438 | 75 | 10.086 | 10332 | 0.786 | 25/32 | 0.468 | 1542 |
| CB 144 | 14.238 | 141564 | 68 | 10.043 | 10364 | 0.714 | 2342 | 0.425 | 2764 |
| | 14.094 | 14332 | 61 | 10.000 | 10 | 0.642 | 41/84 | 0.382 | 3/8 |




| Section | Depth of Inc | | Weight per Foot, | | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|-----------------|----------|---------------------|---------|-------------------------|---------|-----------------------------|---------|--------------------------|--|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction | |
| | 14.242 | 141564 | 58 | 8.070 | 81/16 | 0.716 | 2342 | 0.413 | 13/32 | |
| CD 149 | | 1438 | 53 | 8.035 | 81/32 | 0.656 | 21/32 | 0.378 | 38 | |
| CB 143 | 14.122 | | 48 | 8.000 | 8 | 0.595 | 1932 | 0.343 | 11/32 | |
| | *14.000 | 14 | 38 | 6.855 | 65564 | 0.449 | 2964 | 0.375 | 38 | |
| | 14.240 | | 42 | 6.822 | 65364 | 0.569 | 916 | 0.342 | 11,32 | |
| CB 142 | | | 39 | 6.798 | 65164 | 0.529 | 1742 | 0.318 | 516 | |
| CB 142 | 14.080 | | 36 | 6.774 | 62532 | 0.489 | 31/64 | 0.294 | 1964 | |
| | 14.000 | | 33 | 6.750 | 634 | 0.449 | 29/64 | 0.270 | 1764 | |
| CB 141 | 13.964 | 1331/32 | 30 | 6.000 | 6 | 0.431 | 316 | 0.270 | 17/64 | |


*Special Section-Web Thickness 3/8".

CARNEGIE BEAM SECTIONS—Continued -------14.00"-----1.000" CB 127 - -14.00"--0.65''---6.500"-----0.757" CB 126 --> 0.65"


| Section Index | | f Section, thes | Weight per Foot. | Inc | Width, hes | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|----------|--------------------|---------------------------------|--|------------------------------------|-----------------------------|----------|---|--------------------------------|
| | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 127 | CONSTANT | 12 | 230 220 210 200 190 | 14.980 14.735 14.490 14.245 14.000 | 146364 144764 143164 1414 | 1.677 | 1 43 64 | 1.980 1.735 1.490 1.245 1.000 | 16364 14764 13164 114 |
| CB 126 | P 12 | 12 | 180 170 160 150 | 14.735 14.490 14.245 14.000 | 144764 143164 1414 14 | 1.312 | 16 | 1.492 1.247 1.002 0.757 | 13364 134 1 1 |



| Section | Depth of Inc | 1 | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|-----------------|------|--------------------------|--------------------------------------|----------------------------------|-----------------------------|----------|----------------------------------|----------------------------|
| Index | Decimal | 1 | Pounds | | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 125 | CONSTA | E 12 | 140 130 120 110 | 12.736 12.491 12.245 12.000 | 124764 123764 1274 1274 | 1.075 | 5 64 | 1.376 1.131 0.885 0.640 | 136 136 5764 4164 |




| Section Index | Depth of Inc | Section, hes | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------|-----------------|---------------------|-------------------------|----------|-----------------------------|-----------------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | C | | 102 | 12.490 | 123164 | | | 0.943 | 15/16 |
| CB 124C | ON 12 | 19 | 95 | 12.318 | 12516 | 0.600 | 51 | 0.771 | 4964 |
| JB 1240 | TIL | 17 | 88 | 12.147 | 12964 | 0.800 | <u>51</u> 64 | 0.600 | 1932 |
| | N T | | 82 | 12.000 | 12 | | | 0.453 | 2964 |
| | D E P 19 | | 76 | 12.270 | 121764 | | | 0.670 | 4364 |
| CB 124B | E 12 | 12 | 70 | 12.123 | 1218 | 0.608 | 39 | 0.523 | 3364 |
| | H | | 65 | 12.000 | 12 | 0.000 | 64 | 0.400 | 1332 |



| Section | | f Section, ches | Weight per Foot, | In | Width, | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|---------|--------------------|---------------------|---------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 12.260 | 121764 | 66 | 9.073 | 9564 | 0.795 | 51/64 | 0.448 | 2964 |
| CB 123B | 12.118 | 121/8 | 60 | 9.034 | 91/32 | 0.724 | 2332 | 0.409 | 1332 |
| | 12.000 | 12 | 55 | 9.000 | 9 | 0.665 | 4364 | 0.375 | 38 |
| - | 12.258 | 121764 | 50 | 8.071 | 8564 | 0.655 | 21/32 | 0.361 | 2364 |
| CB 123 | 12.130 | 121/8 | 45 | 8.036 | 81/32 | 0.591 | 1932 | 0.326 | 2164 |
| | 12.000 | 12 | 40 | 8.000 | 8 | 0.526 | 17/32 | 0.290 | 1964 |


CARNEGIE BEAM SECTIONS—Continued






| Section Index | | Depth of Section, Inches | | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|---------|-----------------------------|--------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | *12.022 | 12164 | 34 | 6.635 | 641/64 | 0.431 | 716 | 0.375 | 3/8 |
| | 12.236 | 121564 | 36 | 6.568 | 6916 | 0.538 | 17/32 | 0.308 | 546 |
| CB 122 | 12.118 | 1218 | 32 | 6.534 | 61732 | 0.479 | 3164 | 0.274 | 932 |
| | 12.000 | 12 | 28 | 6.500 | 61/2 | 0.420 | 2364 | 0.240 | 1564 |
| CB 121 | 11.924 | 115964 | 25 | 6.000 | 6 | 0.382 | 36 | 0.240 | 1564 |


*Special Section-Web Thickness 3/8".




| Section | | Section, hes | Weight per Foot. | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|------------------|-----------------|--|--|--|-----------------------------|----------|--|--|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 105 | CONSTANT | 10 | 140 132 124 116 108 100 | 13.177 12.941 12.706 12.471 12.236 12.000 | $13^{1}\%_{4}$ $12^{1}\%_{16}$ $12^{4}\%_{4}$ $12^{1}\%_{2}$ $12^{1}\%_{4}$ 12 | 1.016 | 1 64 | 1.777 1.541 1.306 1.071 0.836 0.600 | 12532 13564 1516 1564 2732 1932 |
| CB 104 | D P T H | 10 | 92 84 77 70 | 10.647 10.411 10.206 10.000 | $ \begin{array}{r} 10^{4} \% 4 \\ 10^{13} \% 2 \\ 10^{13} \% 4 \\ 10 \end{array} $ | 0.805 | 13 | $1.162 \\ 0.926 \\ 0.721 \\ 0.515$ | 1532 5964 2332 3364 |



| Section Index | | f Section, hes | Weight per Foot, | | Width, hes | | hickness, | Web Thickness, Inches | |
|------------------|-----------------------|-------------------|----------------------|--------------------------------------|-----------------------------|---------|-----------|----------------------------------|----------------------------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 103A | C ON STANT | 10 | 64 59 54 49 | 10.441 10.294 10.147 10.000 | 103/16 1019/64 109/64 | 0.558 | 9 16 | 0.791 0.644 0.497 0.350 | 5164 4164 16 1142 |
| CB 102 | D E P T H | 10 | 42 36 31 | 8.324 8.147 8.000 | 821/64 89/64 | 0.381 | 3 8 | 0.644 0.467 0.320 | 4364 1532 516 |




| Section | | Depth of Section, Inches | | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|---------|-----------------------------|--------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 10.228 | 101564 | 30 | 6.068 | 6146 | 0.495 | 1.2 | 0.298 | 1961. |
| OD 101 | 10.098 | 10332 | 26 | 6.029 | 6132 | 0.430 | 3/16 | 0.259 | 1764 |
| CB 101 | 10.000 | 10 | 23 | 6.000 | 6 | 0.381 | 38 | 0.230 | 1564 |
| | 9.902 | 92932 | 21 | 6.000 | 6 | 0.332 | 2164 | 0.230 | 1564 |




| Section Index | Depth of Section, Inches | | Weight per Foot, | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------------------|---------------------|---------------------|-------------------------|----------------------|-----------------------------|--|--------------------------|---------------------|
| | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| CB 93 | 9.242 9.122 9.000 | 915/64 91/8 9 | 48 43 38 | 9.082 9.041 9.000 | 9564 9364 9 | 0.591 0.531 0.470 | 193 ₂ 173 ₂ 153 ₂ | 0.398 0.357 0.316 | 2564 2864 516 |
| CB 92 | 9.192 9.096 9.000 | 9346 9342 9 | 35 32 29 | 6.556 6.528 6.500 | 6916 61762 616 | 0.566 0.518 0.470 | 916 3364 1532 | 0.335 0.307 0.279 | 2164 546 932 |

CARNEGIE BEAM SECTIONS—Continued




| Section | | Depth of Section, Inches | | | Width, | | hickness, | Web Thickness, Inches | |
|---------|---------|-----------------------------|--------|---------|----------|---------|-----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 9.606 | 93964 | 90 | 8.520 | 83364 | 1.203 | 11364 | 0.810 | 13/16 |
| | 9.456 | 92964 | 84 | 8.469 | 81532 | 1.128 | 138 | 0.759 | 4964 |
| | 9.302 | 91964 | 78 | 8.418 | 82764 | 1.051 | 1364 | 0.708 | 45,64 |
| | 9.150 | 9552 | 72 | 8.366 | 82364 | 0.975 | 31/32 | 0.656 | 21/32 |
| | 8.994 | 9 | 66 | 8.314 | 8516 | 0.897 | 5764 | 0.604 | 3964 |
| CB 83 | 8.838 | 82732 | 60 | 8.261 | 81764 | 0.819 | 1346 | 0.551 | 35/64 |
| | 8.680 | 811/16 | 54 | 8.208 | 81364 | 0.740 | 4764 | 0.498 | 1,6 |
| | 8.520 | 83364 | 48 | 8.155 | 8532 | 0.660 | 21/32 | 0.445 | 716 |
| | 8.360 | 82364 | 42 | 8.100 | 8332 | 0.580 | 3764 | 0.390 | 2564 |
| | 8.198 | 81361 | 36 | 8.046 | 8364 | 0.499 | 1,6 | 0.336 | 11/32 |
| | 8.060 | 81/16 | 31 | 8.000 | 8 | 0.430 | 716 | 0.290 | 1964 |
| | 8.196 | 81364 | 30 | 6.559 | 6916 | 0.498 | 3/2 | 0.298 | 1964 |
| CB 82 | 8.098 | 8332 | 27 | 6.529 | 617/32 | 0.449 | 2964 | 0.268 | 1764 |
| | 8.000 | 8 | 24 | 6.500 | 61/2 | 0.400 | 13/32 | 0.239 | 1564 |

CARNEGIE BEAM SECTIONS—Concluded




| Section | Depth of Section, Inches | | Weight per Foot. | Flange Width, Inches | | Flange Thickness, Inches | | Web Thickness, Inches | |
|---------|-----------------------------|----------|---------------------|-------------------------|----------|-----------------------------|----------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| | 6.842 | 62732 | 88 | 10.046 | 10364 | 1.035 | 11/32 | 1.035 | 1 1/3 2 |
| | 6.666 | 64364 | 80 | 9.959 | 96164 | .947 | 61/64 | .948 | 6164 |
| OD C1 | 6.444 | 6346 | 70 | 9.846 | 92732 | .836 | 27/32 | .835 | 2732 |
| CB 61 | 6.216 | 6732 | 60 | 9.733 | 94764 | .722 | 2332 | .722 | 23/32 |
| | 5.986 | 56364 | 50 | 9.617 | 93964 | .607 | 3964 | .606 | 3964 |
| | 5.750 | 534 | 40 | 9.500 | 91/2 | .489 | 31/64 | .489 | 31/64 |

STANDARD MILL SECTIONS



| Section Index | Depth of Inc | Section, | Weight per Foot, | Flange Width, Inches | | Mean Flange Thickness, Inches | | Web Thickness, Inches | |
|------------------|-----------------|----------|---------------------|-------------------------|------------|-------------------------------------|------------------|--------------------------|----------|
| Index | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| B 40 | 9 | 9 | 25.0 20.5 | 5.380 5.234 | 538 514 | 0.3865 | <u>25</u> 64 | 0.380 | 38 34 |
| B 39 | 8 | 8 | 21.0 17.5 | 5.110 4.981 | 5764 5 | 0.342 | 1 <u>1</u> 32 | 0.360 0.231 | 2364 |


H-BEAMS





| Section Index | Depth of Section, Inches | | Weight per Foot, Pounds | Flange Inc | Width, hes | Thiel | Flange eness, hes | Web Th | ickness, hes |
|------------------|-----------------------------|----------|-------------------------------|-------------------------|---------------------|---------|-------------------------|---------------------------|--------------------|
| | Decimal | Fraction | Founds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| H 4 | 8 | 8 | 37.7 34.3 32.6 | 8.125 8.000 7.938 | 81/8 8 715/16 | 0.459 | 29/6.4 | $0.500 \\ 0.375 \\ 0.313$ | 1.6 3.8 5.16 |


Full information is given in separate issue: "Steel Mine Timbers."

H-BEAMS—Concluded











| Section Index | | | Weight per Foot, | Y | Width, | Thic | Flange kness, hes | Web Thickness, Inches | |
|------------------|---------|----------|---------------------|----------------|-----------------|---------|-------------------------|--------------------------|------------|
| | Decimal | Fraction | Pounds | Decimal | Fraction | Decimal | Fraction | Decimal | Fraction |
| н за | 6 | 6 | $\frac{27.5}{25.0}$ | 6.063 5.938 | 61/16 515/16 | 0.481 | 31/64 | $0.438 \\ 0.313$ | 716 516 |
| Н 3 | 6 | 6 | $\frac{22.5}{20.0}$ | 6.063 5.938 | 6116 51516 | 0.379 | 38 | $0.375 \\ 0.250$ | 38 14 |
| H 2 | 5 | 5 | 18.9 | 5.000 | 5 | 0.417 | 27/64 | 0.313 | 516 |
| H 1 | 4 | 4 | 13.8 | 4.000 | 4 | 0.372 | 3/8 | 0.313 | 516 |

Full information is given in separate issue: "Steel Mine Timbers."


STRUCTURAL BEAMS American Standard Sections




| Section Index | Depth of Beam, | Weight per Foot, Pounds | | Width, | Web Thickness, Inches | | |
|------------------------|-------------------|-----------------------------------|---|-------------------------------|---------------------------------------|----------------------------|--|
| | Inches | | Decimal | Fractional | Decimal | Fractional | |
| B 18 (Old No. B 24) | 24 | 120.0 115.0 110.0 105.9 | 8.048 7.987 7.925 7.875 | 8364 76364 75964 778 | 0.798 0.737 0.675 0.625 | 5164 4764 4364 58 | |
| B 1 | 24 | 100.0 95.0 90.0 85.0 79.9 | 7.247 7.186 7.124 7.063 7.000 | 714 7316 718 7116 | 0.747 0.686 0.624 0.563 0.500 | 34 1116 58 916 | |




| Section Index | Depth of Beam, Inches | Weight per Foot, | | Width, | | hickness, ches |
|------------------|-----------------------------|---------------------|---------|------------|---------|-------------------|
| Thuck | | Pounds | Decimal | Fractional | Decimal | Fractiona |
| | | 100.0 | 7.273 | 71764 | 0.873 | 78 |
| | | 95.0 | 7.200 | 71364 | 0.800 | 51/64 |
| B 2 | 20 . | 90.0 | 7.126 | 718 | 0.726 | 2332 |
| | | 85.0 | 7.053 | 7364 | 0.653 | 21/32 |
| | | 81.4 | 7.000 | 7 | 0.600 | 1932 |
| | | 75.0 | 6.391 | 625/64 | 0.641 | 41/64 |
| B 3 | 20 | 70.0 | 6.317 | 6516 | 0.567 | 916 |
| | | 65.4 | 6.250 | 614 | 0.500 | 1,5 |







| Section Index | Depth of Beam, | Weight per Foot, | | Width, | Web Thickness, Inches | | |
|------------------|----------------|---------------------|---------|------------|--------------------------|------------|--|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractional | |
| | | 90.0 | 7.236 | 71564 | 0.796 | 5164 | |
| B 19 | 18 | 85.0 | 7.154 | 7542 | 0.714 | 23/32 | |
| (Old No. B 81) | 18 | 80.0 | 7.072 | 7564 | 0.632 | 58 | |
| | | 75.6 | 7.000 | 7 | 0.560 | 916 | |
| | | 70.0 | 6.251 | 614 | 0.711 | 23/32 | |
| B 4 | 18 | 65.0 | 6.169 | 61164 | 0.629 | 58 | |
| (Old No. B 80) | 15 | 60.0 | 6.087 | 6332 | 0.547 | 3564 | |
| | | 54.7 | 6.000 | 6 | 0.460 | 2964 | |




| Section | Depth of Beam, | Weight per Foot, | | | Web Thickness, Inches | | |
|--------------|-------------------|---------------------|---------|------------|--------------------------|-----------|--|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona | |
| | | 100.0 | 6.767 | 64964 | 1.167 | 111/64 | |
| | | 95.0 | 6.668 | 643/64 | 1.068 | 11/16 | |
| B 5 | 15 | 90.0 | 6.570 | 63764 | 0.970 | 31/32 | |
| (Old No. B4) | | 85.0 | 6.472 | 61532 | 0.872 | 38 | |
| | | 81.3 | 6.400 | 61342 | 0.800 | 51/64 | |
| | | 75.0 | 6.278 | 6932 | 0.868 | 78 | |
| B 6 | 1.5 | 70.0 | 6.180 | 6316 | 0.770 | 4964 | |
| (Old No. B5) | 15 | 65.0 | 6.082 | 6564 | 0.672 | 4364 | |
| | | 60.8 | 6.000 | 6 | 0.590 | 19/32 | |
| | | 55.0 | 5.738 | 54764 | 0.648 | 41/64 | |
| D 7 | 15 | 50.0 | 5.640 | 541/64 | 0.550 | 35/64 | |
| B 7 | 15 | 45.0 | 5.542 | 535/64 | 0.452 | 2964 | |
| | | 42.9 | 5.500 | 51/2 | 0.410 | 1332 | |





| Section | Depth of Beam, | Weight per Foot, | | Width, | Web Thickness, Inches | | |
|----------------|-------------------|---------------------|---------|------------|--------------------------|------------|--|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractional | |
| | | 55.0 | 5.600 | 51932 | 0.810 | 13/16 | |
| TD 0 | 10 | 50.0 | 5.477 | 53164 | 0.687 | 11/16 | |
| B 8 | 12 | 45.0 | 5.355 | 52364 | 0.565 | 916 | |
| | | 40.8 | 5.250 | 5 1/4 | 0.460 | 2964 | |
| D 0 | 10 | 35.0 | 5.078 | 5564 | 0.428 | 2764 | |
| B 9 | 12 | 31.8 | 5.000 | 5 | 0.350 | 11/32 | |
| | | 40.0 | 5.091 | 5332 | 0.741 | 4764 | |
| B 10 | 10 | 35.0 | 4.944 | 41546 | 0.594 | 19/32 | |
| (Old No. B 11) | 10 | 30.0 | 4.797 | 45164 | 0.447 | 2964 | |
| | | 25.4 | 4.660 | 421/32 | 0.310 | 5/16 | |



| Section | Depth of Beam, | Weight per Foot, | | Width, | Web Thickness, Inches | |
|----------------|-------------------|---------------------|---------|------------|--------------------------|------------|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractional |
| | | 35.0 | 4.764 | 44964 | 0.724 | 2342 |
| B 11 | | 30.0 | 4.601 | 41932 | 0.561 | 916 |
| (Old No. B 13) | 9 | 25.0 | 4.437 | 4716 | 0.397 | 2564 |
| | | 21.8 | 4.330 | 42164 | 0.290 | 1964 |
| | | 25.5 | 4.262 | 417/64 | 0.532 | 17/32 |
| B 12 | | 23.0 | 4.171 | 411/64 | 0.441 | 316 |
| (Old No. B 15) | 8 | 20.5 | 4.079 | 4564 | 0.349 | 11/32 |
| | | 18.4 | 4.000 | 4 | 0.270 | 1764 |
| | | 20.0 | 3.860 | 35564 | 0.450 | 2964 |
| B 13 | 7 | 17.5 | 3.755 | 334 | 0.345 | 11/32 |
| (Old No. B 17) | | 15.3 | 3.660 | 32132 | 0.250 | 1/4 |










| Section | Depth of Beam. | Weight per Foot, | | e Width, ches | | hickness, iches |
|------------------------|-------------------|---------------------|---------|------------------|---------|--------------------|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractional |
| | | 17.25 | 3.565 | 3%16 | 0.465 | 15/32 |
| B 14 (Old No. B 19) | 6 | 14.75 | 3.443 | 3746 | 0.343 | 1142 |
| (Old No. D 19) | | 12.5 | 3.330 | 32164 | 0.230 | 1564 |
| | | 14.75 | 3.284 | 3932 | 0.494 | 14 |
| B 15 | 5 | 12.25 | 3.137 | 3%4 | 0.347 | 1142 |
| (Old No. B 21) | | 10.0 | 3.000 | 3 | 0.210 | 13/64 |
| | | 10.5 | 2.870 | 278 | 0.400 | 13/32 |
| B 16 | | 9.5 | 2.796 | 251/64 | 0.326 | 2164 |
| (Old No. B 23) | 4 | 8.5 | 2.723 | 22332 | 0.253 | 14 |
| | | 7.7 | 2.660 | 221/32 | 0.190 | 316 |
| | | 7.5 | 2.509 | 233/64 | 0.349 | 11/32 |
| B 17 | 3 | 6.5 | 2.411 | 21342 | 0.251 | 34 |
| (Old No. B 77) | | 5.7 | 2.330 | 22164 | 0.170 | 11/64 |


CENTER SILL SECTION




| Cl. II | Depth of | Flange | e Width | Web | Weight |
|------------------|--------------------|----------------|-------------------|----------------------|---------------------|
| Section Index | Section, Inches | Top, Inches | Bottom, Inches | Thickness, Inches | per Foot, Pounds |
| B 112 | 12 | 31/4 | 7 | 1532 | 40.3 |

Full information is given in separate issue: "Carnegie Car Sill Sections."


STRUCTURAL CHANNELS SHIP BUILDING CHANNEL





CAR BUILDING CHANNELS



| Section Index | Depth of Channel, | Weight per Foot, | | | Web Thickness, Inches | |
|------------------|----------------------|--|---|--|---|--|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona |
| C 60 | 18 | 58.0 51.9 45.8 42.7 | $\begin{array}{c} 4.200 \\ 4.100 \\ 4.000 \\ 3.950 \end{array}$ | $\begin{array}{c} 4^{13}6_{4} \\ 4^{3}3_{2} \\ 4 \\ 3^{6}16_{4} \end{array}$ | $0.700 \\ 0.600 \\ 0.500 \\ 0.450$ | 4564 1962 16 2964 |
| C 20 | 13 | 50.0 45.0 40.0 37.0 35.0 31.8 | 4.412 4.298 4.185 4.117 4.072 4.000 | 41832 41964 4316 4764 4564 | $\begin{array}{c} 0.787 \\ 0.673 \\ 0.560 \\ 0.492 \\ 0.447 \\ 0.375 \end{array}$ | 2542 4364 916 3164 2964 38 |
| C 170 | 12 | 50.0 48.6 46.6 44.5 40.0 35.0 | 4.135 4.100 4.050 4.000 3.890 3.767 | 4%4 43%2 43%4 4 357%4 349%4 | 0.835 0.800 0.750 0.700 0.590 0.467 | 53/64 51/64 3/4 45/64 19/32 15/32 |









| Section | Depth of Channel, | Weight per Foot, | Flange Width, Inches | | Web Thickness, Inches | |
|---------|----------------------|--|--|---|---|--|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona |
| C 1 | 15 | 55.0 50.0 45.0 40.0 35.0 33.9 | 3.814 3.716 3.618 3.520 3.422 3.400 | $3^{13}16$ $3^{23}42$ $3^{5}4$ $3^{3}464$ $3^{2}764$ $3^{13}42$ | $\begin{array}{c} 0.814 \\ 0.716 \\ 0.618 \\ 0.520 \\ 0.422 \\ 0.400 \end{array}$ | 13/16 23/32 5/8 33/64 27/64 13/32 |
| C 2 | 12 | 40.0 35.0 30.0 25.0 20.7 | 3.415 3.292 3.170 3.047 2.940 | $3^{2}764$ $3^{1}964$ $3^{1}164$ $3^{3}64$ $2^{1}516$ | $\begin{array}{c} 0.755 \\ 0.632 \\ 0.510 \\ 0.387 \\ 0.280 \end{array}$ | 3/4 5/8 33/6/4 25/6/4 9/32 |
| C 3 | 10 | 35.0 30.0 25.0 20.0 15.3 | 3.180 3.033 2.886 2.739 2.600 | $3\frac{3}{16}$ $3\frac{1}{3}\frac{2}{2}$ $2\frac{5}{7}\frac{6}{6}\frac{4}{4}$ $2\frac{4}{9}\frac{6}{3}\frac{4}{2}$ | 0.820 0.673 0.526 0.379 0.240 | 13/6 43/64 17/32 3/8 15/64 |









| Section Index | Depth of Channel, | Weight per Foot, | | Flange Width, Inches | | Web Thickness, Inches | |
|------------------|----------------------|---------------------|---------|-------------------------|---------|--------------------------|--|
| Thuck | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona | |
| | | 25.0 | 2.812 | 21346 | 0.612 | 3964 | |
| C 4 | 9 | 20.0 | 2.648 | 241/64 | 0.448 | 2964 | |
| 0 4 | | 15.0 | 2.485 | 23161 | 0.285 | 932 | |
| | | 13.4 | 2.430 | 27/16 | 0.230 | 1564 | |
| | | 21.25 | 2.619 | 25% | 0.579 | 3764 | |
| | | 18.75 | 2.527 | 21732 | 0.487 | 31/64 | |
| C 5 | 8 | 16.25 | 2.435 | 27/16 | 0.395 | 2564 | |
| | | 13.75 | 2.343 | 21142 | 0.303 | 1964 | |
| | | 11.5 | 2.260 | 21764 | 0.220 | 7/32 | |
| | | 19.75 | 2.509 | 23364 | 0.629 | 56 | |
| | | 17.25 | 2.404 | 213/32 | 0.524 | 1732 | |
| C 6 | 7 | 14.75 | 2.299 | 21964 | 0.419 | 2764 | |
| | | 12.25 | 2.194 | 23/16 | 0.314 | 516 | |
| | | 9.8 | 2.090 | 2332 | 0.210 | 1364 | |

STRUCTURAL CHANNELS—Concluded American Standard Sections




| Section | Depth of Channel. | Weight per Foot, | | e Width, | Web Thickness, Inches | |
|---------------|----------------------|---------------------|---------|------------|--------------------------|-----------|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona |
| | | 15.5 | 2.279 | 2932 | 0.559 | 916 |
| 0 7 | C 7 6 | 13.0 | 2.157 | 25/32 | 0.437 | 716 |
| C 7 | | 10.5 | 2.034 | 21/32 | 0.314 | 516 |
| | | 8.2 | 1.920 | 15964 | 0.200 | 1364 |
| | | 11.5 | 2.032 | 21/32 | 0.472 | 15/32 |
| C 8 | 5 | 9.0 | 1.885 | 15764 | 0.325 | 21/64 |
| | | 6.7 | 1.750 | 134 | 0.190 | 3/16 |
| | | 7.25 | 1.720 | 123/32 | 0.320 | 516 |
| C 9 | 4 | 6.25 | 1.647 | 14164 | 0.247 | 1/4 |
| | | 5.4 | 1.580 | 13764 | 0.180 | 316 |
| | | 6.0 | 1.596 | 11932 | 0.356 | 23/64 |
| C 10 | 3 | 5.0 | 1.498 | 11/2 | 0.258 | 34 |
| 0ld No. C 72) | | 4.1 | 1.410 | 11332 | 0.170 | 11/64 |



| Section Index | Channel, per | Weight per Foot, | | Flange Width, Inches | | Web Thickness, Inches | |
|-------------------|--------------|-------------------------------------|----------------------------------|---|---|--------------------------------|--|
| | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona | |
| C 21 (BSC 26) | 12 | 44.7 40.6 36.5 34.5 | 4.200 4.100 4.000 3.950 | $4^{13}6_{4}$ $4^{3}6_{2}$ 4 $3^{6}6_{4}$ | 0.725 0.625 0.525 0.475 | 23/32 5/8 17/32 15/32 | |
| C 171 (BSC 25) | 12 | 41.1 37.0 32.9 30.9 | 3.700 3.600 3.500 3.450 | $ \begin{array}{r} 3^{45}6_{4} \\ 3^{19}3_{2} \\ 3^{12} \\ 3^{29}6_{4} \end{array} $ | 0.700 0.600 0.500 0.450 | 4564 1932 12 2964 | |
| C 26 (BSC 21) | 10 | 37.0 33.6 30.2 28.5 | 4.200 4.100 4.000 3.950 | 41364 4332 4 36164 | 0.675 0.575 0.475 0.425 | 4364 3764 1532 2764 | |

Dimensions and properties of the British Standard Sections are indicated in **bold type.**


SHIP BUILDING CHANNELS—Continued American Standard Sections



| Section Index | Depth of Channel. | Channel, per Foot, | | Flange Width, Inches | | Web Thickness, Inches | |
|------------------|----------------------|---|---|---|--|------------------------------------|--|
| ingex | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona | |
| C 27 (BSC 20) | 10 | 35.1 31.7 28.3 26.6 24.9 | 3.700 3.600 3.500 3.450 3.400 | $3^{45}6_{4}$ $3^{19}3_{2}$ 3^{14} $3^{29}6_{4}$ $3^{13}3_{2}$ | 0.675 0.575 0.475 0.425 0.375 | 4364 3764 1532 2764 38 | |
| C 28 (BSC 19) | 10 | 25.3 23.6 21.9 | 3.550 3.500 3.450 | 3 ³ 5/6 ⁴ 3 ¹ / ₂ 3 ² 9/6 ⁴ | $0.425 \\ 0.375 \\ 0.325$ | 2764 38 2164 | |
| C 31 (BSC 18) | 9 | 34.7 31.7 28.6 27.1 | 4.200 4.100 4.000 3.950 | 41364 4332 4 36164 | 0.675 0.575 0.475 0.425 | 43/64 37/64 15/32 27/64 | |


Dimensions and properties of the British Standard Sections are indicated in **bold type**.


SHIP BUILDING CHANNELS—Continued American Standard Sections




| Section Index | Depth of Weight Channel, per Foot, | | Flange Width, Inches | | Web Thickness, Inches | |
|------------------|------------------------------------|--------------------------------------|--|--|---|---------------------------------------|
| | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona |
| C 32 (BSC 17) | 9 | 31.6 28.5 25.4 23.9 | $3.700 \\ 3.600 \\ 3.500 \\ 3.450$ | 3^{45}_{64} 3^{19}_{52} 3^{16}_{2} 3^{29}_{64} | 0.650 0.550 0.450 0.400 | 2132 3564 2964 1332 |
| C 36 (BSC 13) | 8 | 28.2 25.5 22.8 21.4 | $3.700 \\ 3.600 \\ 3.500 \\ 3.450$ | $ \begin{array}{r} 34564 \\ 31932 \\ 316 \\ 32964 \end{array} $ | 0.625 0.525 0.425 0.375 | 56 1732 2764 36 |
| C 37 (BSC 12) | 8 | 25.5 22.7 20.0 19.3 18.7 | 3.225 3.125 3.025 3.000 2.975 | $ \begin{array}{r} 3732 \\ 318 \\ 3132 \\ 3 \\ 23132 \end{array} $ | 0.600 0.500 0.400 0.375 0.350 | 19/32 1/2 13/32 3/8 11/32 |

SHIP BUILDING CHANNELS—Continued American Standard Sections










| Section | Depth of Channel. | Weight per Foot, | | | Web Thickness, Inches | |
|------------------|----------------------|-------------------------------------|--|--|---|----------------------------|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractional |
| C 41 (BSC 10) | 7 | 25.0 22.7 20.3 19.1 | 3.700 3.600 3.500 3.450 | $3^{45}64$ $3^{19}42$ $3^{19}4$ $3^{29}64$ | $\begin{array}{c} 0.600 \\ 0.500 \\ 0.400 \\ 0.350 \end{array}$ | 1932 12 1332 1332 |
| C 42 (BSC 9) | 7 | 20.0 17.6 16.4 | $3.100 \\ 3.000 \\ 2.950$ | 33/32 3 261/64 | 0.475 0.375 0.325 | 15/32 3/8 21/64 |
| C 46 (BSC 8) | 6 | 22.0 20.0 18.0 16.9 | 3.700 3.600 3.5 00 3.450 | $ \begin{array}{r} 3^{45}6_4 \\ 3^{19}3_2 \\ 3^{16} \\ 3^{29}6_4 \end{array} $ | $0.575 \\ 0.475 \\ 0.375 \\ 0.325$ | 3764 1532 38 2164 |

Dimensions and properties of the British Standard Sections are indicated in bold type.

SHIP BUILDING CHANNELS—Concluded American Standard Sections










| Section | Depth of | Weight | | Flange Width, | | Web Thickness, | |
|---------|----------|-----------|---------|---------------|---------|----------------|--|
| Index | Channel, | per Foot, | | Inches | | Inches | |
| | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona | |
| C 109 | 6 | 15.3 | 3.500 | 3 1/2 | 0.340 | 11/32 | |
| C 47 | 6 | 16.3 | 3,000 | 3 | 0.375 | 3/8 | |
| (BSC 7) | | 15.1 | 2.938 | 215/16 | 0.313 | 5/16 | |
| C 48 | 6 | 13.3 | 2.563 | 2916 | 0.375 | 38 | |
| (BSC 5) | | 12.0 | 2.500 | 212 | 0.313 | 516 | |


Dimensions and properties of the British Standard Sections are indicated in **bold type**.

STRUCTURAL CAR BUILDING CHANNELS












| Section | Depth of Weight Channel per Foot, | | Flange Width, Inches | | Web Thickness, Inches | |
|---------|-----------------------------------|----------------------------------|---|--|--|-----------------------------------|
| Index | Inches | Pounds | Decimal | Fractional | Decimal | Fractiona |
| C 211 | 7 | 18.8 | 4.000 | 4 | 0.350 | 11/82 |
| *C 200 | 4 | 13.8 | 2.500 | 21/2 | 0.500 | 1/2 |
| *C 192 | 3 | 10.3 9.0 7.1 6.5 5.8 | 2.250 2.125 1.938 1.875 1.805 | $\begin{array}{c} 214 \\ 21/8 \\ 115/16 \\ 17/8 \\ 113/16 \end{array}$ | 0.625 0.500 0.313 0.250 0.180 | 5/8 1/2 5/16 1/4 3/16 |
| *†C 221 | 23/8 | 3.87 | 1.188 | 13/16 | 0.250 | 1/4 |


*Furnished only by special arrangement. †Bar size.

CHANNELS—BAR SIZES











| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-------------------------|--------------------------|---------------------------|
| *C 622 | 3 | 1 | 38 | 5.6 |
| *C 640 | 21332 | 134 | 11/62 | 6.7 |
| *C 221 | 238 | 1346 | 34 | 3.87 |
| *C 633 | 21/8 | 13/32 | 932 | 4.1 |


^{*}Furnished only by special arrangement.

CHANNELS


CHANNELS—BAR SIZES—Continued









SHARP TOE CHANNEL



TIRE CARRIER CHANNEL







| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-------------------------|--------------------------|---------------------------|
| C 597 | 2 | 1 | 316 | 2.57 |
| C 598 | 2 | 1 | 1,6 | 1.78 |
| *C 620 | 1 1/2 | 78 | 532 | 1.57 |
| *C 595 | 21/2 | 38 full | .137 | 1.47 |
| *C 614 | 2 | 1,6 | 3/8 | 1.42 |
| *C 631 | 1 1/2 | 516 | 332 | 0.64 |

^{*} Furnished only by special arrangement.


CHANNELS-BAR SIZES-Continued






| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|--|---|------------------------------------|-------------------------------------|
| C 539 | $ \begin{array}{c} 2\frac{1}{2} \\ 2\frac{1}{2} \\ 2\frac{1}{2} \\ 2\frac{1}{2} \\ 2\frac{1}{2} \end{array} $ Full | 7/8 13/16 8/4 11/16 5/8 | 74 6 8/8 5/16 1/4 3/16 | 4.4 3.87 3.33 2.80 2.27 |
| C 538 | $\frac{2}{2}\frac{1}{2}$ | 1/2 15/32 | 5/822 1/8 | 1.77 1.50 |
| C '577 | $\frac{2}{2}$ | 11/16 5/8 | 3/16 | 2.40 1.98 |
| C 534 | $\frac{2}{2}$ | 5/8 9/16 | 1/4 3/16 | 2.18 1.76 |
| C 535 | 2 2 2 2 2 | 11/ ₁₆ 5/ ₅ 9/ ₁₆ 1/ ₂ | 5/16 1/4 8/16 1/8 | 2.75 2.32 1.90 1.47 |
| C 531 | $\begin{array}{c} 1 & 3/4 \\ 1 & 3/4 \\ 1 & 3/4 \end{array}$ | 9/16 1/2 7/18 | 1/4 3/16 1/8 | 1.92 1.55 1.18 |
| C 527 | $\frac{1}{1}\frac{1}{2}$ | 1/2 7/16 | 1/4 8/16 | 1.53 1.21 |

CHANNELS—BAR SIZES—Continued




| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|--|-------------------------|--------------------------|---|
| C 529 | $\begin{array}{c} 1 \frac{1}{2} \\ 1 \frac{1}{2} \\ 1 \frac{1}{2} \end{array}$ | 948 1/2 7/16 | 1/4 3/16 1/8 | 1.68 1.36 1.05 |
| C 528 | $\begin{array}{c} 1 \frac{1}{2} \\ 1 \frac{1}{2} \\ 1 \frac{1}{2} \end{array}$ | 5/8 9/16 1/2 | 1/4 8/16 1/8 | 1.76 1.44 1.12 |
| C 525 | $ \begin{array}{c} 1 & 3 & 8 \\ 1 & 3 & 8 \\ 1 & 3 & 8 \end{array} $ | 7/16 3/8 | 1/4 3/16 1/8 | 1.49 1.20 0.91 |
| C 585 | 1 3/8 | 5/16 | 846 | 1.13 |
| *C 634 | 1 1/4 | 1/2 | 8/16 | 1.16 |
| C 522 | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5/8 9/16 1/2 | 3/16 1/8 | $\frac{1.54}{1.28}$ $\frac{1.01}{1.01}$ |
| C 523 | $ \begin{array}{c} 1\frac{1}{4} \\ 1\frac{1}{4} \\ 1\frac{1}{4} \end{array} $ | %16 1/2 7/16 | 8/16 1/8 | 1.45 1.18 0.92 |
| C 520 | 1 ½ 1 ¼ 1 ¼ | 1/2 7/16 3/8 | 1/4 8/16 1/8 | 1.39 1.12 0.85 |
| C 583 | 1 1/4 | 5/16 | 1/8 | 0.68 |

*Furnished only by special arrangement.



| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|--|--|---|----------------------------|
| C 518 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 7/16 8/8 | 1/ ₁ 3/ ₁ c 1/ ₈ | 1.29 1.05 0.81 |
| C 519 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 9/16 1/2 | ³ /16 1/8 | $\frac{1.16}{0.92}$ |
| C 516 | 1 1 1 | 9/16 1/ ₂ 31/ ₆₄ | 3/16 1/8 7/64 | 1.04 0.83 0.77 |
| C 574 | 1 1 | $\frac{1/2}{7/16}$ | 8/16 1/8 | $0.95 \\ 0.75$ |
| C 513 | 1 1 1 | 1/2 7/16 3/8 | 1/4 8/16 1/8 | 1.10 0.89 0.68 |
| C 589 | 1 | 3/8 | .108 | 0.60 |
| C 624 | 1 | 3/8 | No.14 B.W.G. | 0.50 |
| C 511 | 7/8 7/8 | %16 1/2 | 3/16 1/8 | $0.92 \\ 0.73$ |
| C 510 | 7/8 7/8 7/8 | 9/16 1/2 7/16 | 3/16 1/8 | 1.06 0.88 0.69 |
| C 508 | 7/8 7/8 7/8 | 7/16 3/8 28/ ₆₄ | 8/16 1/8 7/64 | $0.84 \\ 0.65 \\ 0.61$ |


CHANNELS-BAR SIZES-Continued



| Section Index | Depth, Inches | Flange Width, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-------------------------|--------------------------|---------------------------|
| C 568 | 7/8 | 3/8 | 7/64 | 0.57 |
| C 506 | 7/8 | 1/4 | 764 | 0.47 |
| C 571 | 3/4 3/4 | 3/8 23/64 | 1/8 7/64 | $0.56 \\ 0.52$ |
| C 570 | 3/4 3/4 | 5/16 19/64 | 1/8 7/64 | $0.50 \\ 0.46$ |
| C 588 | 3/4 | 5/16 | .099 | 0.40 |
| C 569 | 3/4 | 3/8 | No. 15 B. W. G. | 0.40 |
| *C 632 | 11/16 | 8/8 | 5/32 | 0.61 |
| C 584 | 5/8 | 3/8 | 8/16 | 0.52 |
| C 503 | 5/8 5/8 | 5/16 19/64 | 1/8 7/64 | $0.41 \\ 0.38$ |
| C 502 | 5/8 | 5/16 | 8/32 | 0.35 |
| C 500 | 1/2 | 1/4 15/64 | 1/8 7/64 | 0.28 0.26 |
| C 501 | 1/2 | 1/4 15/64 | 3/32 5/64 | $0.25 \\ 0.23$ |

55

CHANNELS—BAR SIZES—Continued SOLID RUBBER TIRE CHANNELS




| Section Index | Base, Inches | Depth, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|------------------|--------------------------|---------------------------|
| C 609 | 2 | 8/4 | 1/4 | 2.70 |
| C 608 | 1 3/4 | 23/32 | 15/64 | 2.20 |
| C 607 | 1 5/8 | 45/64 | 7/82 | 2.00 |
| C 606 | 11/2 | 21/32 | 13/64 | 1.80 |
| C 605 | 13/8 | 39/64 | 8/16 | 1.50 |
| C 604 | 11/4 | 9/16 | 11/64 | 1.20 |
| C 603 | 11/8 | 17/32 | 5/32 | 1.00 |
| C 602 | 1 | 81/64 | 1/8 | 0.79 |
| C 601 | 7/8 | 7/16 | 1/8 | 0.67 |
| C 600 | 3/4 | 18/32 | 8/32 | 0.51 |


CHANNELS-BAR SIZES-Concluded

CUSHION TIRE CHANNELS






Commercial Name: 11/4




Commercial Name: 11/8



Commercial Name: 1



HARROW CHANNEL



TEDDER WASHER
CHANNEL
*C 1100




RAKE CHANNEL

*C 587




ROUND BACK CHANNELS



| Section | Depth, | Width, | Web Thickness, | Weight per Foot, |
|--|--|--|--|--|
| Index | Inches | Inches | Inches | Pounds |
| C 1500 C 1250 C 1125 C 1000 *C 599 *C 1100 *C 587 C 543 C 542 C 541 | 15/10 7/4 7/4 7/4 3/4 121/32 11/10 41/04 21/2 2 11/2 | 21/92 35/64 1/2 29/64 23/92 7/16 9/92 5/8 9/16 | 1/8 3/52 3/52 3/52 9/52 9/64 1/4 3/16 3/16 | 1.11 0.80 0.75 0.68 2.10 1.00 0.35 2.40 1.67 |


^{*} Furnished only by special arrangement.

EQUAL ANGLES—STRUCTURAL SIZES



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|---|--|
| A 1 | 8 x 8 | 11/4 11/16 1 15/16 7/8 13/16 3/4 11/16 5/8 9/16 | 56.9 54.0 51.0 48.1 45.0 42.0 38.9 35.8 32.7 29.6 26.4 |
| A 2 | 6 x 6 | 1 ½ 16 1 15/16 7/8 13/16 8/4 1 ½ 1/16 5/8 1/2 7/16 8/8 | 39.6 37.4 35.3 33.1 31.0 28.7 26.5 24.2 21.9 19.6 17.2 14.9 |
| A 3 | 5 x 5 | 1 15/16 7/8 18/16 18/16 11/16 5/8 11/16 5/4 11/16 5/4 11/16 5/4 4/1 7/16 3/8 | 30.6 28.9 27.2 25.4 23.6 21.8 20.0 18.1 16.2 14.3 |


EQUAL ANGLES-STRUCTURAL SIZES-Concluded



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|-----------------|--|---|
| Α 4 | 4 x 4 | 13/16 34 13/16 5/4 5/4 1/16 3/4 5/16 4/4 | 19.9 18.5 17.1 15.7 14.3 12.8 11.3 9.8 8.2 6.6 |
| A 5 | 3½ x 3½ | 13/16 3/4 11/14 5/5 9/16 1/2 7/16 3/5 5/16 1/4 *19/16 *19/56 | 17.1 16.0 14.8 13.6 12.4 11.1 9.8 8.5 7.2 5.8 4.4 3.64 |
| A 7 | 3 x 3 | 59 946 14 746 36 546 14 1948 *176 | 11.5 10.4 9.4 8.3 7.2 6.1 4.9 3.71 2.50 |


^{*} Furnished only by special arrangement. † Bar sizes.

EQUAL ANGLES—BAR SIZES



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|--|--|
| A 8 | 2¾ x 2¾ | 1/2 7/16 3/8 5/16 1/4 8/16 1/8 | 8.5 7.6 6.6 5.6 4.5 3.39 2.29 |
| A 9 | 2½ x 2½ | 1/2 7/10 8/4 9/10 1/4 9/10 1/8 | 7.7 6.8 5.9 5.0 4.1 3.07 2.08 |
| A 10 | 2¼ x 2¼ | 1/2 7/10 8/4 9/10 1/4 8/10 1/8 | 6.8 6.1 5.3 4.5 3.62 2.75 1.86 |

EQUAL ANGLES—BAR SIZES—Continued







| Section Index | Size, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|-----------------|---|--|
| A 11 | 2 x 2 | 7/16 3/8 5/16 1/4 8/16 1/8 | 5.3 4.7 3.92 3.19 2.44 1.65 |
| A 12 | 134 x 134 | 5/1 st 1/4 3/1 st 1/8 | 3.39 2.77 2.12 1.44 |
| A 13 | 1½ x 1½ | 36 5/16 14 8/16 16 16 *3/12 | 3.35 2.86 2.34 1.80 1.23 0.93 |
| A 15 | 1¼ x 1¼ | 5/1 8 1/4 8/1 6 1/8 | 2.33 1.92 1.48 1.01 |
| A 508 | 1½ x 1½ | 3/16 1/8 | 1.32 0.91 |

^{*} Furnished only by special arrangement.

EQUAL ANGLES—BAR SIZES—Concluded















| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------------------|------------------------------|
| A 16 | 1 x 1 | 1/4 8/18 1/8 No. 12 B. W. G. | 1.49 1.16 0.80 0.71 |
| A 544 | 31/82 X 31/82 | *No. 12 B. W. G. | 0.68 |
| A 81 | 7/8 x 7/8 | 8/16 1/8 3/32 | 1.00 0.70 0.53 |
| A 17 | 34 x 34 | 8/16 1/8 8/32 | $0.84 \\ 0.59 \\ 0.45$ |
| A 513 | 5/8 x 5/8 | 1/8 8/82 | $0.48 \\ 0.37$ |
| A 515 | ½ x ½ | 1/8 8/82 | 0.38 0.29 |

^{*}Furnished only by special arrangement.

SQUARE ROOT ANGLES—BAR SIZES







| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|---------------------------------|----------------------------|------------------------------|
| *A 388 | 2 x 2 | 3/8 5/16 1/4 3/16 | 4.7 3.92 3.19 2.44 |
| *A 392 | 1 3⁄4 x 1 3⁄4 | 3/8 5/16 1/4 8/16 | 3.99 3.39 2.77 2.12 |
| *A 396 | 1½ x 1½ | 3/8 5/16 1/4 3/16 | 3.35 2.86 2.34 1.80 |
| *A 400 | 1¼ x 1¼ | 1/4 8/16 1/8 | 1.92 1.48 1.01 |
| *A 409 | 1 x 1 | 1/4 8/16 1/8 | 1.49 1.16 0.80 |
| *A 412 | ₹ ₈ x ₹ ₈ | 3/16 1/8 | 1.00 0.70 |
| *A 414 | 3/4 x 3/4 | 3/16 1/8 | 0.84 0.59 |

^{*} Furnished only by special arrangement.


UNEQUAL ANGLES—STRUCTURAL SIZES






| Section Index | Size, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------|----------------------------|
| | | 1 | 44.2 |
| | | 15/16 | 41.7 |
| | | 7/8 | 39.1 |
| | | 13/16 | 36.5 |
| A 18 | 8 x 6 | 8/4 | 33.8 |
| 11 10 | | 11/16 | 31.2 |
| | | 5/8 | 28.5 |
| | | 9/16 | 25.7 |
| | | 1/2 | 23.0 |
| | | 7/16 | 20.2 |
| | | 1 | 35.7 |
| | | 15/16 | 33.7 |
| | | 7/8 | 31.7 |
| | | 13/16 | 29.6 |
| | | 8/4 | 27.5 |
| A 53 | 8 x 3½ | 11/16 | 25.3 |
| | | 5/4 | 23.2 |
| | | 9/16 | 21.0 |
| | | 1/2 | 18.7 |
| | 1 | 740 | 16.5 |


UNEQUAL ANGLES-STRUCTURAL SIZES-Continued






| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| | | 1 | 32.3 |
| | | 15/16 | 30.5 |
| | | 7/8 | 28.7 |
| | | 13/16 | 26.8 |
| | | 3/4 | 24.9 |
| A 19 | 7 x 3½ | 11/16 | 23.0 |
| | | 5/8 | 21.0 |
| | | 9/18 | 19.1 |
| | | 1/2 | 17.0 |
| | | 7/16 | 15.0 |
| | | 8/s | 13.0 |
| | | 1 | 30.6 |
| | | 15/16 | 28.9 |
| | | 78 | 27.2 |
| | | 13/16 | 25.4 |
| | | 8/4 | 23.6 |
| A 20 | 6 x 4 | 11/16 | 21.8 |
| | | 5/8 | 20.0 |
| | | 9/13 | 18.1 |
| | | 1/2 | 16.2 |
| | | 7/16 | 14.3 |
| | | 8/8 | 12.3 |

UNEQUAL ANGLES—STRUCTURAL SIZES—Continued



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------|----------------------------|
| | | 1 | 28.9 |
| | | 15/16 | 27.3 |
| | 1 | 7/8 | 25.7 |
| | | 13/16 | 24.0 |
| | 1 | 8/1 | 22.4 |
| A 01 | 6 - 21/ | 11/16 | 20.6 |
| A 21 | 6 x 3½ | 5/8 | 18.9 |
| | | 9/16 | 17.1 |
| | | 1/2 | 15.3 |
| | 1 | 7/16 | 13.5 |
| | 1 | 3/8 | 11.7 |
| | | 5/10 | 9.8 |
| | | *1/2 | 14.5 |
| 4 000 | 71/ - 91/ | *7/16 | 12.8 |
| A 330 | 5½ x 3½ | *3/8 | 11.0 |
| | | *5/16 | 9.3 |
| | | 7/8 | 24.2 |
| | | 13/16 | 22.7 |
| | | 8/4 | 21.1 |
| | 1 | 11/18 | 19.5 |
| 1 22 | | 5/8 | 17.8 |
| A 22 | 5 x 4 | 9/16 | 16.2 |
| | | 1/2 | 14.5 |
| | | 7/16 | 12.8 |
| | | 8/8 | 11.0 |
| | 1 | 5/16 | 9.3 |


UNEQUAL ANGLES—STRUCTURAL SIZES—Continued



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|--|---|
| A 23 | 5 x 3½ | 74 13/16 3/1 11/16 5/4 9/16 1/6 7/16 3/4 5/16 | 22.7 21.3 19.8 18.3 16.8 15.2 13.6 12.0 10.4 8.7 |
| A 24 | 5 x 3 | 1:46 34 1:46 54 9:46 4/2 7:46 34 | 19.9 18.5 17.1 15.7 14.3 12.8 11.3 9.8 8.2 |
| A 25 | 4⅓ x 3 | *13/16 *3/4 *11/16 *5/5 *9/16 *1/6 *7/16 *3/5 | 18.5 17.3 16.0 14.7 13.3 11.9 10.6 9.1 7.7 |
| A 26 | 4 x 3½ | 13/16 3/4 11/16 5/8 9/16 1/2 7/16 3/8 | 18.5 17.3 16.0 14.7 13.3 11.9 10.6 9.1 7.7 |


^{*} Furnished only by special arrangement.

UNEQUAL ANGLES—STRUCTURAL SIZES—Continued



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|--|--|
| A 27 | 4 x 3 | 13/10 8/4 11/16 5/6 9/16 1/2 7/18 8/6 5/18 | 17.1 16.0 14.8 13.6 12.4 11.1 9.8 8.5 7.2 5.8 |
| A 55 | 4 x 21/4 | *5/3 *9/16 *1/2 *7/16 *3/8 | 12.0 10.9 9.8 8.7 7.5 |
| A 56 | 4 x 2 | *8/8 *5/16 *1/4 | 7.2 6.1 4.9 |
| A 28 | 3½ x 3 | 13/16 3/4 11/10 5/5 9/16 1/2 7/16 8/5 1/4 | 15.8 14.7 13.6 12.5 11.4 10.2 9.1 7.9 6.6 5.4 |

UNEQUAL ANGLES—STRUCTURAL SIZES—Concluded




A 32

A 33

| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|---|---|
| A 29 | 3}½ x 2}½ | 1 1 1 6 5 8 9 1 6 1 4 7 1 6 3 8 5 1 6 | 12.5 11.5 10.4 9.4 8.3 7.2 6.1 4.9 |
| A 58 | 3½ x 2 | *38 *516 *)4 | 6.6 5.6 4.5 |
| A 546 | 3½ x 1¾ | *14 †*316 | $\frac{3.94}{2.99}$ |
| A 263 | 3¼ x 15% | †*3í6 | 2.99 |
| A 32 | 3 x 2½ | 916 116 716 98 516 14 †316 | 9.5 8.5 7.6 6.6 5.6 4.5 3.39 |
| A 33 | 3 x 2 | 1.6 7.16 3.6 5.16 1.4 †3.16 | 7.7 6.8 5.9 5.0 4.1 3.07 |

^{*} Furnished only by special arrangement. † Bar sizes.


UNEQUAL ANGLES—BAR SIZES



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|--|--|
| A 35 | 2½ x 2 | 16 716 88 916 916 14 816 18 | 6.8 6.1 5.3 4.5 3.62 2.75 1.86 |
| A 49 | 2½ x 1¾ | 5/1 6 1/4 8/1 6 | 4.2 3.40 2.59 |
| A 48 | 2½ x 1½ | 5/16 1/4 8/16 | 3.92 3.19 2.44 |
| A 613 | 2½ x 1¼ | *8/16 *5/32 | 2.28 1.91 |
| , А 270 | 2¼ x 1½ | 1/2 7/16 3/4 5/16 1/4 8/16 | 5.6 5.0 4.4 3.66 2.98 2.28 |

^{*} Furnished only by special arrangement.


UNEQUAL ANGLES—BAR SIZES—Continued



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot. Pounds |
|------------------|-----------------|-----------------------------------|--------------------------------------|
| A 545 | 2 x 1½ | * 3/16 | 2.12 |
| A 37 | 2 x 1½ | 8/8 5/18 1/4 8/16 1/8 | 3.99 3.39 2.77 2.12 1.44 |
| A 276 | 2 x 1 3/8 | 3/8 5/16 1/4 3/16 | 3.83 3.26 2.66 2.04 |
| A 645 | 2 x 1 1/4 | 1/4 3/16 | 2.55 1.96 |
| A 538 | 2 x 1 | *846 | 1.80 1.23 |
| A 39 | 134 x 114 | 1/4 3/1 6 1/5 | 2.34 1.80 1.23 |
| A 621 | 1 3/4 x 1 1/8 | 516 1/4 3/16 1/8 | 2.73 2.24 1.72 1.17 |
| A 540 | 1 3/4 x 11/16 | * 1/8 | 1.15 |


^{*} Furnished only by special arrangement.

UNEQUAL ANGLES—BAR SIZES—Continued



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| A 550 | 134 x 1 | * 1/8 | 1.12 |
| A 554 | 134 x 1 | * ½ scant | 1.10 |
| A 661 | 134 x 38 | * 18 | 1.07 |
| A 624 | 1½ x 1¼ | 516 14 316 | 2.59 2.13 1.64 |
| A 552 | 1 1/2 x 1 | * 1/8 scant | 1.00 |
| A 633 | 1 1/2 x 1 | *732 *316 * 16 | 1.70 1.48 1.01 |
| A 541 | 1½ x ¾ | * 1/8 | 0.91 |
| A 278 | 136 x 1 | 3/16 1/5 | 1.81 1.40 0.96 |
| A 40 | 138 x 78 | 316 18 | $\frac{1.32}{0.91}$ |
| A 556 | 138 x 34 | * 16 | 0.85 |


UNEQUAL ANGLES—BAR SIZES—Concluded




| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| A 543 | 1942 X 2942 | *542 | 1.08 |
| A 551 | 134 x 1 | * 3/8 scant | 0.90 |
| A 960 | 134 x 38 | 3/8 | 0.85 |
| A 542 | . 114 x 58 | * 1/8 | 0.75 |
| A 430 | 1346 X 1346 | *316 | 1.08 |
| A 627 | 1 x 34 | 3/8 | 0.70 |
| A 42 | 1 x 5/8 | 316 38 | $0.92 \\ 0.64$ |
| A 950 | 1346 X 12 | 5 3 2 | 0.62 |
| A 539 | 34 x 32 | *316 | 0.68 |
| A 956 | 16 x 38 | *116 | 0.18 |
| A 528 | 12 x 516 | *332, 564 | 0.22 |
| A 955 | 716 X 38 | *116 | 0.16 |

MISCELLANEOUS ANGLES—STRUCTURAL SIZES

ROUND BACK ANGLES






| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| | | 8/8 | 7.2 |
| *A 710 | 3¼ x 3¼ | 5/16 | 6.1 |
| | | 1/4 | 4.9 |
| *A 346 | 3 x 2½ | 8/8 | 6.3 |

^{*}Furnished only by special arrangement.


MISCELLANEOUS ANGLES—BAR SIZES ROUND BACK ANGLES



| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| *A 720 | 2¼ x 2¼ | 14 316 | 3.48 2.66 |
| *A 730 | 2 x 2 | 316 | 2.34 |
| *A 553 | 2 x 1½ | 14 | 1.44 |
| *A 547 | 2 x 11/4 | 3/8 | 1.33 |
| *A 740 | 134 x 134 | 316 | 2.02 |
| *A 555 | 1¼ x 1¼ | 38 | 0.98 |
| *A 910 | 34 x 34 | 764 | 0.48 |
| *A 549 | 1942 X 1942 | 7/32 | 0.71. |
| | | | |


^{*} Furnished only by special arrangement.

SHIP BUILDING BULB ANGLES




| Section Index | Depth | Flange Width | Web Th | Weight per Foot, | |
|------------------|--------|-----------------|---------|---------------------|--------|
| | Inches | Inches | Decimal | Fractional | Pounds |
| | | | 0.70 | 45/64 | 34.7 |
| | | | 0.64 | 41/84 | 32.3 |
| D 4 010 | 10 | 01/ | 0.58 | 87/64 | 29.9 |
| BA 313 | 10 | 3½ | 0.52 | 88/64 | 27.2 |
| | | | 0.46 | 29/64 | 24.8 |
| | | | 0.40 | 13/82 | 22.4 |
| | | 3½ | 0.68 | 11/16 | 30.8 |
| | | | 0.62 | 5/8 | 28.6 |
| BA 312 | 9 | | 0.56 | 9/16 | 26.4 |
| | J | 0/2 | 0.50 | 1/2 | 23.8 |
| | | | 0.44 | 7/16 | 21.6 |
| | | | 0.38 | 8/8 | 19.4 |
| 1 | | | 0.58 | 37/64 | 24.3 |
| | | | 0.52 | 38/64 | 22.3 |
| BA 311 | 8 | $3\frac{1}{2}$ | 0.46 | 29/64 | 20.0 |
| | | | 0.40 | 18/32 | 18.0 |
| | | | 0.34 | 11/82 | 16.0 |

SHIP BUILDING BULB ANGLES-Continued




| Section | Depth | Flange Width | | Web Thickness, Inches | | |
|---------|--------|-----------------|---------|--------------------------|--------------------|--|
| Index | Inches | Inches | Decimal | Fractional | per Foot Pounds | |
| | | | 0.58 | 37/64 | 23.3 | |
| | | | 0.52 | 38/64 | 21.4 | |
| BA 310 | 8 | 3 | 0.46 | 29/64 | 19.2 | |
| | | | 0.40 | 18/32 | 17.3 | |
| | | | 0.34 | 11/32 | 15.4 | |
| | | 3½ | 0.56 | 9/16 | 21.1 | |
| | | | 0.50 | 1/2 | 19.3 | |
| BA 309 | 7 | | 0.44 | 7/16 | 17.1 | |
| | | | 0.38 | 8/8 | 15.3 | |
| | | | 0.32 | 5/16 | 13.6 | |
| | | | 0.56 | 9/16 | 20.2 | |
| BA 308 | | | 0.50 | 1/2 | 18.4 | |
| | 7 | 3 | 0.44 | 7/16 | 16.4 | |
| | | | 0.38 | 8/s | 14.7 | |
| | | | 0.32 | 5/16 | 12.9 | |


SHIP BUILDING BULB ANGLES-Concluded





| Section Index | Depth | Flange Width | Web Tl | Web Thickness, Inches | | |
|------------------|--------|-----------------|---------|--------------------------|--------|--|
| THOUS | Inches | Inches | Decimal | Fractional | Pounds | |
| | | | 0.52 | 33/64 | 17.4 | |
| | | | 0.46 | 29/64 | 15.9 | |
| BA 307 | 6 | 31/2 | 0.40 | 13/32 | 13.9 | |
| | | | 0.34 | 11/82 | 12.3 | |
| | | | 0.28 | 9/82 | 10.7 | |
| | | | 0.52 | 88/64 | 16.6 | |
| | 6 | 3 | 0.46 | 29/64 | 15.0 | |
| BA 306 | | | 0.40 | 18/32 | 13.2 | |
| | | | 0.34 | 11/82 | 11.7 | |
| | | | 0.28 | 1/82 | 10.1 | |
| | | | 0.50 | 1/2 | 14.9 | |
| | | | 0.44 | 7/16 | 13.5 | |
| BA 305 | 51/2 | 3 | 0.38 | 8/8 | 11.7 | |
| | | | 0.32 | 540 | 10.3 | |
| | | | 0.26 | 17/64 | 8.9 | |
| | | | 0.48 | 81/61 | 12.6 | |
| | | | 0.42 | 27/84 | 11.3 | |
| BA 303 | 5 | $2\frac{1}{2}$ | 0.36 | 23/04 | 9.8 | |
| | | | 0.30 | 19/64 | 8.5 | |
| | | | 0.24 | 15/64 | 7.3 | |

CAR BUILDING BULB ANGLES











| Section | | | Flange Width, Inches | | Web T In | Weight per Foot, | |
|---------|---------|------------|-------------------------|------------|-------------|---------------------|--------|
| Index | Decimal | Fractional | Decimal | Fractional | Decimal | Fractional | Pounds |
| BA 125 | 5.000 | 5 | 4.500 | 4 1/2 | 0.438 | 7/16 | 19.3 |
| BA 124 | 5.000 | 5 | 3.500 | 3 1/2 | 0.375 | 3/5 | 13.2 |
| BA 122 | 4.000 | 4 | 3.500 | 3 1/2 | 0.500 | $1/_{2}$ | 14.3 |
| BA 123 | 4.000 | 4 | 3.500 | 3 ½ | 0.375 | 3/8 | 11.9 |

EQUAL TEES—STRUCTURAL SIZES




| Section | Size, I | nches | Thicknes | Thickness, Inches | | |
|--|------------------------------|-----------------------------|---|--|--|--|
| Index | Flange | Stem | Flange | Stem | per Foot Pounds | |
| T 40 T 46 T 1 T 2 T 8 T 9 | 6 ½ 4 4 4 3 3 | 6½ 4 4 4 3 3 | 0.40 to 0.55 58 to 11/16 1/2 to 9/16 38 to 7/16 36 to 7/16 5/16 to 3/5 | 0.45 1 to 11/8 1/2 to 9/16 8/8 to 7/16 8/8 to 7/16 9/16 to 8/8 | 19.8 21.1 13.5 10.5 7.8 6.7 | |


EQUAL TEES—BAR SIZES





| Section | Size, Inches | | Thicknes | Weight per Foot. | |
|---------|--------------|------|------------|---------------------|--------|
| Index | Flange | Stem | Flange | Stem | Pounds |
| T 10 | 21/2 | 21/2 | 38 to 316 | 38 to 316 | 6.4 |
| T 11 | 216 | 21/2 | 516 to 38 | 510 to 38 | 5.5 |
| T 549 | 21/2 | 21/2 | 1/4 | 34 to 516 | 4.6 |
| T 12 | 214 | 21/4 | 516 to 38 | 516 to 38 | 4.9 |
| T 13 | 214 | 214 | 14 to 5/16 | 14 to 5/16 | 4.1 |

EQUAL TEES—BAR SIZES—Continued












| Section | Size, Inches | | Thicknes | Weight | |
|----------------------------------|--|---|---|---|-----------------------------|
| Index | Flange | Stem | Flange | Stem | per Foot Pounds |
| T 14 T 15 §T 514 §T 500 | 2 2 1 ³ ⁄ ₄ 1 ³ ⁄ ₄ | $ \begin{array}{c} 2 \\ 2 \\ 1 \frac{3}{4} \\ 1 \frac{3}{4} \end{array} $ | 5/16 to 3/8 1/4 to 5/16 1/4 3/16 | 5/16 to 3/8 1/4 to 5/16 1/4 3/16 | 4.3 3.56 2.90 2.26 |


§ Rolled approximately to one degree taper each side of stem.


EQUAL TEES—BAR SIZES—Continued


















| Section | Size, Inches | | Thickne | Weight per Foot. | |
|---------|--------------|-------|---------|---------------------|--------|
| Index | Flange | Stem | Flange | Stem | Pounds |
| §T 513 | 1 1/2 | 1 ½ | 1/4 | 1/4 | 2.43 |
| §T 512 | 1 1/2 | 1 1/2 | 8/16 | 3/16 | 1.90 |
| §*T 554 | 1 ½ | 1 1/2 | 846 | 8/16 | 1.90 |
| *T 555 | 1 1/2 | 1 1/2 | 7/64 | %16 to 7/82 | 1.53 |
| §T 511 | 1 1/4 | 1 1/4 | 1/4 | 1/4 | 1.98 |
| §T 510 | 1 1/4 | 1 1/4 | 8/16 | 8/16 | 1.55 |
| §T 501 | 1 1/4 | 1 1/4 | 1/8 | 1/8 | 1.09 |

[§] Rolled approximately to one degree taper each side of stem. * Furnished only by special arrangement.


EQUAL TEES-BAR SIZES-Concluded





| Section | Size, 1 | Inches | Thickness, Inches | | Weight |
|---------|---------|--------|-------------------|------|--------------|
| Index | Flange | Stem | Flange | Stem | Pounds |
| §T 502 | 1 1/8 | 11/8 | 3/16 | 8/16 | 1.37 |
| §T 503 | 1 1/8 | 1 1/8 | 1/8 | 1/8 | 0.97 |
| §T 504 | 1 | 1 | 1/4 | 1/4 | 1.53 |
| §T 515 | 1 | 1 | 8/16 | 8/16 | 1.20 |
| T 516 | 1 | 1 | 1/8 | 1/8 | 0.81 |
| *§T 526 | 1 | 1 | 1/8 | 1/8 | 0.83 |
| §T 505 | 7/8 | 7/8 | 1/8 | 1/8 | |
| §T 506 | 8/4 | 3/4 | 1/8 | 1/8 | 0.73 0.61 |


* Furnished only by special arrangement. § Rolled approximately to one degree taper each side of stem.


UNEQUAL TEES—STRUCTURAL SIZES












| Section | Size, I | Size, Inches | | Thickness, Inches | | |
|---------|---------|--------------|-------------|-------------------|--------------------|--|
| Index | Flange | Stem | Flange | Stem | per Foot Pounds | |
| *T 50 | 5 | 3 | % to 7/16 | 13/32 to 5/8 | 11.5 | |
| T 57 | 4 | 5 | 1/2 to 1/16 | 1/2 to 9/16 | 15.3 | |
| T 58 | 4 | 5 | % to 7/16 | % to 7/16 | 11.9 | |
| T 59 | 4 | 4 1/2 | 1/2 to 9/16 | 1/2 to 9/16 | 14.4 | |
| T 60 | 4 | 4 1/2 | % to 7/16 | 3/8 to 7/16 | 11.2 | |

*T50 can be rolled with flange 1/2" to 9/16", and stem 31/8"; weight 13.6 lbs. per foot.


UNEQUAL TEES-STRUCTURAL SIZES-Concluded



| Section | Size, Inches | | Thicknes | Weight | |
|--|-----------------------------------|---|---|---|---|
| Index | Flange | Stem | Flange | Stem | Pounds |
| T 61 T 44 T 62 T 63 T 79 *T 548 T 83 | 4 4 4 4 3 3 2 ½ | 3 3 2 1/2 2 1/2 2 1/2 2 1/2 3 | % to %6 % to %8 % to %6 % to %8 % to %8 % to %8 | 3/8 to 7/16 5/16 to 3/8 3/8 to 7/16 5/16 to 3/8 5/16 to 3/8 4/4 to 5/16 5/16 to 3/8 | 9.2 7.8 8.5 7.2 6.1 5.0 6.1 |

^{*} Furnished only by special arrangement.


UNEQUAL TEES—BAR SIZES



| Section | Size, Inches | | Thickness, Inches | | Weight |
|---------|--------------|-------|-------------------|-------------|--------------------|
| Index | Flange | Stem | Flange | Stem | per Foot Pounds |
| *T 600 | 21/2 | 12342 | 1/4 to 17/64 | 14 to 1764 | 3.56 |
| *T 601 | 21/2 | 12332 | 316 to 332 | 316 to 1364 | 2.87 |
| *T 545 | 21/2 | 12332 | 316 | 316 to 732 | 2.65 |
| *T 544 | 21/2 | 138 | 316 | 316 to 1364 | 2.39 |
| *T 546 | 2 | 3 | 316 to 34 | 1/4 | 3.82 |

^{*} Furnished only by special arrangement.

UNEQUAL TEES—BAR SIZES—Concluded





| Section | | Size, I | nches | Thickness, Inches | | Weight |
|---------|-----|---------|-------|-------------------|------------|--------------------|
| Ind | ex | Flange | Stem | Flange | Stem | per Foot Pounds |
| *T 5 | 537 | 2 | 134 | 18 to 542 | 532 to 316 | 1.89 |
| *T 5 | 660 | 13/4 | 2.075 | 1.40 | .255 to %2 | 2.62 |
| T 5 | 519 | 1 1/2 | 2 | 316 to 14 | 316 to 34 | 2.45 |
| TE | 605 | 1 1/2 | 11/4 | 1/8 to 5/32 | 18 to 542 | 1.25 |
| *T 6 | 606 | 1 1/2 | 1 1/4 | 964 | 18 to 542 | 1.25 |
| *T 5 | 47 | 1 1/2 | 1 1/4 | 764 | 342 to 14 | 1.01 |
| *T 6 | 03 | 11/4 | 5,6 | No.9B.W.G. | | 0.88 |
| *T 5 | 38 | 3/8 | 138 | 542 | 532 to 316 | 1.18 |
| *T 5 | 39 | 34 | 916 | 1/8 | 332 to 18 | 0.48 |

*Furnished only by special arrangement.

MISCELLANEOUS TEES—STRUCTURAL SIZES

CONDUCTOR RAIL TEES






| Section | Size, l | Size, Inches | | Thickness, Inches | |
|---------|---------|--------------|---------|-------------------|--------------------|
| Index | Flange | Stem | Flange | Stem | per Foot Pounds |
| *T 157 | 31/2 | 21/4 | See Cut | 5/16 to 3/16 | 7.3 |
| *T 158 | 3 | 21/4 | See Cut | 5/16 to 7/16 | 7.0 |

^{*}Furnished only by special arrangement.


MISCELLANEOUS TEES-STRUCTURAL SIZES-Continued ELEVATOR TEES





| Section | Size, I | Size, Inches | | Thickness, Inches | |
|---------|---------|--------------|--------------|-------------------|--------------------|
| Index | Flange | Stem | Flange | Stem | Per Foot Pounds |
| *T 167 | 5%16 | 5764 | 4764 to 5964 | 1546 | 36.0 |
| *T 168 | 51/16 | 411/32 | 3564 to 5164 | 1516 | 23.9 |
| *T 164 | 51/16 | 31932 | 3564 to 2532 | 11/16 | 18.9 |
| *T 165 | 3946 | 231/64 | 2364 to 1732 | 11/18 | 10.4 |
| *†T 166 | 21316 | 2 | 38 to 3564 | 11/16 | 8.1 |


^{*}Furnished only by special arrangement. †Bar Size.

MISCELLANEOUS TEES—STRUCTURAL SIZES—Concluded ELEVATOR TEES—Concluded










CRANE TEE



| Section | Size, I | nches | Thickness, Inches | | Weight |
|---------|---------|-------|-------------------|-----------|--------|
| Index | Flange | Stem | Flange | Stem | Pounds |
| *T 162 | 512 | 51/16 | 11/16 to 1 | 1316 max. | 32.0 |
| *T 160 | 5 | 3916 | 1/2 to 5/8 | 34 max. | 16.1 |
| *T 161 | 314 | 21/2 | 516 to 316 | 34 max. | 8.9 |
| *†T 163 | 234 | 2 | 516 to 316 | 34 max. | 7.0 |
| *†T 551 | 112 | 112 | 14 to 932 | 14 max. | 2.36 |


*Furnished only by special arrangement. †Bar sizes.

MISCELLANEOUS TEES—BAR SIZES SASH TEES ×5/16 1/8" *T 535 *T 529 3/10 *T 561 21/1 3/16 7 32 *T 102 * T 524 5/32 *T 536 *T 100 *T 101 3/16

| Section | Size, I | nches | Thickness, Inches | | Weight per Foot, |
|---------|---------|--------|-------------------|--------------|---------------------|
| Index | Flange | Stem | Flange | Stem | Pounds |
| *T 535 | 28/4 | 13/4 | 9/64 | 3/16 to 1/4 | 2.52 |
| *T 529 | 23/4 | 131/64 | 9/84 | 1/4 to 5/16 | 2.60 |
| *T 561 | 21/2 | 11/2 | 9/64 | 3/16 to 1/4 | 2.22 |
| *T 102 | 21/4 | 21/4 | 846 | 8/16 to 7/32 | 2.86 |
| *T 524 | 23/16 | 117/32 | 5/82 | 1/8 to 3/16 | 1.90 |
| *T 536 | 138 | 138 | 5.32 | 34 to 532 | 1.32 |
| *T 101 | 1 | 2 | 3/16 to 1/4 | 8/16 | 1.88 |
| *T 100 | 1 | 2 | 1/8 to 3/16 | 1/8 | 1.32 |


MISCELLANEOUS TEES-BAR SIZES-Concluded

SASH TEES-Concluded




| Section | | Size, Inches | | Thickness, Inches | | Weight |
|---------|---|--------------|-------|-------------------|------------|--------|
| Index | | Flange | Stem | Flange | Stem | Pounds |
| *T 540 | 1 | 1 | 1516 | 1/8 min. | 1/8 | 0.98 |
| *T 550 | 0 | 76 | 1762 | ½ min. | 1/8 | 0.88 |
| *T 533 | 3 | 78 | 1964 | 16 min. | 16 to 552 | 0.83 |
| §*T 53: | 2 | 1316 | 154 | 316 max. | 316 | 1.55 |
| §*T 528 | 8 | 34 | 1 | 1/8 max. | 1,6 | 0.72 |
| *T 556 | 6 | 34 | 1 | 16 | 18 to 964 | 0.72 |
| *T 555 | 2 | 1146 | 1 764 | 364 | 764 to 38 | 0.65 |
| §*T 55 | 7 | 5/8 | 1332 | ½ min. | 1/8 | 0.76 |
| *T 55 | 8 | 5/8 | 1546 | 1/8 | 764 to 1/8 | 0.59 |
| *T 545 | 2 | 56 | 2762 | 764 | 764 to 18 | 0.53 |
| *T 54 | 1 | 5% | 11/16 | 764 | 764 to 38 | 0.46 |
| *T 559 | 9 | 5/8 | 11/16 | 1/8 | 764 to 1/8 | 0.49 |


*Furnished only by special arrangement.
§ Rolled approximately to one degree taper each side of stem.



| Section | | Size, Inches | | Thickness, | Weight per Foot, |
|---------|-----------------------|------------------------|---|-----------------------|------------------------|
| Index | Flange | Web | Flange | Inches | Pounds |
| Z 3 | 35/8 39/18 31/2 | $\frac{6!_8}{6!_{16}}$ | 35 ₈ 39 ₁₀ 34 ₂ | 7/s 13/16 3/1 | $34.6 \\ 32.0 \\ 29.4$ |
| Z 2 | 35/8 39/16 31/2 | $\frac{61\%}{61/16}$ | 35/ ₈ 39/ ₁₆ 31/ ₂ | 11/16 5/8 9/16 | $28.1 \\ 25.4 \\ 22.8$ |
| Z 1 | 35% 3% 3½ | 61/8 61/10 6 | 35/ ₈ 39/ ₁₆ 31/ ₂ | 1/2 7/16 8/8 | 21.1 18.4 15.7 |
| Z 6 | 38/9 35/16 31/4 | 51/4 51/16 5 | 385 35/16 35/4 | 13/16 3/4 11/16 | 28.4 26.0 23.7 |
| Z 5 | 38/8 35/18 31/4 | 51/s 51/16 5 | $\frac{33\%}{35\%_{16}}$. | 5% 19/14 1/2 | 22.6 20.2 17.9 |
| Z 4 | 38/8 35/18 31/4 | 5½ 5½ 5 | $\frac{38}{35}$ 16 $\frac{31}{4}$ | 746 88 548 | $16.4 \\ 14.0 \\ 11.6$ |


ZEES—STRUCTURAL SIZES—Concluded





| Section | | Size, Inches | | Thickness, | Weight |
|---------|----------------|-----------------|--------|------------|--------------------|
| Index | Flange | Web | Flange | Inches | per Foot Pounds |
| | 33/16 | 41/8 | 33/16 | 3/4 | 23.0 |
| Z 9 | $3\frac{1}{8}$ | 41/16 | 31/8 | 11/16 | 20.9 |
| | 31/16 | 4 | 31/16 | 5/8 | 18.9 |
| | 38/16 | 41/8 | 38/16 | 916 | 18.0 |
| Z 8 | 31/8 | 41/16 | 31/4 | 1/2 | 15.9 |
| | 31/16 | 4 | 31/16 | 7/16 | 13.8 |
| | 33/16 | 414 | 3 8/16 | 3% | 12.5 |
| Z 7 | 31/4 | 41/16 | 31/8 | 5/16 | 10.3 |
| | 31/10 | 4 | 31/16 | 1/4 | 8.2 |
| Z 12 | 28/1 | 31/16 | 23/4 | 9/16 | 14.3 |
| 24 12 | 211/16 | 3 | 211/16 | 1/2 | 12.6 |
| Z 11 | 23/1 | 3416 | 23/4 | 740 | 11.5 |
| 24 11 | 211/16 | 3 | 211/16 | 8/9 | 9.8 |
| Z 10 | 23/4 | $3\frac{1}{16}$ | 28/4 | 5/16 | 8.5 |
| 21 10 | 211/16 | 3 | 211/18 | 1/4 | 6.7 |


MISCELLANEOUS ZEES—BAR SIZES





| Section | | Size, Inches | | | Weight per Foot, |
|---------|--------|--------------|--------|----------------------|---------------------|
| Index | Flange | Web | Flange | Thickness, Inches | Pounds |
| *Z 19 | 1 1/4 | $13/_{4}$ | 21/8 | 7/82 | 3.49 |
| *Z 540 | 1 1/4 | 184 | 134 | 3/145 | 2.79 |
| *Z 510 | 1 1/16 | 125/82 | 11/2 | 3/16 | 2.53 |
| *Z 501 | 1 5/32 | 11/2 | 15/32 | 1/8, 5/82, 1/8 | 1.65 |
| *Z 531 | 7/8 | 15/8 | 7/8 | 1/8 | 1.33 |


^{*}Furnished only by special arrangement.


MISCELLANEOUS ZEES-BAR SIZES-Concluded













| Section | | Size, Inches | | | Weight |
|---------|--------|--------------|--------|-----------------|--------------------|
| Index | Flange | Web | Flange | Inches | per Foot Pounds |
| *Z 523 | 11/2 | 2 | 11/2 | 1/1 | 3.75 |
| *Z 520 | 15/8 | 13/4 | 2 | 1/4, 3/8, 1/4 | 4.7 |
| *Z 522 | 11/2 | 13% | 11/2 | 5/16, 8/8, 5/16 | 4.2 |
| *Z 511 | 85/64 | 7/16 | 35/64 | 5/32 | 0.63 |
| *Z 512 | 8/9 | 11/32 | 1/2 | 1/8 | 0.42 |


^{*} Furnished only by special arrangement.

CARNEGIE STEEL SHEET PILING

ARCH WEB SECTIONS








| Section Index | Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|------------------|--------------------------|----------------------------|
| M 109 | 16 | 3/8 | 31.7 |
| M 110 | 16 | 3164 | 42.6 |
| M 106 | 14 | 38 | 36.9 |


Full information is given in a separate issue: "Carnegie Steel Sheet Piling."

SHEET PILING SECTIONS

CARNEGIE STEEL SHEET PILING-Concluded

STRAIGHT WEB SECTIONS





| Section Index | Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|------------------|--------------------------|----------------------------|
| M 108 | 15 | 1,6 | 42.8 |
| M 107 | 15 | 3/8 | 38.6 |

Full information is given in a separate issue: "Carnegie Steel Sheet Piling."

MISCELLANEOUS CAR BUILDING SECTIONS DRAW BAR AND DRAFT KEY SECTIONS

M2625




M2150



 $M\,2626$

M1850



M 1851

M 2981






| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| M 2625 | 6 x 2 | 37.9 |
| M 2150 | 6 x 1½ | 29.0 |
| M 2626 | 5½ x 1½ | 20.1 |
| M 1850 | 5 x 11/8 | 18.2 |
| M 1851 | 4½ x 1½ | 16.3 |
| M 2981 | 3% x % | 9.2 |


MISCELLANEOUS STRUCTURAL SHAPES


MISCELLANEOUS CAR BUILDING SECTIONS—Concluded

DOOR SPREADER SECTION




CARLINE SECTIONS






TRUCK LEVER SECTION
*M73



BELT RAIL SECTION
*M 1038




| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *C 210 | 7½ x 4 | 19.8 |
| *C 302 | 534 x 2 | 7.4 |
| *C 301 | 5}2 x 1916 | 6.4 |
| *M 73 | 5 1/2 x 1/4 | 6.6 |
| *M 1038 | 4 x ½ | 6.6 |

^{*} Furnished only by special arrangement.

CARNEGIE FLOOR PLATES


M41



| Section Thick- | | Width and Length, Inches | | | | | | Weight |
|----------------|-----------------|--------------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Index | ness, Inches | Over 6 to 12 | Over 12 to 24 | Over 24 to 36 | Over 36 to 48 | Over 48 to 60 | Over 60 to 66 | Sq. Foot Pounds |
| | 34 | | 120 | 180 | 280 | 264 | 240 | 31.7 |
| | 5/8 | | 180 | 200 | 300 | 300 | 260 | 26.6 |
| | 36 36e | 120 | 240 | 240 | 320 | 360 | 300 | 21.5 |
| 3.5 41 | | 120 | 240 | 240 | 340 | 360 | 300 | 19.0 |
| M 41 | 36 | 120 | 240 | 300 | 340 | 360 | 300 | 16.4 |
| | 518 | 120 | 240 | 300 | 320 | 360 | 300 | 13.9 |
| | 14 | 120 | 240 | 300 | 320 | 360 | 240 | 11.3 |
| | 316 | 120 | 240 | 300 | 320 | 360 | 240 | 8.8 |

The long dimension of the raised figure is in the direction of rolling and the length of plate required should always correspond to this direction.


The thickness of plate furnished is the thickness of the flat plate exclusive of the height of the raised figures.




TRUSS BARS

CHORD SECTIONS


*M 2861



*M 2860



*M 2859



Rolled for Fort Pitt Bridge Co.


| Section Index | Customer's Size, Inches | Size, Inches | Weight per Foot Pounds |
|------------------|----------------------------|-----------------|---------------------------|
| *M 2861 | 7,6 | 17/16 X 15/16 | 2.60 |
| *M 2860 | 34 | 1716 x 2332 | 1.91 |
| *M 2859 | 5/8 | 1746 X 3764 | 1.33 |

^{*}Furnished only by special arrangement.

TRUSS BARS


TRUSS BARS—Continued WEB SECTIONS

*M 2863





*M 2864





*M 2862






Rolled for Fort Pitt Bridge Co.

| Section Index | Size, Inches | Weight per Foo Pounds | |
|------------------|-----------------|--------------------------|--|
| *M 2863 | .650 x %16 | 0.95 | |
| *M 2864 | .650 x ½ | 0.82 | |
| *M 2862 | 11/16 X 1/4 | 0.51 | |

^{*}Furnished only by special arrangement.

TRUSS BARS-Concluded




Rolled for Truscon Steel Co.

| Section Customer's Number | | 1 | Dimensions, Inches | | | |
|---------------------------|--------|------|--------------------|------|---------------------------|--|
| | Number | a | b | e | Weight per Foot Pounds | |
| *M 2956 | 404 | 234 | 3/1 | 516 | 4.20 | |
| *M 2955 | 403 | 244 | 8.4 | 14 | 3.40 | |
| *M 2896 | 402 | 214 | 1,6 | 95. | 3.24 | |
| *M 2895 | 401 | 214 | 1,6 | 7432 | 2.53 | |
| *M 2894 | 400 | 1 78 | 1.6 | 542 | 1.85 | |

^{*}Furnished only by special arrangement.

*M 3127




Rolled for Truscon Steel Co.


| Section Index | Customer's Number | Size, Inches | Weight per Feot, Pounds |
|------------------|----------------------|--------------------|----------------------------|
| *M 3127 | 600 | 5 x 7 ₈ | 5.1 |

^{*}Furnished only by special arrangement.

DEFORMED BARS

SQUARE RIB BAR—TYPE A ROUND RIB BAR—TYPE B





Relled for Truscon Steel Co.


| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|--|--|------------------|--|--|
| Squa | re Rib Bar- | Туре А | Rou | nd Rib Bar- | -Туре В |
| *M 440 | 1 14 1 18 1 78 34 58 162 38 | 5.31 4.30 3.40 2.60 1.91 1.33 0.85 0.48 | *M 441 | 1 1/4 1 1/8 1 7/8 3/4 5/6 1/2 3/8 | 4.17 3.38 2.67 2.04 1.50 1.04 0.67 |

^{*} Furnished only by special arrangement.

WING BAR-TYPE A

WING BAR-TYPE B





Rolled for Truscon Steel Co.

| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|------------------|---|----------------------------|
| V | Ving Bar—Ty | ре А | V | Ving Bar—Ty | уре B |
| *M 450 | 3/4 1/2 | 2.70 1.40 | *M 451 | $\frac{3\frac{1}{2}}{2\frac{3}{4}}$ $\frac{2\frac{3}{4}}{2\frac{1}{4}}$ | 10.2 6.8 4.8 |

^{*}Furnished only by special arrangement.

DEFORMED BARS-Continued

ROUND BAMBOO BAR SQUARE BAMBOO BAR





| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------------|------------------|-----------------|---------------------------|
| R | ound Bamboo | Bar | So | quare Bamboo | Bar |
| | 11/8 | 3.38 | | | |
| | 1 | 2.67 | | 134 | 5.31 |
| | 38 | 2.04 | | 11/8 | 4.30 |
| *M 410 | 3/4 | 1.50 | *M 411 | 1 | 3.40 |
| | 58 | 1.04 | | 34 | 1.91 |
| | 1,2 | 0.67 | | 1,5 | 0.85 |
| | 3/8 | 0.38 | | | |

^{*}Furnished only by special arrangement.

CONCRETE REINFORCEMENT BARS

DEFORMED BARS—Continued

DUDLEY ROUND BAR

DUDLEY SQUARE BAR






Rolled for Dudley Bar Co.


| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|---|--|------------------|-----------------------------------|--|
| D | udley Round | Bar | D | udley Squar | e Bar |
| *M 460 | 1 1/4 1 1/8 1 7/8 3/4 5/8 1/2 | 4.17 3.38 2.67 2.04 1.50 1.04 0.67 0.38 | *M 461 | 1 ½ 1 ½ 1 ½ 8 1 7/8 3/4 5/8 ½ 3/8 | 5.31 4.30 3.40 2.60 1.91 1.33 0.85 0.48 |

^{*}Furnished only by special arrangement.

CORRUGATED ROUND BAR

CORRUGATED SQUARE BAR





Rolled for Kalman Steel Co.


| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|------------------|-----------------|----------------------------|
| Corruga | ted Round Ba | ar—Type C | Corruga | ted Square Ba | r—Type D |
| | 11/4 | 4.21 | | 1 34 | 10.48 |
| | 11/8 | 3.41 | | 1 1/2 | 7.69 |
| | 1 | 2.69 | | 1 1/4 | 5.35 |
| | 7/8 | 2.06 | | 1 1/8 | 4.34 |
| *M 470 | 3/4 | 1.52 | | 1 | 3.43 |
| | 5/8 | 1.05 | *M 471 | 7/8 | 2.64 |
| | 9/16 | 0.86 | | 3/4 | 1.94 |
| | 1/2 | 0.66 | | 5/8 | 1.35 |
| | 3/8 | 0.38 | | 1/2 3/8 | 0.86 0.49 |
| | | | | 1/1 | 0.22 |

^{*} Furnished only by special arrangement.

DEFORMED BARS-Continued

HAVEMEYER ROUND BAR

HAVEMEYER SQUARE BAR





HAVEMEYER FLAT BAR



Rolled for Concrete Steel Co.

| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|--|--|------------------|--|--|
| На | vemeyer Roun | d Bar | На | vemeyer Squa | re Bar |
| *M 420 | 144 115 1 1516 34 1346 34 1146 58 946 14 | 4.17 3.38 2.67 2.35 2.04 1.76 1.50 1.26 1.04 0.85 0.67 0.51 0.38 | *M 421 | 1 \$ ½ 1 3 ½ 1 3 ½ 1 3 ½ 1 3 ½ 3 4 5 ½ 3 4 5 ½ 3 4 5 ½ 3 4 5 4 | 7.65 6.43 5.31 4.30 3.40 2.60 1.91 1.33 0.85 0.48 0.33 0.21 |

| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| | Haveneyer Fla | t Bar |
| | 134 x 1/2 | 2.98 |
| | 134 x 316 | 2.60 |
| | 134 x 38 | 2.23 |
| | 114 x 1/2 | 2.55 |
| *M 422 | 11/2 x 3/8 | 1.91 |
| | 11/2 x 5/16 | 1.59 |
| | 11/4 x 3/8 | 1.59 |
| | 1 x 38 | 1.28 |
| | 1 x 1/4 | 0.85 |

*Furnished only by special arrangement.

CONCRETE REINFORCEMENT BARS

DEFORMED BARS-Concluded

MONOTYPE BAR




Rolled for Concrete Steel Co.

| Section Index | Size, Inches | Weight per Foot, Pounds | Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------------|------------------|-----------------|---------------------------|
| Monotype | Bar – Equival | ent to Round | Monotype | Bar—Equivale | ent to Square |
| | 134 | 4.24 | | 114 138 | 5.39 4.37 |
| | 138 | 3.43 2.71 | | 1 | 3.45 |
| *M 430 | 78 34 | 2.08 1.53 | *M 431 | 76 34 | 2.64 1.94 |
| | 58 | 1.06 0.68 | | 5 § 1.6 | 1.35 0.86 |
| | 1/2 3/4 | 0.38 | | 38 | 0.49 |

^{*}Furnished only by special arrangement.

CURB BAR




Rolled for Concrete Steel Co.

| Section | Size, | Weight per Foot, |
|---------|-----------------|------------------|
| Index | Inches | Pounds |
| *M 1663 | 114 x 114 x 316 | 1.46 |


^{*}Furnished only by special arrangement.

SASH AND CASEMENT SECTIONS

* M 1994 Customer's No. 105




* M 1999 Customer's No. 123



* M 1993 Customer's No. 116



*M 1985 Customer's No. 102



Rolled for David Lupton's Sons Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|--------------------------------|
| *M 1994 | 105 | 5½ x 1746 |
| *M 1999 | 123 | 325%2 x 17/16 |
| *M 1993 | 116 | 4 x 1½13 4 x 1.5½ 4 x 3½ |
| *M 1985 | 102 | 2½ x 3/4 |

* Furnished only by special arrangement.


WINDOW SECTIONS

SASH AND CASEMENT SECTIONS—Continued






* M 1997 Customer's No. 107




*M 2571




Rolled for David Lupton's Sons Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 1590 | 324 | 5% x 1% |
| *M 2283 | 142 | 43/32 x 11/2 |
| *M 1997 | 107 | 2¾ x 3½ |
| *M 2571 | 307 | 23/8 x 3 |

^{*} Furnished only by special arrangement.



* M 1996 Customer's No. 115



*M 2573 Customer's No. 302



Rolled for David Lupton's Sons Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-------------------------|
| *M 2590 | 360 | 3 x 2½16 |
| *M 1996 | 115 | 21/2 abt. x 123/64 full |
| *M 2573 | 302 | 119/64 X 17/8 |

^{*} Furnished only by special arrangement.

WINDOW SECTIONS

*M 2776 Customer's No. 366



*M 2792 Customer's No.368




*M 2756 Customer's No. 364



*M 2575



*M 2574



Rolled for David Lupton's Sons Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2776 | 366 | 11/8 x 11/2 |
| *M 2792 | 368 | 13/8 x 1 |
| *M 2756 | 364 | 11/8 x 1 |
| *M 2575 | 309 | 1% x 127/64 |
| *M 2574 | 306 | 1% x 1%6 |

^{*} Furnished only by special arrangement.


SASH AND CASEMENT SECTIONS—Continued

*M 2130 Customer's No. 303

*M 2584 Customer's No. 310



*M 2580 Customer's No. 356




*MI 2579

Customer's No. 322

*M 2577 Customer's No. 320



*M 2578 Customer's No. 321




Rolled for David Lupton's Sons Co.

| Section | Customer's | Size, |
|---------|------------|---|
| Index | Number | Inches |
| *M 2130 | 303 | 17% x 1 ¹³ / ₁₂ |
| *M 2584 | 310 | 1 ¹¹ / ₁₆ x 1 ³ / ₅ |
| *M 2580 | 356 | 1 ¹³ / ₁₆ x 1 ⁵ / ₅ |
| *M 2577 | 320 | 1 ⁷ / ₁₆ x 1 ¹ / ₂ |
| *M 2579 | 322 | 1 ⁷ / ₁₆ x 1 ¹ / ₂ |
| *M 2578 | 321 | 1 ⁷ / ₁₆ x 1 ¹ / ₂ |

^{*}Furnished only by special arrangement.

WINDOW SECTIONS


*M 2318 Customer's No. 219



*M 2315 Customer's No. 308



*M 2319 Customer's No. 318



*M 2317 Customer's No. 304



*M 2316 Customer's No. 301



*M 2314 Customer's No. 300




Rolled for David Lupton's Sons Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2318 | 319 | 1½ x 1!5/82 |
| *M 2315 | 308 | 13% x 115/82 |
| *M 2319 | 318 | 11/2 x 115/32 |
| *M 2317 | 304 | 13/8 x 15/82 |
| *M 2316 | 301 | 13/8 x 27/82 |
| *M 2314 | 300 | 13/8 X 13/16 |

^{*}Furnished only by special arrangement.


SASH AND CASEMENT SECTIONS—Continued

*M 1589 Customer's No. 314




*M 1584

Customer's No. 337




*Z 501

Customer's No. 120



*M 2791 Customer's No. 367




Rolled for David Lupton's Sons Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 1589 | 314 | 134 x 134 |
| *M 1584 | 337 | 15% x 11% |
| *Z 501 | 120 | 1½ x 15/3 |
| *M 2791 | 367 | 1 x 17/8 |

* Furnished only by special arrangement.

*T 102 Customer's No. 339



*T 524 Customer's No. 121



*T 101 Customer's No. 188



*T 100 Customer's No. 187



Rolled for David Lupton's Sons Co.

| Section Index | Customer's Number | | Size, nches | |
|------------------|----------------------|----------|----------------|--|
| *T 102 | 339 | 21/4 | x 21/4 | |
| *T 524 | 121 | 23/18 | x 117/32 | |
| *T 101 | 188 | 1 | x 2 | |
| *T 100 | 187 | 1 | x 2 | |

*T 540 Customer's No. 353



*T 558 Customer's No. 369



*T 559 Customer's No. 370



*M 1989 Customer's No. 125






* A 528 Customer's No. 122




Rolled for David Lupton's Sons Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *T 540 | 353 | 1 x 15/16 |
| *T 558 | 369 | 5/8 X 15/16 |
| *T 559 | 370 | 5/8 X 11/10 |
| *M 1989 | 125 | 43/64 X 19/32 |
| *M 2576 | 325 | 43/64 X 5/8 |
| *A 528 | 122 | 1/2 x 5/16 |



Rolled for Crescent Steel Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *T 529 | 8 | 23/4 x 131/64 |
| *M 1213 | 2 | 13/8 X 55/64 |
| *M 1220 | 1 | 13/8 x 29/32 |
| *M 2182 | 4 | 117/82 X 123/64 |
| *M 2123 | 3 | 117/32 X 13/8 |
| *M 2129 | 6 | 1% x 1% scant |
| *M 1289 | 5 | 3 x 11/16 |






*M 3172
Customer's No. 522

Rolled for Detroit Steel Products Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3066 | 511 | 238 x 139 |
| *M 3032 | 502 | 23/16 x 115 |
| *M 3076 | 512 | 11/2 x 11/2 |
| *M 2999 | 361 | 3 x 3 |
| *M 3172 | 522 | 136 x 11 |

WINDOW SECTIONS


*M 3144 Customer's No. 520



*M 3106 Customer's No. 501



*M 2297 Customer's No. 392



*M 2643 Customer's No. 792



Rolled for Detroit Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3144 | 520 | 11364 X 14364 |
| *M 3106 | 501 | 12964 X 138 |
| *M 2297 | 392 | 12164 x 158 |
| *M 2643 | 792 | 12164 X 158 |

^{*} Furnished only by special arrangement.

*M 3027 Customer's No. 506




*M 3026 Customer's No. 505



*M 2704 Customer's No. 149




*M 2835 Customer's No. 127



*M 2703 Customer's No. 148




*M 2773 Customer's No. 180



Rolled for Detroit Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3027 | 506 | 114 x 138 |
| *M 3026 | 505 | 114 x 138 |
| *M 2704 | 149 | 1 x 138 |
| *M 2835 | 127 | 1 x 1 1/2 |
| *M 2703 | 148 | 1 x 114 |
| *M 2773 | 180 | 1 X 1332 |

*M 1434 Customer's No. 71



*M 1248

Customer's No. 70



*M 1439

Customer's No. 94



*M 2289

Customer's No. 192







*M 1298

Customer's No. 90




Rolled for Detroit Steel Products Co.

| Section Index | Customer's Number | | Size, Inches |
|------------------|----------------------|---|-----------------|
| *M 1434 | 71 | | 112 x 11732 |
| *M 1248 | 70 | | 11/2 x 115/32 |
| *M 1439 | 94 | | 136 x 11132 |
| *M 2289 | 192 | | 138 x 118 |
| *M 2649 | 190 | | 138 X 1546 |
| *M 1298 | 90 | 1 | 138 X 1346 |

^{*}Furnished only by special arrangement.

*T 535 Customer's No. 209



*T 536 Customer's No. 262



*T 550 Customer's No. 508



*T 528 Customer's No. 60



*T 557 Customer's No. 514



*T 542 Customer's No. 155



*T 541 Customer's No. 154




Rolled for Detroit Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *T 535 | 209 | 2¾ x 1¾ |
| *T 536 | 262 | 1% x 1% |
| *T 550 | 508 | 7/8 x 11/4 |
| *T 528 | 60 | 8/4 x 1 |
| *T 557 | 514 | 5/8 x 18/82 |
| *T 542 | 155 | 5/8 X 7/8 |
| *T 541 | 154 | 5/8 X 11/1 |

^{*}Furnished only by special arrangement.

*Z 531 Customer's No. 211



*A 544



*A 955 Customer's No. 59



*M 3028 Customer's No. 507



*M 2910 Customer's No. 129





Rolled for Detroit Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *Z 531 | 211 | 15% x 7% |
| *A 544 | 85 | 31/32 X 81/32 |
| *A 955 | 59 | 7/16 X 8/8 |
| *M 3028 | 507 | 11/4 x 1/2 |
| *M 2910 | 129 | ½ x 3/8 |

^{*}Furnished only by special arrangement.


*M 2184 Customer's No. 18





*M 2553
Customer's No. 307


* M 1886 Customer's No. 10




Rolled for Truscon Steel Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|--------------------------------|
| *M 2184 | 18 | 4 x 25/32 |
| *M 2554 | 35 | 315/16 x 11/2 |
| *M 2553 | 307 | 3½ x % |
| *M 1886 | 10 | $3\frac{1}{2}$ x $\frac{5}{8}$ |

*M 2556 Customer's No. 36



*M 2689 Customer's No. 210



*M 3071 Customer's No. 285





Rolled for Truscon Steel Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2556 | 36 | 234 x 121/32 |
| *M 2689 | 210 | 11332 x 138 |
| *M 3071 | 285 | 138 x 6364 |


^{*}Furnished only by special arrangement.


SASH AND CASEMENT SECTIONS—Continued












*M 2532




Rolled for Truscon Steel Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2690 | 220 | 19/16 X 11/2 |
| *M 2552 | 209 | 19/16 X 115/8 |
| *M 2551 | 208 | 1% x 115/82 |
| *M 2533 | 204 | 17/16 X 115/82 |
| *M 2532 | 203 | 17/16 X 27/82 |
| *M 2531 | 201 | 17/16 X 18/16 |


^{*} Furnished only by special arrangement.



*M 2295 Customer's No. R



*T 561 Customer's No. 320



Rolled for Truscon Steel Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2219 | 25 | 3½ x 2½ |
| *M 2295 | R | 1% x 1% |
| *T 561 | 320 | 2½ x 1½ |

^{*}Furnished only by special arrangement.

*M 2555 Customer's No. 34



*M 3072 Customer's No. 286



* M 1881 Customer's No. 2



*M 2849 Customer's No. 248

*M 2947 Customer's No. 254



*A 956 Customer's No. 20





Rolled for Truscon Steel Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2555 | 34 | 138 x 58 |
| *M 1881 | 2 | 138 x 296 |
| *M 3072 | 286 | 63/64 X 13/4 |
| *M 2849 | 248 | ½ x 1 1/8 |
| *M 2947 | 254 | 1932 X 1/2 |
| *A 956 | 20 | 1/2 X 3/8 |


^{*}Furnished only by special arrangement.


WINDOW SECTIONS

SASH AND CASEMENT SECTIONS—Continued

* M 2147 Customer's No. 61

--11/4"---





* M 2138 Customer's No. 64




91/97

*M 1900 Customer's No. 65


Rolled for Trussed Concrete Steel Co. of Canada

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2147 | 61 | 1½ x 1¼ |
| *M 2148 | 62 | 1½ x 11/8 |
| *M 2149 | 63 | 1½ x 11/8 |
| *M 2138 | 64 | 1% x 1%6 |
| *M 1900 | 65 | 28/4 X 15/16 |

^{*} Furnished only by special arrangement.








*M 2245 Customer's No. 385



*M 2246 Customer's No. 386




*M 2221 Customer's No. 287



*M 2220 Customer's No. 285



*M 2585



Rolled for Crittall Casement Window Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2229 | 388 | 113/16 X 13/8 |
| *M 2223 | 288 | 15% x 11/4 |
| *M 2224 | 387 | 11% x 13% |
| *M 2245 | 385 | 11%2 x 1% |
| *M 2246 | 386 | 11%2 x 1% |
| *M 2221 | 287 | 17/16 X 11/4 |
| *M 2220 | 285 | 17/16 X 11/4 |
| *M 2585 | 286 | 17/16 X 11/4 |

^{*}Furnished only by special arrangement.


WINDOW SECTIONS

SASH AND CASEMENT SECTIONS—Continued

*M 2226 Customer's No. 389



* M 2222 Customer's No. 289



*T 533 Customer's No. 107



*T 532 Customer's No. 103



*T 552



*M 2227 Customer's No. 102



Rolled for Crittall Casement Window Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2226 | 389 | 134 x 13% |
| *M 2222 | 289 | 15% x 11/4 |
| *T 533 | 107 | 7/8 x 19/64 |
| *T 532 | 103 | 13/16 X 15/8 |
| *T 552 | 108 | 11/16 X 17/64 |
| *M 2227 | 102 | -37/64 X 8/8 |


SASH AND CASEMENT SECTIONS-Continued

*M 2312 Customer's No. 2038



*M 2313 Customer's No. 2039







Rolled for International Casement Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2312 | 2038 | 17/8 x 119/35 |
| *M 2309 | 2037 | 17/8 x 119/32 |
| *M 2313 | 2039 | ½ x 1¼ |
| *A 556 | | 13% x 3/1 |
| *T 556 | | 34 x 1 |

SASH AND CASEMENT SECTIONS—Continued

*M 2750



*M 2751



*M 2748



*M 2749



Rolled for United States Metal Co.

*M 3151




Rolled for Youngstown Pressed Steel Co.

| Section Index | Size, Inches |
|------------------|-----------------|
| *M 2750 | 138 × 11352 |
| *M 2751 | 136 X 11332 |
| *M 2748 | 134 x 11146 |
| *M 2749 | 114 x 1316 |
| *M 3151 | 1716 X 112 |

^{*}Furnished only by special arrangement.

SASH AND CASEMENT SECTIONS—Continued

*M 2634 Customer's No. 1



*T 538 Customer's No.2



Rolled for Canadian General Electric Co.

*M 3119




Rolled for Richey-Browne and Donald, Inc.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2634 | 1 | 158 x 138 |
| *T 538 | 2 | 78 x 138 |
| *M 3119 | | 11/2 x 115/6 |

SASH AND CASEMENT SECTIONS—Continued

MISCELLANEOUS



*M1243



*M 1220



*M 1221




| Section Index | Size, Inches |
|------------------|-----------------|
| *T 529 | 2¾ x 1³1/64 |
| *M 1243 | 3 x 5/8 |
| *M 2122 | 117/32 x 15/32 |
| *M 1995 | 1½ x 1 |
| *M 1220 | 18/8 X 29/32 |
| *M 1221 | 13/8 x 27/32 |

^{*} Furnished only by special arrangement.

SASH AND CASEMENT SECTIONS—Continued MISCELLANEOUS


*M 2984 Customer's No. 7Y




Rolled for The William Bayley Co.

| Section | Customer's | Size, |
|---------|------------|---------|
| Index | Number | Inches |
| *M 2984 | 7 Y | 3¼ x 3¼ |

SASH AND CASEMENT SECTIONS—Concluded SKYLIGHT SECTIONS






Rolled for National Ventilating Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 1896 | 2 | 234 x 11/2 |
| *M 1871 | 1 | 1½ x 1½ |


^{*} Furnished only by special arrangement

RIM SECTIONS


*M 3094




*M 3093



*M 3099



*M 3195




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3094 | 472 | 4.404 |
| *M 3093 | 469 | 3.734 |
| *M 3099 | 473 | 4.404 |
| *M 3195 | 486 | 3.734 |

^{*}Furnished only by special arrangement.

RIM SECTIONS—Continued





*M 2980 Customer's No. 448

*M 2808 Customer's No. 391


Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| 1 3039 | 457 | 3.450 |
| M 2980 | 448 | 3 1/32 |
| M 2808 | 391 | 29/32 |


^{*}Furnished only by special arrangement.

RIM SECTIONS—Continued


*M 2680 Customer's No. 360



*M 2679 Customer's No. 359



*M 2678 Customer's No. 358



*M 2677 Customer's No. 357



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2680 | 360 | 7 17/32 |
| *M 2679 | 359 | 617/32 |
| *M 2678 | 358 | 5.861 |
| *M 2677 | 357 | 4 15/16 |

RIM SECTIONS—Continued






*M 2805



*M 3090





*M 2804 Customer's No. 406




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2865 | 429 | 531/32 |
| *M 2805 | 407 | 581/32 |
| *M 3090 | 468 | 717/82 |
| *M 2804 | 406 | 4% scant |

RIM SECTIONS—Continued


*M 2927 Customer's No. 438




*M 2917 Customer's No. 437



*M 2916 Customer's No. 436



*M 3000



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2927 | 438 | |
| *M 2917 | | 6 |
| | 437 | 5.330 |
| *M 2916 | 436 | 47/16 |
| *M 3000 | 451 | 5.330 |

RIM SECTIONS—Continued

*M 2588 Customer's No. 356



*M 2676 Customer's No. 366



*M 2777 Customer's No. 387



*M 2867 Customer's No. 430




Rolled for Firestone Steel Products Co.

| Section Index- | Customer's Number | Size, Inches |
|-------------------|----------------------|-----------------|
| M 2588 | 356 | 425/82 |
| M 2676 | 366 | 43/32 |
| *M 2777 | 387 | 41/8 |
| *M 2867 | 430 | 415/16 |


^{*} Furnished only by special arrangement.

RIM SECTIONS—Continued







*M 2815



*M 2819



*M 2541




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3096 | 471 | 613/16 |
| *M 2815 | 414 | 61/8 |
| *M 2819 | 413 | 51/2 |
| *M 2541 | 279 | 41/4 |

RIM SECTIONS—Continued

*M 2965 Customer's No. 444



*M 2912

Customer's No. 435



*M 3196

Customer's No. 483



*M 3203

Customer's No. 488




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2965 | 444 | 618/16 |
| *M 2912 | 435 | 51/2 |
| *M 3196 | 483 | 55/16 |
| *M 3203 | 488 | 427/32 |


^{*} Furnished only by special arrangement.

RIM SECTIONS—Continued


*M 3043 Customer's No. 456



*M 3042 Customer's No. 455



*M 3034 Customer's No. 454



*M 3041 Customer's No. 453




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3043 | 456 | 717/32 |
| *M 3042 | 455 | 6%2 |
| *M 3034 | 454 | 5.611 |
| *M 3041 | 453 | 4.623 |

^{*} Furnished only by special arrangement.

RIM SECTIONS-Continued

*M 3045 Customer's No. 462



*M 2753

Customer's No. 369



*M 2843 Customer's No. 427



Rolled for Firestone Steel Products Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3045 | 462 | 51%2 full |
| *M 2753 | 369 | 43/16 scant |
| *M 2843 | 427 | 347/64 full |

^{*}Furnished only by special arrangement


RIM SECTIONS—Continued

*M 2950


Customer's No. 443




*M 2779 Customer's No. 364




*M 2903 Customer's No. 434



*M 2926 Customer's No. 433



*M 2943



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2950 | 443 | 545/64 |
| *M 2779 | 364 | 5% scant |
| *M 2903 | 434 | 51% scant |
| *M 2926 | 433 | 416 scant |
| *M 2943 | 442 | 416 scant |

^{*}Furnished only by special arrangement.

RIM SECTIONS—Continued

*M 2799

Customer's No. 431




*M 2802

Customer's No. 403




*M 2918

Customer's No. 441




*M 2974

Customer's No. 445



*M 3192

Customer's No. 487




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2799 | 431 | 327/32 |
| *M 2802 | 403 | 315/32 scant |
| *M 2918 | 441 | 3.862 |
| *M 2974 | 445 | 5.462 |
| *M 3192 | 487 | 5% scant |

^{*} Furnished only by special arrangement.

RIM SECTIONS—Continued

*M 3216 Customer's No. 432 C



*M 3033 Customer's No. 452



*M 3058 Customer's No. 464



*M 3057 Customer's No. 463




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3216 | 432C | 321/64 |
| *M 3033 | 452 | 6.180 |
| *M 3058 | 464 | 5,550 |
| *M 3057 | 463 | 4.845 |


^{*}Furnished only by special arrangement.

RIM SECTIONS—Concluded

*M 3218



*M 3118 Customer's No. 476



*M 3117 Customer's No. 475



*M 3116 Customer's No. 474



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3218 | 490 | 5.409 |
| *M 3118 | 476 | 4.837 |
| *M 3117 | 475 | 4.272 |
| *M 3116 | 474 | 3.736 |


^{*} Furnished only by special arrangement.

PRESSED-ON CHANNEL RIM SECTIONS










Rolled for Firestone Steel Products Co.

| Section | Customer's | | Size, |
|---------|--------------|--------|--------|
| Index | Size, Inches | Number | Inches |
| *M 2569 | 14 | 325 | 14 7/8 |
| *M 2568 | 12 | 324 | 12 7/8 |
| *M 2567 | 10 | 323 | 10 7/8 |
| *M 2566 | 8 | 322 | 87/8 |

^{*} Furnished only by special arrangement.

PRESSED-ON CHANNEL RIM SECTIONS—Continued

*M 2565
7' Customer's No. 321









Rolled for Firestone Steel Products Co.

| Section | Customer's | | Size, |
|---------|--------------|--------|--------|
| Index | Size, Inches | Number | Inches |
| *M 2565 | 7 | 321 | 71/8 |
| *M 2564 | 6 | 320 | 67/8 |
| *M 2563 | 5 | 319 | 57/8 |
| *M 2562 | 4 | 318 | 413/16 |
| *M 2561 | 31/2 | 317 | 41/4 |


^{*} Furnished only by special arrangement.

PRESSED-ON CHANNEL RIM SECTIONS—Concluded


*M 2842 Customer's No. 425



*M 2841 Customer's No. 424



*M 2845 Customer's No. 428



Rolled for Firestone Steel Products Co.

| Customer's | | Size, |
|--------------|--------|--------|
| Size, Inches | Number | Inches |
| | 425 | 3716 |
| 5 | 424 | 215/16 |
| 4 | 428 | 213/32 |

SPACER RING SECTION

*M 3215 Customer's No. 489




FELLOE BANDS

*M 2547 Customer's No. 291



*M 2657 Customer's No. 346



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3215 | 489 | 33/42 |
| *M 2547 | 291 | 334 x 138 |
| *M 2657 | 346 | 21316 X 38 |

^{*}Furnished only by special arrangement.

SIDE RING SECTIONS

*M 2528

Customer's No. 312



*M 2538

Customer's No. 296



Customer's No. 292

*M 2920

Customer's No. 440



*M 2919

Customer's No 439



*M 2653

Customer's No. 330



*M 2543

Customer's No. 298





Rolled for Firestone Steel Products Co.


| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2528 | 312 | 2 x 13/16 |
| *M 2538 | 296 | 112 x 58 |
| *M 2548 | 292 | 11764 X 58 |
| *M 2920 | 440 | 11764 X 1/2 |
| *M 2919 | 439 | 1 1/16 X 1 1/32 |
| *M 2653 | 330 | 11/16 X 1/2 |
| *M 2543 | 298 | 78 x 716 |

^{*}Furnished only by special arrangement.

SIDE RING SECTIONS—Concluded

*M 3040

Customer's No. 458



*M 2780

Customer's No. 365



*M 2559

Customer's No. 355



*M 2660

Customer's No. 351



*M 2557

Customer's No. 353



LOCKING RING SECTIONS

*M 2929

Customer's No. 244



*M 2930




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3040 | 458 | 1.686 x 1.389 |
| *M 2780 | 365 | 114 x 1.127 |
| *M 2559 | 355 | 11764 x .926 |
| *M 2660 | 351 | 118 x .832 |
| *M 2557 | 353 | 1142 X 5564 |
| *M 2929 | 244 | 3964 X 3964 |
| *M 2930 | 297 | .446 x .446 |

^{*}Furnished only by special arrangement.

CLAMP SECTIONS

*M 3037 Customer's No. 459




*M 2996



*M 3073 Customer's No. 465



*M 2762 Customer's No. 386



ADAPTER RING SECTION

DRIVING LUG SECTION

*M 3077



*M 3038 Customer's No. 460



Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3037 | 459 | 111/16 x 1.476 |
| *M 2996 | 450 | 138 X 36 |
| *M 3073 | 465 | 11332 X 916 |
| *M 2762 | 386 | 116 X 932 |
| *M 3077 | 466 | 138 x 58 |
| *M 3038 | 460 | 3132 X 4964 |

^{*}Furnished only by special arrangement.

RIM LATCH SECTION

*M 2828

Customer's No. 417



CLAMPING RING SECTIONS

*M 2655 Customer's No. 341



*M 2600 Customer's No. 363



*M 2651 Customer's No. 335



*M 1741 Customer's No. 1



RIM SEAT RING SECTION

*M 3158 Customer's No. 481




Rolled for Firestone Steel Products Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| M 2828 | 417 | 258 x 135 |
| M 2655 | 341 | 58 X 2364 |
| M 2651 | 335 | 1332 X 516 |
| M 2600 | 363 | ½ x .315 |
| M 1741 | 1 | 316 X 316 |
| M 3158 | 481 | 916 x .558 |


RIM SECTION

*M 3137



SIDE RING SECTION

*M 3138 Customer's No. 479




Rolled for Cleveland Welding Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 3137 | 478 | 4.455 |
| *M 3138 | 479 | 14364 X 11/16 |

SIDE RING SECTIONS

*M 2790



*M 2759

Customer's No. 120



*M 2639





*M 2599 Customer's No. 2A



*M 2629

Customer's No. 1



*M 2758 Customer's No. 119



*M 2587



*M 2597



*M 2757 Customer's No. 118




Rolled for Cleveland Welding Co.

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2790 | 139 | 1.483 x 1.130 |
| *M 2759 | 120 | 1932 X 6164 |
| *M 2639 | 55 | 11361 X 38 |
| *M 2599 | 2 A | 11164 X 1346 |
| *M 2629 | 1 | 1116 x 1316 |
| *M 2758 | 119 | 1532 X 2732 |
| *M 2587 | 51 | 1564 X 2532 |
| *M 2597 | 40 | 1116 X 1316 |
| *M 2757 | 118 | 11/32 X 13/16 |

^{*}Furnished only by special arrangement.

RIM SECTIONS


*M 2998 Customer's No. 934524




*M 2957 Customer's No. 934534



*M 3184 Customer's No. 934591



*M 3102 Customer's No. 934570




Rolled for General Motors Corporation—Jaxon Steel Products Division

| Section Index | Customer's Number | Size, Inches |
|------------------|----------------------|-----------------|
| *M 2998 | 934524 | 4.33 |
| *M 2957 | 934534 | 334 |
| *M 3184 | 934591 | 334 |
| *M 3102 | 934570 | 334 |

^{*}Furnished only by special arrangement.

COUNTER-WEIGHT SECTION

*M 2839 Customer's No. 934516



CHANNEL LOCK SECTIONS

*M 2632



*M 2846

*M 2522

Customer's No 932921



21/4"-----

TIRE CARRIER CHANNEL

*C 614

SIDE RING SECTION

*M 2743

Customer's No. 933603





Rolled for General Motors Corporation—Jaxon Steel Products Division

| Section Index | Customer's Number | Size, Inches |
|--------------------|----------------------|--|
| *M 2839 | 934516 | 31364 x .575 |
| *M 2632 *M 2846 | 932921 | 2 ¹ / ₈ ² x ¹ / ₉ / ₆ 2 ² / ₉ / ₂ x .337 |
| *M 2522 | | 2¼ x ½2 2 x ½ |
| *C 614 *M 2743 | 933603 | 11/16 X 55/64 |

^{*}Furnished only by special arrangement.

SIDE RING SECTIONS

*M 2853




*M 2816



Rolled for Budd Wheel Co.


RIM BASE SECTION

*M 3213



Rolled for Stanley Engineering Co.


MOTOR CYCLE RIM SECTION



| Section Index | Size, Inches |
|------------------|-----------------|
| *M 2853 | 1932 X 6164 |
| *M 2816 | 1542 X 2742 |
| *M 3213 | 1.905 x 1.944 |
| *M 889 | 31/2 x 1/8 |

CLAMP SECTION

*M 2628



Rolled for Gemmer Manufacturing Co.

SEAT SLIDE BAR

*M 3132



Rolled for Columbia Steel and Shafting Co.

REAR FENDER ANCHOR SECTION

*M 2813



Rolled for General Motors Corporation—Fisher Body Co. Div.

BODY SECTIONS

*M 2869



*M 2682




| Section Index | Size, Inches |
|------------------|-----------------|
| *M 2628 | 155% x 13% |
| *M 3132 | 1.015 x 952 |
| *M 2813 | 278 x 34 |
| *M 2869 | 15/16 X 25/32 |
| *M 2682 | 1516 X 2532 |

^{*}Furnished only by special arrangement.

BRAKE SHOE TEES


*T 560 -- 134"----



Rolled for Chrysler Corporation

BRAKE SHOE TEE BRAKE BAND CHANNEL *C 631





Rolled for Ford Motor Co.

RIM CHANNEL

*M 2924

Rolled for Wyckoff Drawn Steel Co.

| Section Index | Size, Inches |
|------------------|-----------------|
| *T 560 | 134 x 2.075 |
| *T 555 | 1½ x 1½ |
| *T 547 | 11/2 x 11/4 |
| *C 631 | 1½ x 516 |
| *M 2924 | 111/32 X 33/64 |

BUMPER SECTIONS


*M 3064




*M 3063




*M 3065




*M 3002



*M 2992



*M 2990




Rolled for American Chain Co.

| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 3064 | 378 | .218 | 2.69 |
| *M 3063 | 234 | .218 | 1.89 |
| *M 3065 | 21/4 | 1/4 | 1.75 |
| *M 3002 | 2 | 1/4 | 1.56 |
| *M 2992 | 134 | 1/4 | 1.35 |
| *M 2990 | 1 1/2 | 1/4 | 1.16 |

^{*}Furnished only by special arrangement.


BUMPER SECTIONS—Continued


*M 3150



*M 2949


*M 2948






Rolled for Liggett Spring and Axle Co.

*M 3108



*M 3009



Rolled for Central Brass and Fixture Co.


| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 3150 | 41/4 | 3/8 | 3.66 |
| *M 2949 | 2 | .259 | 1.62 |
| *M 2948 | 134 | .259 | 1.42 |
| *M 3108 | 214 | 932 | 1.85 |
| *M 3009 | 158 | 516 | 1.54 |


^{*}Furnished only by special arrangement.

BUMPER SECTIONS—Concluded

*M 3003

*M 3140







Rolled for Standard Steel Spring Co.

*M 2847

*M 2893






Rolled for Standard Safety Corporation

*M 3013

*M 3012







Rolled for United States and Chain Forging Co.


| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 3003 | 2 | .259 | 1.20 |
| *M 3140 | 158 | .238 | 1.22 |
| *M 2847 | 214 | 3/8 | 2.54 |
| *M 2893 | 2 | 516 | 1.97 |
| *M 3013 | 2 | 516 | 1.92 |
| *M 3012 | 134 | 516 | 1.66 |

CARNEGIE STEEL COMPANY

HINGE SECTIONS









| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3079 | 5.306 x 1.388 | 6.9 |
| *M 2977 | 5.071 x 1.239 | 6.5 |
| *M 3080 | 4.819 x 1.151 | 6.1 |

HINGE SECTIONS—Continued










| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3078 | 4.681 x 1.388 | 6.4 |
| *M 2823 | 44161 X 118 | 6.0 |
| *M 2978 | 42961 X 11132 | 6.2 |

^{*}Furnished only by special arrangement.


HINGE SECTIONS—Continued




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3142 | 3.946 x 1.239 | 5.5 |
| *M 2941 | 33364 x 1.215 | 5.3 |
| *M 2945 | 31742 x 1.087 | 5.2 |
| *M 2913 | 33364 x 116 | 5.0 |

HINGE SECTIONS—Continued








| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 2902 | 429%2 X 11764 | 6.5 |
| *M 2901 | 415%2 X 11764 | 6.1 |
| *M 2900 | 4352 X 11764 | 5.8 |


^{*}Furnished only by special arrangement.


CARNEGIE STEEL COMPANY

HINGE SECTIONS—Continued









| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 2915 | 331/32 X 117/64 | 5.7 |
| *M 2937 | 3.758 x 1.046 | 5.0 |
| *M 2899 | 31752 X 11764 | 5.4 |
| *M 2958 | 31764 x 11/16 | 4.7 |


^{*}Furnished only by special arrangement.

HINGE SECTIONS—Concluded





*M 2822



*M 2944



*M 2914




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3092 | 5.932 x .676 | 5.9 |
| *M 2822 | 47/16 X 11/16 | 4.9 |
| *M 2944 | 3.523 x .695 | 4.0 |
| *M 2914 | 3½ x 1½6 | 4.0 |

LATCH SECTIONS

*M 3159



*M 3056



*M 3082



*M 3130



*M 3157



*M 2982



| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3159 | 3.405 x .540 | 4.1 |
| *M 3056 | 2.160 x .550 | 2.26 |
| *M 3082 | 2 x .538 | 2.80 |
| *M 3130 | 111/16 X 9/16 | 2.20 |
| *M 3157 | 1.650 x .530 | 2.08 |
| *M 2982 | 1316 x .545 | 1.89 |

LATCH SECTIONS—Concluded


*M 2820



*M 2781



*M 2818



*M 2767



*M 2856



*M 2897



*M 856



*M 3125



| Section Index | Size, Inches | | Weight per Foot, Pounds |
|------------------|-----------------|------|----------------------------|
| *M 2820 | 158 x 1 | 1/16 | 2.38 |
| *M 2856 | 13964 X | 16 | 1.83 |
| *M 2781 | 11932 X | 16 | 1.91 |
| *M 2897 | 13564 X | 46 | 1.70 |
| *M 2818 | 1½ x 5 | 16 | 1.80 |
| *M 856 | 1½ x 3 | 764 | 1.80 |
| *M 2767 | 131/64 X | 16 | 1.80 |
| *M 3125 | 138 x . | 666 | 2.05 |

^{*}Furnished only by special arrangement.

CARNEGIE STEEL COMPANY

DOOR STRIKER SECTIONS

*M 3087



*M 2935

*M 2934




29 "

*M 3134

*M 2800





*M 3126



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|------------------------|----------------------------|
| *M 3087 | 221/82 x .446 | 2.24 |
| *M 2935 | $2.251 \times 15_{32}$ | 1.90 |
| *M 2934 | 2964 X 1532 | 1.83 |
| *M 3134 | 1.921 x .439 | 1.49 |
| *M 2800 | 1.861 x 3561 | 2.21 |
| *M 3126 | 11/8 X 17/32 | 1.62 |

MAGNETO SECTIONS

*M 2100



*M 2330



*M 3147



*M 1597



*M 2642



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 2100 | 31/8 x 47/64 | 5.7 |
| *M 2330 | 25% x .690 | 4.7 |
| *M 3147 | 21932 X 34 | 4.9 |
| *M 1597 | 115/16 x .710 | . 3.50 |
| *M 2642 | 15164 x .508 | 2.57 |

^{*}Furnished only by special arrangement.

CARNEGIE STEEL COMPANY

MAGNETO SECTIONS—Continued

*M 2641



*M 2858



*M 2322



*M 2801



*M 2975



*M 3173



*M 3214



| Section Index | Size, Inches | Weight per Foot, Pounds | |
|------------------|-----------------|----------------------------|--|
| *M 2641 | 12342 X 2142 | 3.20 | |
| *M 2858 | 14564 X .514 | 2.15 | |
| *M 2322 | 111/16 X 56 | 2.84 | |
| *M 2801 | 111/16 X .604 | 2.45 | |
| *M 2975 | 111/16 X 1/2 | 2.40 | |
| *M 3173 | 1.652 x 1942 | 2.33 | |
| *M 3214 | 1.157 x 1532 | 1.77 | |

MAGNETO SECTIONS—Concluded

*M 2648



*M 2964



*M 2328



*M 2742



*M 3105



*M 2812



*M 1585



*M 3001



*M 2826



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 2648 | 13764 X 3564 | 2.23 |
| *M 3105 | 1.508 x 1732 | 1.80 |
| *M 2964 | 1½ x .703 | 2.35 |
| *M 2812 | 11/2 x .595 | 2.32 |
| *M 2328 | 131/64 X .434 | 1.82 |
| *M 1585 | 1.477 x 2964 | 1.71 |
| *M 2742 | 12164 x .483 | 1.80 |
| *M 3001 | 134 x .521 | 1.73 |
| *M 2826 | 11164 x .484 | 1.77 |


^{*}Furnished only by special arrangement.

DRESSER SECTIONS

*M 3101




*M 3054



*M 1403



*M 1343



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 3101 | 10 | 3/8 | 12.9 |
| *†M 3224 | 7 | 38 | 8.8 |
| *M 3054 | 7 | 11/32 | 8.1 |
| *M 1403 | 10 | 3,6 | 12.5 |
| *M 1343 | 7 | 36 | 8.9 |

^{*}Furnished only by special arrangement. †Dimensions of M 3224, same as M 3054, excepting thickness, 3%".

PIPE COUPLING SECTIONS

DRESSER SECTIONS

*M 1346



*M 1345



*M 1364



*M 1341





| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 1346 | 7 | 516 | 7.5 |
| *M 1345 | 7 | 14 | 6.0 |
| *M 1364 | 5 | 516 | 5.4 |
| *M 1341 | 5 | 14 | 4.3 |

^{*}Furnished only by special arrangement.

CARNEGIE STEEL COMPANY


DRESSER SECTIONS—Concluded






| Section Index | Width, Inches | Depth, Inches | Weight per Foot Pounds |
|------------------|------------------|------------------|---------------------------|
| *M 2811 | 21/4 | 1716 | 5.6 |
| *M 2898 | 21/4 | 136 | 4.6 |


DAYTON SECTIONS



TYPE C *M 1175



TYPE D *M 1152



| Width, Inches | Depth, Inches | Weight per Foot, Pounds |
|------------------|------------------|---|
| 2316 | 11342 | 4.7 |
| 214 | 1516 | 3.60 |
| 1.76 | 1116 | 2.60 |
| | 2316 216 | Inches Inches 2% ie 1 12 ½ 2 21 ½ 1 5 i e |

^{*}Furnished only by special arrangement.

CARNEGIE STEEL COMPANY

DAYTON SECTIONS—Concluded




*M 2192 5/3" -2²1/64" -3/10 (-2) 5/30" -5/10"

| Section Index | Width, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|------------------|----------------------|----------------------------|
| *M 2763 | 7 | 546 | 7.6 |
| *M 2192 | 5 | 14 | 4.4 |


PIPE COUPLING SECTIONS


LOCK JOINT PIPE SECTIONS

*M 2195




*M 3111






*M 2989





| Section Index | Width, Inches | Depth, Inches | Weight per Foot, Pounds |
|------------------|------------------|------------------|----------------------------|
| *M 2195 | 7 | 916 | 6.8 |
| *M 3111 | 6 | 11/16 916 | 8.7 6.1 |
| *M 2988 | 334 | 1546 | 9.5 |
| *M 2989 | 438 | 1546 | 9.0 |


^{*}Furnished only by special arrangement.

LOCKING BARS









| Section Index | Nominal Size | Depth, Inches | Width, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|------------------|------------------|--------------------------|---------------------------|
| *M 65c | 746 | 217/32 | 215/32 | 25/32 | 15.9 |
| *M 69 | 8/8 | 21/32 | 211/32 | 3/4 | 12.0 |
| *M 68 | 5/16 | 111/16 | 145/16 | 1/2 | 7.8 |
| *M 67 | 1/4 | 115/32 | 17/8 | 9/16 | 6.5 |


^{*}Furnished only by special arrangement.

CAN AND BARREL RING SECTIONS

CAN RING SECTIONS




M 949




M 958











| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-----------------------|---------------------------|
| M 1281 | 2 | 1/8, 1/4 | 1.07 |
| M 949 | 2 | . 1364 1564, 316 | 1.62 1.51 |
| M 2203 | 134 | 14, 1364 1561, 316 | 1.41 1.33 |
| M 958 | 134 | 14, 1364 1564, 316 | 1.20 1.13 |
| M 2204 | 11/4 | 14, 1364 1564, 316 | $0.99 \\ 0.93$ |
| 9 | 134 | 2364, 1364 to 1561 | 1.46 |
| | 134 | 11/32, 3/16 to 7/32 | 1.37 |
| 1 | 134 | 2164, 1164 to 1364 | 1.28 |
| | 134 | 5/16, 5/32 to 3/16 | 1.18 |
| 7.5 000 | 134 | 1964, 964 to 1164 | 1.09 |
| M 908 | 134 | 9/32, 1/8 to 5/32 | 1.00 |
| | 134 | 1764, 761 to 964 | 0.90 |
| | 134 | 14, 352 to 15 | 0.81 |
| | 134 | 1564, 561 to 761 | 0.72 |
| | 134 | 732, 1/16 to 3/32 | 0.63 |

BARREL RING AND CHIME SECTIONS


*M 2278



*M 1667



*M 2583



*M 2991



*M 2768




| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 2278 | 2342 X 1346 | 2.20 |
| *M 1667 | 1½ x 38 | 1.58 |
| *M 2583 | 138 x 116 | 1.49 |
| *M 2991 | 158 x 118 | 1.23 |
| *M 2768 | 134 x 34 | 1.27 |


CAN AND BARREL RING SECTIONS

BARREL RING AND CHIME SECTIONS—Concluded


*M 2825




*M 2786



*M 2824



*M 3011



HOOP SECTIONS

*M 2785



*M 2836



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 2825 | 2 | 14, 18 | 1.31 |
| *M 2786 | 134 | 1/4, 1/8 | 1.12 |
| *M 2824 | 11/2 | 14, 18 | 0.92 |
| *M 3011 | 13164 | .245, .109 | 0.95 |
| *M 2785 | 1 | 1/4 | 0.54 |
| *M 2836 | 1 | 3/16 | 0.44 |

^{*}Furnished only by special arrangement.

CRESCENTS M 2101 M 2102 M 2103 M 2104 M 2105 M 2106 M 2107 M 2108 M 2109 M 2110 M 2113 M 2111 M 2112 M 2114 M 2116 M 2117 M 2118 M 2115

| Section Commercial | Radius | | Height. | Thickness, | Approx. Weight per Foot, Pounds | | |
|--------------------|--------|-------------------|--------------------|------------|------------------------------------|-------|-------|
| Index | Name | Inside, Inches | Outside, Inches | Inches | B. W. G. | Min. | Max. |
| M 2101 | 3/4 | 3/8 | 13/32 | 29/64 | No. 14 to No. 8 | 0.272 | 0.479 |
| M 2102 | 34 | 8/8 | 13/32 | 13/32 | No. 14 to No. 9 | 0.262 | 0.423 |
| M 2103 | 8/4 | 3/8 | 13/32 | 2064 | No. 14 to No. 12 | 0.250 | 0.313 |
| M 2104 | 5/8 | 5/16 | 11/32 | 25/64 | No. 14 to No. 8 | 0.230 | 0.401 |
| M 2105 | 5/8 | 5/16 | 11/32 | 1132 | No. 14 to No. 9 | 0.219 | 0.352 |
| M 2106 | 5/8 | 5/16 | 11/32 | 19/64 | No. 14 to No.12 | 0.206 | 0.257 |
| M 2107 | 1/2 | 1/4 | 9/32 | 11/32 | No. 14 to No. 9 | 0.190 | 0.300 |
| M 2108 | 1/2 | 1/4 | 9/82 | 5/16 | No. 14 to No. 9 | 0.181 | 0.291 |
| M 2109 | 1/2 | 1/4 | 9/32 | 1/4 | No. 14 to No. 12 | 0.167 | 0.208 |
| M 2110 | 7/16 | 7/32 | 1/4 | 5/16 | No. 14 to No. 9 | 0.169 | 0.265 |
| M 2111 | 7/16 | 7/32 | 1/4 | 9/32 | No. 14 to No. 9 | 0.162 | 0.255 |
| M 2112 | 13/32 | 13/64 | 15/61 | 1.9/64 | No. 14 to No. 9 | 0.158 | 0.247 |
| M 2113 | 13/32 | 13/64 | 15/64 | 17/64 | No. 14 to No. 9 | 0.151 | 0.237 |
| M 2114 | 3/8 | 3/16 | 7/32 | 9/32 | No. 14 to No. 10 | 0.147 | 0.212 |
| M 2115 | 3/8 | 3/16 | 7/32 | 1/4 | No. 14 to No. 11 | 0.141 | 0.187 |
| M 2116 | 11/32 | 11/64 | 18/64 | 17/64 | No. 14 to No. 10 | 0.136 | 0.196 |
| M 2117 | 5/16 | 5/32 | 3/16 | 15/64 | No. 13 to No. 10 | 0.135 | 0.177 |
| M 2118 | 11/32 | 11/64 | 13/64 | 15/64 | No. 14 to No. 12 | 0.126 | 0.159 |

CRESCENTS—Concluded

*M 3004



FLAT-BOTTOMED CRESCENTS

*M 2273 Commercial Size ¾



*M 2274

* M 735

Commercial Size ½"




| Section Index | Size Inche | | Weight per Foot, Pounds |
|------------------|---------------|--------|----------------------------|
| *M 3004 | 13/16 scant | No. 11 | 0.51 |
| *M 2273 | 5,8 | No. 14 | 0.31 |
| *M 2274 | 1/2 | No. 14 | 0.25 |
| *M 735 | 1,4 | 0.085 | 0.26 |

^{*}Furnished only by special arrangement.

POLE CAP AND NECK YOKE SECTIONS.

M 813


M 814 M 811



| Section Width. | Radius | | The indicate of the same of th | Approx. Weight per Foot | | |
|----------------|--------|---------|--|-------------------------|-------|-------|
| Index | Inches | Inside, | Outside, | Thickness, B. W. G. | | in ls |
| | | Inches | Inches | | Min. | Max. |
| M 813 | 2 | 1%16 | 1 3/8 | No. 13 to No. 7 | 0.540 | 1.094 |
| M 814 | 17/8 | 15/32 | 1 1/8 | No. 12 to No. 7 | 0.690 | 1.101 |
| M 811 | 17/8 | 1%16 | 1 3/8 | No. 13 to No. 7 | 0.510 | 1.031 |
| M 809 | 113/16 | 1%16 | 1 3/8 | No. 13 to No. 7 | 0.489 | 1.007 |

GROOVED HAME

M 800



CRESCENT HAME

M 760



CONCAVE-CONVEX HAME


M 750




| | Width, | Thickness, | Approx. Weight per Foot. Pounds | | |
|----|--------|------------|------------------------------------|-------|-------|
| In | idex | Inches | B. W. G. and Inches | Min. | Max. |
| M | 800 | 78 | No. 16 to No. 14 | 0.212 | 0.265 |
| M | 760 | 13 16 | No. 15 and No. 14 | 0.213 | 0.225 |
| 31 | 750 | 94 | No. 17 to No. 12 | 0.140 | 0.274 |

RETARDER SHOE SECTIONS









| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 2983 | 4 x 21/4 | 18.5 |
| *M 3083 | 315/16 x 27/32 | 17.3 |

MISCELLANEOUS RAIL AND TRACK SECTIONS

CONDUCTOR RAIL TEES





RAIL ANCHOR BARS

*M 2644




"M 1094



LOCK NUT WASHER

*M 3098





| Section | Size, | Weight per Foot, |
|---------|----------|------------------|
| Index | Inches | Pounds |
| T 157 | 3½ x 2½ | 7.3 |
| T 158 | 3 x 2½ | 7.0 |
| *M 2644 | 276 x 5½ | 2.84 |
| *M 1094 | 256 x 5½ | 2.57 |
| *M 3098 | 2 x ½ | 2.19 |

*Furnished only by special arrangement. †Structural Sizes.

CARNEGIE STEEL COMPANY

CULTIVATOR BARS










| 13 |
|------|
| 2/3 |
| 19/1 |
| k |

| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3007 | 215/16 X 11/64 | 1.42 |
| *M 3148 | 215/16 X 11/64 | 1.40 |
| *M 3006 | 21/4 x 5/32 | 0.99 |
| *M 3005 | 134 x 552 | 0.72 |

^{*}Furnished only by special arrangement.

MISCELLANEOUS AGRICULTURAL SECTIONS


CULTIVATOR BEAMS






U—BAR

U 573



RAKE TOOTH HOLDER

*M 2210



| Section Index | Depth, Inches | Width, Inches | Web Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|------------------|--------------------------|---------------------------|
| | 132 | 58 | 3,4 | 2.46 |
| Ti 700 | 1 1/2 | 910 | 516 | 2.14 |
| B 590 | 1 1/2 | 1/2 | 1,4 | 1.82 |
| | 11/2 | 716 | 346 | 1.50 |
| | 134 | 58 | 3/8 | 2.03 |
| Y | 11/4 | 916 | 516 | 1.76 |
| B 580 | 11/4 | 1,4 | 1/4 | 1.50 |
| | 134 | 716 | 316 | 1.23 |
| U 573 | 134 | 1 1/4 | 316 | 1.85 |
| *M 2210 | 138, 12 | 2132 | 1.8 | 1.75 |

NUT SECTIONS *M 2720 *M 2721 -2 17/32 1/10 710 27/64 -1.20/61 --- 172 *M 2717 *NI 2719 *M 2718 131/32 12% 27/32 115"----"64 23/11 23/" -114" *M 2714 *M 2713 *M 2716 *M 2715 115/64 - 1% - 127/64 139/64 27, 128 39/128 39/128 -- 7/8" *M 2711 *M 2723 *M 2712 *M 2722 V - 27/32 -11/32 11/4 4 1/2" 1 21/64 Weight per Feot, Thickness. Section Size. Inches Inches Pounds Index 3,49 7/16 *M 2721 217/32 3.25 *M 2720 211/32 7/10 3.01 *M 2719 25/32 7/16 2.76 *M 2718 131/32 7/16 2.51 125/82 740 *M 2717 1.93 3/8 *M 2716 189/64 1.56 *M 2715 127/6411/32 1.23 115/64 5/10 *M 2714 0.94 9/32 *M 2713 13/64 27/64 1.43 *M 2723 11/82

55/64

27/82

48/64

*M 2712

*M 2722

*M 2711

1/4

 $\frac{21}{64}$ 15/64

0.69

0.90

0.51

^{*} Furnished only by special arrangement.

NUT SECTIONS—Concluded

*M 3164



*M 3165



*M 3206



*M3205




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3164 | .695 x .384 | 0.68 |
| *M 3165 | .595 x .321 | 0.50 |
| *M 3206 | .616 x .352 | 0.62 |
| *M 3205 | 15%2 x .290 | 0.40 |


^{*}Furnished only by special arrangement.

SPLICE BARS


*M 3035



*M 3197



SCREEN BAR *M 2260




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3035 | 51/32 x 19/32 | 12.7 |
| *M 3197 | 31742 x 1 | 7.3 |
| *M 2260 | 41/16 x 1 | 7.5 |


^{*}Furnished only by special arrangement.

PRINTING PRESS SECTIONS

*M 1430




*M 1431




SLIDE RAIL SECTION

* M 1426




POLE BAR




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|--------------------|----------------------------|
| *M 1430 | 213/16 x 111/16 | 11.6 |
| *M 1431 | 218/16 x 111/32 | 10.1 |
| *M 1426 | 21/16 full x 11/16 | 4.3 |
| *M 3112 | 1.525 x .736 | 2.70 |

DOOR RACEWAY SECTION

*M 2831



CAR DOOR TRACK SECTIONS




* M 807




| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-------------------------------|----------------------------|
| *M 2831 | 35/16 x 11/64 | 5.2 |
| *M 2266 | 1916 x 156 x 1132 full x 1316 | 3.35 |
| *M 807 | 378 x 11/64 | 3.20 |

^{*}Furnished only by special arrangement.


REEL SECTIONS




*M 2954



RACK SECTIONS







| Section | Size, | Weight per Foot, |
|---------|--------------|------------------|
| Index | Inches | Pounds |
| *M 2933 | 2916 x 2 | 3.82 |
| *M 2954 | 214 x 2 | 3.54 |
| *M 2739 | 214 x 138 | 3.25 |
| *M 2997 | 12782 X 3182 | 1.92 |


^{*}Furnished only by special arrangement.

TRACTOR CLEAT ANGLE



GROOVED TIRE






| Section Index | Size, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|-----------------|----------------------|---------------------------|
| *†A 345 | 3 x 2 | 3/8 | 5.3 |
| | 4 | 3,6 | 7.0 |
| | 4 | 1532 | 6.6 |
| *M 1890 | 4 | 3/8 | 5.3 |
| | 4 | 11/32 | 4.9 |
| | 4 | 516 | 4.5 |
| 43 F 700 | 3 | 11/32 | 3.73 |
| *M 788 | 3 | 932 | 3.00 |

^{*}Furnished only by special arrangement. †Structural Size.


DRILL POST SECTION

M 995




AUGER SECTIONS

* M 1101




*M 2291



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| M 995 | 21762 x 58 | 2.80 |
| *M 1101 | 1916 X 2564 | 1.72 |
| *M 2291 | 1916 X 12 | 1.00 |

^{*}Furnished only by special arrangement.

CAM SECTIONS



* M 998



*M 1635



TUMBLER SECTIONS

*M 3061





| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 881 | 138 x 11/16 | 4.3 |
| *M 998 | 2582 X 2182 | 1.29 |
| *M 1635 | 2352 X 3364 | 0.90 |
| *M 3061 | 1.397 x .475 | 2.98 |
| *M 2838 | 11564 x .474 | 2.60 |

MISCELLANEOUS BAR SHAPES

RATCHET SECTIONS

*M 3217




*M 3199



*M 2922



*M 2923



RETAINER SECTION

*M 3210



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|---------------------------------------|----------------------------|
| *M 3217 | 1.347 x .738 | 2.09 |
| *M 3199 | 11764 x .666 | 1.86 |
| *M 2922 | 1.422 x 11/32 | 0.98 |
| *M 2923 | 1.390 x ¹³ / ₈₂ | 1.14 |
| *M 3210 | 1, ¼ x .412, ¼ | 1.47 |

^{*}Furnished only by special arrangement.

60° FLATTENED ROUNDS

*M 2687



*M 2688



FRICTION SPRING SECTIONS

*M 3059



*M 3060




| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 2687 | 1.82 x 1.61 | 8.2 |
| *M 2688 | 1.04 x .93 | 2.70 |
| *M 3059 | 1.07 x .94 | 2,53 |
| *M 3060 | .94 x .54 | 1.33 |


*Furnished only by special arrangement.

VEHICLE SPRING CLIPS

* M 1407



M 1316



Y-BAR



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 1407 | 178 X 4564 | 2.92 |
| M 1316 | 11364 X 1732 | 1.36 |
| *M 2911 | 5364 X 1132 | 2.00 |

^{*}Furnished only by special arrangement.

SUSPENSION CLAMP SECTIONS

*M 2959 Customer's No. AX



*M 2960

Customer's No. AI



GUY CLAMP SECTIONS

*M 2961 Customer's No. B


*M 2963

Customer's No. D



*M 2962

Customer's No. C




| Section Index | Customer's Number | Size, Inches | Weight per Foot Pounds |
|------------------|----------------------|-----------------|---------------------------|
| *M 2959 | AX | 111/16 x 3/4 | 2.17 |
| *M 2960 | AI | 138 x 916 | 1.70 |
| *M 2961 | В | 121/32 X 3/8 | 1.89 |
| *M 2963 | D | 1946 X 38 | 1.88 |
| *M 2962 | C | 1946 X 38 | 1.85 |


^{*}Furnished only by special arrangement.

MISCELLANEOUS BAR SHAPES

CURB SECTIONS










| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 1665 | 1½ x 1¼ | 1.60 |
| *M 1664 | 11/2 x 7/8 | 1.34 |
| *M 1637 | 1¼ x 1½ | 1.56 |
| *M 1666 | 53/64 X 11/2 | 1.37 |


^{*} Furnished only by special arrangement.



*M 930




CONCAVE BARS






BUCKLE BAR

* M 899



FURNACE BAND SECTION



| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|--------------------|---------------------------|
| | 6 x 3/16 x 1/4 | 6.20 |
| *M 930 | 6 x 38 x 316 | 4.92 |
| | 6 x 516 x 1/8 | 3.65 |
| *M 778 | 22932 x .25, .165 | 2.05 |
| *M 764 | 258 x .28, .155 | 1.78 |
| *M 899 | 2!4 x No. 7, No. 9 | 1.23 |
| *M 2782 | 134 X 1142 | 0.73 |

MISCELLANEOUS BAR SHAPES

GUIDE BARS

*M 3100



*M 2321



*M 2320



SLIDE BAR

*M 3132



BEADED BAR



| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3100 | 1.118 x .525 | 1.15 |
| *M 2321 | .941 x .598 | 1.28 |
| *M 2320 | .945 x .352 | 0.73 |
| *M 3132 | 1.015 x .281 | 0.90 |
| *M 3174 | 11/4 x 1/4 | 0.72 |

^{*}Furnished only by special arrangement.

TRIANGULAR SECTIONS

*M 1086



*M 2197



*M 2892



STAR SECTIONS

M 903





| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 1086 | 11532 X 1932 | 1.61 |
| *M 2197 | 1.050 x 2964 | 0.86 |
| *M 2892 | 1 x .430 | 0.79 |
| M 903 | 34 X 34 | 0.36 |
| M 2683 | 2352 X 2352 | 0.36 |

^{*}Furnished only by special arrangement.

CONDUCTOR BAR

*M 3211



WINDOW SCREEN SECTION

*M 3069



VELOCIPEDE SECTION

* M 880

GRASS HOOK SECTION *M 2200

| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|--------------------------------------|----------------------------|
| *M 321 | 1 x 3/8 | 0.87 |
| *M 306 | 4764 X 3/1 | 0.38 |
| *M 88 | 78 x No. 9 x 1/32 78 x 3/32 x 9/3 | |
| *M 220 | .515 x 516 | 0.35 |

*Furnished only by special arrangement.

MISCELLANEOUS KEY SECTIONS

* M 1409



* M 1381



* M 1633




* M 1090



*M 2296



*M 2936




| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-------------------|---------------------------|
| *M 1409 | 1½6 X 1¾6 | 2.40 |
| *M 1381 | 1½2 x 2532 | 2.17 |
| *M 1633 | .913 x ½ | 1.24 |
| *M 1090 | 43/64 X 9/16 full | 1.05 |
| *M 2296 | .492 x .525 | 0.67 |
| *M 2936 | 121/32 X 17/32 | 1.24 |


*Furnished only by special arrangement.

HOLLOW HALF ROUNDS


M 820



M 821




M 822



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| M 820 | 3 x 1½ | 6.7 |
| M 821 | 2½ x 1¼ | 5.3 |
| M 822 | 2 x 1 | 3.25 |

GROOVED FLATS

*M 3146



*M 794



*M 797



*M 787



*M 3123






| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3146 | 15/16 X 9/32 | 1.07 |
| *M 794 | 76 x 1/4 | 0.70 |
| *M 797 | 34 x 1/4 | 0.57 |
| *M 787 | 34 x 7/32 | 0.45 |
| *M 3123 | .970 x .352 | 0.74 |
| *M 2870 | 11/16 X 9/32 | 0.45 |

^{*}Furnished only by special arrangement.

MISCELLANEOUS BAR SHAPES

GROOVED BARS

*M 1762



*M 3131



*M 3136



GROOVED SQUARES

*M 2855



*M 3160




| Inches | Weight per Foot, Pounds |
|---------------|--|
| 1.582 x 1.509 | 6.9 |
| .665 x 5964 | 1.92 |
| .665 x 1732 | 1.06 |
| 11/8 | 3.82 |
| .664 | 1.62 |
| | 1.582 x 1.509 .665 x ⁵ 964 .665 x ¹ 752 115 |


^{*}Furnished only by special arrangement.

GROOVED ROUNDS





*M 3067



FLATTENED ROUNDS

*M 3109



*M 3129



*M 3167



*M 3115



≉M 3068



*M 3193



*M 3194



*M 2833



| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 3107 | 19/16 X 127/64 | 6.2 |
| *M 3067 | 17/16 X 119/64 | 5.3 |
| *M 3109 | 1 x .873 | 2.47 |
| *M 3129 | .977 x .845 | 2.34 |
| *M 3167 | 1516 X 5164 | 2.10 |
| *M 3115 | 15/16 x .811 | 2.16 |
| *M 3068 | .915 x .754 | 1.97 |
| *M 3193 | 7/8 x .793 | 1.95 |
| *M 3194 | 13/16 X 11/16 | 1.60 |
| *M 2833 | 13/16 X .677 | 1.56 |

GROOVED AND FLATTENED ROUNDS

FLATTENED ROUNDS—Concluded

*M 3081



*M 3097



*M 3113



*M 2837



*M 2921



*M 2829



*M 2827



*M 2850



*M 3088




| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|--------------------------------------|---------------------------|
| *M 3081 | .790 x .655 | 1.48 |
| *M 3097 | 4764 x .608 | 1.28 |
| *M 3113 | .727 x .597 | 1.24 |
| *M 2837 | 25/32 x .485 | 1.07 |
| *M 2921 | ²⁵ / ₃₂ x .397 | 0.83 |
| *M 2829 | 58 x ½ | 0.90 |
| *M 2827 | 58 X 3164 | 0.86 |
| *M 2850 | 5/8 x .478 | 0.86 |
| *M 3088 | 23/32 X 13/32 | 0.80 |

*Furnished only by special arrangement.

OCTAGONS

*M 1241



*M 1244





| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 1241 | 111/16 | 8.1 |
| *M 1244 | 1932 | 4.7 |
| *M 3047 | 1 | 2.82 |

^{*}Furnished only by special arrangement.

BEVEL CORNERED SQUARES

*M 3048



*M 3169



*M 3008



*M 3036



*M 1402



| Section Index | Size, Inches | Weight per Foot Pounds |
|------------------|-----------------|---------------------------|
| *M 3048 | 11/8 | 3.86 |
| *M 3169 | 1 | 3.30 |
| *M 3008 | 13/16 | 2.20 |
| *M 3036 | 34 | 1.88 |
| *M 1402 | 11/16 | 1.52 |

*Furnished only by special arrangement.

ROUND EDGE FLATS DRAW BAR AND DRAFT KEY SECTIONS

M2625



M 2150



M2626


M1850





M 1851

M2981





| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| M 2625 | 6 x 2 | 37.9 |
| M 2150 | 6 x 1½ | 29.0 |
| M 2626 | 5½ x 1½ | 20.1 |
| M 1850 | 5 x 11/8 | 18.2 |
| M 1851 | 4½ x 1½ | 16.3 |
| M 2981 | 384 x 84 | 9.2 |

ROUND EDGE FLAT


*M 2267



SINGLE ROUND EDGE

*M 3055

*M 3152






*M 2925







*M 2832

<--11/16-->

*M 2201

*M 2844






| Section Index | Size, Inches | Weight per Foot, Pounds |
|------------------|-----------------|----------------------------|
| *M 2267 | 1346 x 1346 | 5.1 |
| *M 3055 | 2916 x 916 | 4.8 |
| *M 3152 | 2.54 x .550 | 4.6 |
| *M 2925 | 21/4 x 3/16 | 3.27 |
| *M 3209 | 1.54 x 916 | 2.82 |
| *M 2832 | 11/16 X 11/16 | 1.44 |
| *M 2844 | .670 x .670 | 1.36 |
| *M 2201 | 9/16 X 31/64 | 0.82 |


BELT RAIL SECTION

M 1038




RACK SECTION


*M 3124



FOUNDRY FLASK SECTIONS



*M 3175



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| M 1038 | 4 | 1,5 | 6.6 |
| *M 3124 | 4 | 3,6 | 4.5 |
| *M 2976 | 311/16 | 1,5 | 6.1 |
| *M 3175 | 3516 | 1,6 | 5.5 |

LOCK WASHER SECTIONS

*M 2305

*M 2589

*M 2771







*M 2741

*M 2795

*M 2794







*M 1634

*M 2685

*M 2793









| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 2305 | 2764 | 3/8 | 0.47 |
| *M 2589 | .415 | 3/8 | 0.48 |
| *M 2771 | .337 | 7/16 | 0.46 |
| *M 2741 | .337 | 3/8 | 0.40 |
| *M 2795 | .337 | 516 | 0.33 |
| *M 2794 | .275 | 516 | 0.27 |
| *M 1634 | .275 | 3/4 | 0.21 |
| *M 2685 | 1764 | 3/8 | 0.30 |
| *M 2793 | .207 | 5/16 | 0.20 |
| *M 3154 | .275 | 316 | 0.36 |

^{*}Furnished only by special arrangement.

ROUND CORNERED FLATS

*M 2942

*M 3171





MISCELLANEOUS BEVELS





*M 2904



*M 3162




| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 2942 | 1 | 3/4 | 2.53 |
| *M 3171 | 7/8 | 516 | 0.93 |
| *M 3191 | 1.973 | 916 | 3.90 |
| *M 3163 | 12942 | .281 | 1.78 |
| *M 2904 | 1516 | 11/16 | 3.02 |
| *M 3162 | 1516 | 14 | 1.07 |

^{*}Furnished only by special arrangement.

BEVEL SECTIONS

MISCELLANEOUS BEVELS-Concluded









| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 708 | 3 | 3/16 | 1.28 |
| *M 3010 | 134 | 7/16 | 1.77 |
| *M 2973 | 1946 | 916 | 2.20 |
| *M 2932 | 31/32 | 7/32 | 0.69 |
| *M 2857 | 31/32 | 7/32 | 0.69 |
| *M 3091 | 31/32 | 7/32 | 0.68 |
| *M 1636 | 11/32 | 742 | 0.66 |
| *M 3103 | 34 | .083 | 0.20 |

^{*}Furnished only by special arrangement.

ROUND BEVEL EDGE



SECTION WITH RADIUS LESS THAN THICKNESS



SECTION WITH RADIUS EQUAL TO THICKNESS



SECTION WITH RADIUS GREATER THAN THICKNESS


| Width, a, Inches | Regular Radius, r. Inches | Thickness, Inches | Special Radius, r, can also be made as follows: |
|---------------------|------------------------------|----------------------|---|
| 1 3/4 | 8/8 | 1/4 to 1/2 | 1/4, 5/16, 7/16, 1/2 |
| 1 1/2 | 5/16 | %16 to 1/2 | 3/16, 1/4, 3/8 |
| 1 3/8 | 5/16 | 1/8 to 1/2 | 3/16, 1/4, 3/8 |
| 1 1/4 | 5/16 | 7/64 to 1/2 | 3/16, 1/4, 3/8 |
| 1 1/8 | 1/4 | 764 to 5/16 | 3/16, 5/16, 3/8 |
| 1 | 1/4 | 7/64 to 5/16 | 8/16, 5/16, 8/8 |
| 7/8 | 8/16 | 1/8 to 1/4 | 1/8, 1/4 |
| 3/4 | 8/16 | 1/8 to 1/4 | 1/8, 1/4 |

Unless otherwise specified, the regular radius will be furnished, but if a special radius is desired it should be specifically stated on the order.

For Weights, see tables of Round Bevel Edge.

Sizes not included in above list promptly arranged for.

BEVEL NOSE




| Section Index | Width, a, Inches | Face, b, Inches | Nose, c, Approximate Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|---------------------|--------------------|-----------------------------------|----------------------|-------------------------------|
| M 989 | 31/2 | 1 | 1/8 | 5/8 | 5.31 |
| $\rm M\ 2868$ | 338 | 234 | 364 | 1/8 | 1.35 |
| M 514 | 3 | 2 | 1,6 | 1/2 | 4.46 |
| *M 515 | 3 3 | 2 2 | 3/4 3/16 | 5/8 9/16 | 5.74 5.10 |
| M 825 | 3 | 11/16 | 3/8 | 3/2 | 4.26 |
| M = 971 | 3 | 134 | 3/8 | 516 | 2.79 |
| M 993 | 3 | 34 | 3% | 1,4 | 3.67 |
| M = 512 | 21/2 | 1 1/2 | 1/8 | 3/2 | 3.61 |
| M = 511 | 21/2 | 1 1/4 | 1,8 | 34 | 3.45 |
| M 994 | 21/2 | 34 | 1/8 | 1,6 | 3.13 |
| M 518 | 21/4 | 134 | 34 | 1/2 | 3.61 |
| M = 509 | 21/4 | 134 | 1/4 | 716 | 3.19 |
| M 508 | 21/4 | 134 | 1,6 | 38 | 2.66 |
| M 507 | 2 | 1 | 1,8 | 3,6 | 2.76 |
| M 965 | 13/16 | 5/8 | 164 full | 564 | 0.20 |
| kM 3104 | 34 | 1/4 | 1/32 | 0.115 | 0.22 |
| kM 2830 | 34 | 34 | .020 | 0.109 | 0.20 |

^{*}Furnished only by special arrangement.

BEVEL EDGE

BEVEL SHAFT, BEVEL WAGON BOX, TONGUE CAP, ETC.



| Width, a, Inches | Regular Top, b, Inches | Thickness, B. W. G. and Inches | Width of Top, b, can be made within the following limits: |
|---------------------|---------------------------|-----------------------------------|---|
| 3 | 23/16 | No. 10 to 1/4 | 1½ to 25% |
| 25/8 | 17/8 | No. 11 to 1/16 | 11/4 to 21/4 |
| $2\frac{1}{2}$ | 18/4 | No. 11 to % | 11/8 to 21/8 |
| $2\frac{1}{4}$ | 1½ | No. 11 to 3/8 | 1 to 17% |
| 2 | 13/8 | No. 11 to % | 1 to 13/4 |
| 18/4 | 11/4 | No. 11 to ½ | 7/8 to 11/2 |
| $1\frac{1}{2}$ | 1 | No. 11 to ½ | 3/4 to 11/4 |
| 13/8 | 15/16 | No. 11 to 7/16 | 11/16 to 11/8 |
| 11/4 | . 13/16 | No. 11 to 7/16 | 5/8 to 11/16 |
| $1\frac{1}{8}$ | 11/16 | No. 11 to 7/16 | %16 to 1 |
| 1 | 5/8 | No. 12 to 7/16 | ½ to % |
| 15/16 | 9/16 | No. 12 to 5/16 | 7/16 to 18/16 |
| 7/8 | 1/2 | No. 12 to 5/16 | 7/16 to 3/4 |
| 13/16 | 7/16 | No. 12 to ¼ | 3/8 to 11/16 |
| 3/4 | 7/18 | No. 12 to ¼ | 3% to 5% |
| 11/16 | 8/8 | No. 14 to %16 | 5/16 to 9/16 |
| 5/8 | 8/8 | No. 14 to %16 | 5/16 to 1/2 |

Unless otherwise specified, the regular top will be furnished, but if any other top is desired it should be specifically stated on the order.


For Weights see tables of Bevel Edge.

Sizes not included in above list promptly arranged for.


BEVEL SECTIONS

BEVEL EDGE-Concluded









| Section Index | Width, Inches | Face, Inches | Bevel, Inches | Thickness, B. W. G. and Inches | Weight per Foot Pounds |
|------------------|------------------|-----------------|------------------|--------------------------------------|------------------------------|
| M 2684 | 23/4 | 21/2 | 1/8 | 3/16 | 1.67 |
| M 1736 | 2 5/8 | 27/16 | 3/32 | 3/16 | 1.61 |
| M 1735 | 21/4 | 115/16 | 5/32 | No. 14 | 0.59 |
| M 1689 | 2 | 111/16 | 5/32 | No. 14 | 0.52 |

BEVEL EDGE SKELP




| Section Index | Width, b, Inches | Thickness, t, Inches | Angle, a, Degrees | Weight per Foot Pounds |
|------------------|---------------------|-------------------------|----------------------|---------------------------|
| *M 3153 | 738 | .154 | 5 | 4.12 |
| *M 3141 | 638 | ,145 | 7 | 3.13 |
| *M 3185 | 57/16 | .193 | 9 | 3.55 |
| *M 2985 | 5316 | ,136 | 9 | 2.51 |
| *M 3168 | 5 | .156 | 10 | 2.64 |
| *M 3070 | 4716 | .180 | 9 | 2.70 |
| *M 2971 | 4716 | ,129 | 9 | 1.94 |
| *M 3190 | 31/2 | .075 | 10 | 0.89 |
| *M 2986 | 338 | .157 | 10 | 1.79 |
| *M 3208 | 338 | .155 | 12 | 1.76 |
| *M 3074 | 338 | .150 | 10 | 1.71 |
| *M 2970 | 338 | .112 | 10 | 1.28 |
| *M 3182 | 338 | .107 | 10 | 1.22 |
| *M 3189 | 338 | .075 | 10 | 0.86 |
| *M 3135 | 314 | .152 | 10 | 1.67 |
| *M 3166 | 3316 | .152 | 10 | 1.63 |
| *M 3170 | 31/8 | .185 | 10 | 1.95 |
| *M 3084 | 215/16 | .127 | 10 | 1.26 |
| *M 3188 | 213/16 | .075 | 12 | 0.71 |
| *M 2987 | 234 | .149 | 12 | 1.38 |
| *M 3207 | 234 | .124 | 15 | 1.15 |
| *M 2969 | 234 | .109 | 12 | 1.01 |
| *M 3180 | 234 | .105 | 12 | 0.97 |
| *M 3187 | 2546 | .075 | 12 | 0.59 |
| *M 2968 | 21/4 | ,122 | 15 | 0.92 |
| *M 3179 | 2316 | .122 | 15 | 0.89 |
| *M 3202 | 2346 | .091 | 15 | 0.67 |
| *M 3178 | 2316 | .088 | 14 | 0.65 |
| *M 3186 | 21/16 | .066 | 15 | 0.46 |
| *M 2967 | 111/16 | .120 | 16 | 0.67 |
| *M 3177 | 111/16 | .115 | 16 | 0.65 |
| *M 3201 | 1 1 1 1 1 6 | .088 | 16 | 0.50 |
| *M 3156 | 11116 | .085 | 16 | 0.48 |
| *M 2966 | 1932 | .091 | 17 | 0.39 |
| *M 3176 | 1932 | .065 | 17 | 0.28 |


^{*}Furnished only by special arrangement.

BEVEL SECTIONS

SCARFED SKELP










| Section Index | Width, Inches | Face, Inches | Bevel, Inches | Thickness, Inches | Weight per Foot, Pounds |
|------------------|------------------|-----------------|------------------|----------------------|-------------------------------|
| *M 2673 | 151/4 | 14.125 | .563 | .360 | 18.2 |
| *M 2671 | 1514 | 14.456 | .397 | .257 | 13.1 |
| *M 3114 | 15346 | 14.563 | .313 | .158 | 8.1 |
| *M 2672 | 15 | 13.898 | .551 | .353 | 17.5 |

^{*}Furnished only by special arrangement.

SCARFED SKELP-Continued




| Section Index | Width, Inches | Face, Inches | Bevel, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-----------------|------------------|----------------------|------------------------------|
| *M 2670 | 1134 | 10.708 | .521 | .334 | 12.9 |
| *M 2669 | 1134 | 10.930 | .410 | . 265 | 10.3 |
| *M 2668 | 1134 | 11.026 | .362 | . 233 | 9.1 |
| *M 2667 | 911/16 | 8.762 | .463 | .298 | 9.5 |
| *M 2666 | 911/16 | 8.804 | .442 | .285 | 9.1 |
| *M 2665 | 911/16 | 8.992 | .348 | .224 | 7.2 |

*Furnished only by special arrangement.

BEVEL SECTIONS

SCARFED SKELP-Concluded











| Section Index | Width, Inches | Face, Inches | Bevel, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|-----------------|------------------|----------------------|------------------------------|
| *M 3204 | 8 | 7.500 | . 250 | .170 | 4.6 |
| *M 2664 | 77/8 | 7.157 | .359 | .231 | 6.0 |
| *M 2663 | 77/8 | 7.253 | .311 | .203 | 5.3 |
| *M 2662 | 77/8 | 7.327 | .274 | .180 | 4.7 |
| *M 2661 | 77/8 | 7.375 | . 250 | .165 | 4.4 |

^{*}Furnished only by special arrangement.

OVALS



| Width, Inches | | | | | ickness, nches | | |
|------------------|------|----|---------------|------------|-------------------|-----|--------|
| 11/4 | 3/8 | to | 7/8 | inclusive, | advancing | by | 16ths. |
| 11/8 | 3/8 | to | 7/8 | 4.4 | 6.6 | 6 4 | 16ths. |
| 1 | 1/4 | to | 3/4 | 4.4 | 4.4 | 6 6 | 32ds. |
| 15/16 | 1/4 | to | 5/8 | 4.4 | 4.6 | 4.4 | 32ds. |
| 7/8 | 1/4 | to | 5/8 | 4 4 | 4.4 | | 32ds. |
| 13/16 | 3/16 | to | %16 | 4.4 | 4.4 | 4.4 | 32ds. |
| 3/4 | 5/32 | to | %16 | 4.4 | 4.4 | 4.4 | 32ds. |
| 11/16 | 5/82 | to | 1/2 | 4.4 | 4.4 | 4.6 | 32ds. |
| 5/8 | 1/8 | to | $\frac{1}{2}$ | 4 4 | 4 6 | 4.4 | 32ds. |
| 19/82 | 1/8 | to | 7/16 | 4.4 | 4.4 | 4.4 | 32ds. |
| 9/16 | 1/8 | to | 7/16 | 4.4 | ** | 6.6 | 32ds. |
| 17/32 | 1/8 | to | 3/8 | 4 4 | 4.4 | 4.6 | 32ds. |
| 1/2 | 3/82 | to | 8/8 | 4.4 | 4.4 | 4.6 | 32ds. |
| 15/82 | 3/32 | to | 5/16 | | 4.6 | 4.1 | 32ds. |
| 7/16 | 8/32 | to | 1/4 | 6.6 | 4.4 | 4.4 | 32 ds. |
| 13/32 | 8/32 | to | 1/4 | 6.6 | 4.4 | 4.4 | 32ds. |
| 3/8 | 3/32 | to | 1/4 | 4.6 | 44 | 4 6 | 32ds. |

For Weights see tables of Ovals.

Sizes not included in above list promptly arranged for.

BLUNT OVALS



| Width, Inches | | | | | ckness, nches | | |
|------------------|-----|----|------|------------|------------------|-----|-------|
| 5/8 | 1/8 | to | 5/16 | inclusive, | advancing | by | 32ds. |
| 9/16 | 1/8 | to | 9/82 | 6.6 | 4.6 | 6.6 | 32ds. |
| 1/2 | 1/8 | to | 5/18 | 4 6 | 6 4 | 6.6 | 32ds. |
| 7/16 | 1/8 | to | 7/32 | 4 4 | 4 4 | 4.4 | 32ds. |
| 3/8 | 1/8 | to | 3/16 | 6 6 | 4 4 | 4.4 | 32ds. |

For Weights see tables of Blunt Ovals. Sizes not included in above list promptly arranged for.

MISCELLANEOUS OVALS

M 877



M 869




M 867



M 876




M 2241



M 863



M 875



M 859



*M 3110



*M 3086



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| M 877 | 2 | 316 | 2.09 |
| M 869 | 134 | 3/2 | 2.06 |
| M 867 | 134 | 316 | 1.85 |
| M 876 | 134 | 316 | 1.82 |
| M 2241 | 11/2 | 716 | 1.58 |
| M 863 | 1 1/2 | 316 | 1.57 |
| M 875 | 1 1/2 | 3/16 | 1.56 |
| M 859 | 1 1/2 | 3/8 | 1.35 |
| *M 3110 | 5964 | 31/64 | 1.22 |
| *M 3086 | .915 | .477 | 1.19 |

^{*}Furnished only by special arrangement.


HALF-OVALS



| Width, Inches | | Thick B. W. G. a | | | |
|------------------|----------------|---------------------|-----------|-----|-------|
| 4 | 3/s to 1/2 | inclusive, | advancing | by | 16ths |
| 33/4 | 5/16 to 1/2 | 4.4 | 6 6 | 6.6 | 16ths |
| $3\frac{1}{2}$ | 5/16 to ½ | 6.4 | 4.4 | 4 6 | 16ths |
| 31/4 | 5/16 to 5/8 | 4.6 | 6 6 | 44 | 16ths |
| 3 | 5/16 to 8/4 | 4.6 | 4.6 | 4.6 | 16ths |
| $2\frac{3}{4}$ | 5/16 to 3/4 | 4.6 | 6.6 | 4.4 | 16ths |
| $2\frac{1}{2}$ | 1/4 to 3/4 | 4.4 | 6 6 | 4.4 | 16ths |
| 21/4 | 1/4 to 8/4 | 4.6 | 4.4 | 6.6 | 16ths |
| 2 | 1/4 to 5/8 | 4.4 | 4.6 | 44 | 16ths |
| 1 1/8 | 1/4 to 9/16 | 4.6 | 4.4 | 4.6 | 32ds. |
| 1 3/4 | 1/4 to 1/2 | 4.4 | 4.4 | 4.6 | 32ds. |
| 15% | %16 to 1/2 | 4.6 | 4.4 | 6.6 | 32ds. |
| 11/2 | 1/8 to 1/2 | 4.4 | 6.6 | 6.6 | 32ds. |
| 1 3/8 | 1/8 to 3/8 | 4.6 | 4.4 | 4.4 | 32ds. |
| 11/4 | 1/8 to 3/8 | 4.4 | 4.4 | 4.4 | 32ds. |
| 11/8 | 1/8 to 3/8 | 44 | 4.4 | 4.4 | 32ds. |
| 1 | No. 11 to % | 4.6 | 44 | 4.4 | 32ds. |
| 15/16 | No. 11 to % | 4.6 | 4.4 | 6.6 | 32ds. |
| 7/8 | No. 11 to % | 4.4 | 4.6 | 6.6 | 32ds. |
| 13/16 | No. 11 to 5/16 | 4.4 | 4.4 | 4.6 | 32ds. |
| 3/4 | No. 13 to 5/16 | 4.4 | 4.4 | 4 4 | 32ds. |
| 11/16 | No. 13 to %2 | 4.4 | 4.4 | 4.4 | 32ds. |
| 5/8 | No. 13 to %2 | 6.6 | 4.4 | 4.4 | 32ds. |
| 9/16 | No. 13 to 1/4 | 4.4 | 4.4 | 4 4 | 32ds. |
| 1/2 | No. 13 to 7/82 | 4.4 | 4.4 | 6 6 | 32ds. |
| 7/16 | No. 14 to 3/16 | 4.4 | 4.4 | 4.4 | 32ds. |
| 8/8 | No. 14 to 5/32 | 4.4 | 4.4 | 4.4 | 32ds. |

For Weights see tables of Half-Ovals.

Sizes not included in above list promptly arranged for.



MISCELLANEOUS HALF-OVALS-Continued

*M 2995



*M 3049




*M 3053



*M 2994



*M 3052



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 2995 | 4 | 3/8 | 4.3 |
| *M 3049 | 3 | 516 | 2.63 |
| *M 3053 | 238 | 34 | 1.52 |
| *M 2994 | 21/4 | 1/4 | 1.60 |
| *M 3052 | 21/8 | 732 | 1.22 |

^{*}Furnished only by special arrangement.

HALF-OVAL SECTIONS

MISCELLANEOUS HALF-OVALS-Concluded

*M 3051



*M 3155



*M 3089



*M 3050




*M 2306



*M 2307





*M 2624



M 1520



| Section Index | Width, Inches | Thickness, Inches | Weight per Foot Pounds |
|------------------|------------------|----------------------|---------------------------|
| *M 3051 | 13/4 | 732 | 1.05 |
| *M 3155 | 158 | 316 | 0.87 |
| *M 3089 | 1 1/2 | 316 | 0.80 |
| *M 3050 | 138 | 532 | 0.59 |
| *M 2306 | 1564 | .284 | 0.93 |
| *M 2307 | 6364 | .263 | 0.78 |
| *M 2308 | 5764 | .226 | 0.61 |
| *M 2624 | 53/61 | .208 | 0.52 |
| *M 1520 | 1/2 | 11/61 | 0.25 |

*Furnished only by special arrangement.

SQUARES



Size ½" to 2", inclusive, advancing by 64ths. Size $2\frac{1}{32}$ " to $3\frac{1}{2}$ ", inclusive, advancing by 32ds. Size $3\frac{1}{3}$ (" to $5\frac{1}{2}$ ", inclusive, advancing by 16ths. Squares can also be rolled to decimal dimensions, if so arranged. Squares ½" and smaller can be furnished in coils. For Weights see table of Square Bars.

ROUND CORNERED SQUARES



Size ½" to ¾", inclusive, advancing by 64ths. Sizes not listed will be considered.

Weights are approximately the weights of Square Bars.

ROUNDS



Size $\frac{1}{4}$ " to $1\frac{3}{4}$ ", inclusive, advancing by 64ths. Size $1\frac{25}{52}$ " to $3\frac{1}{2}$ ", inclusive, advancing by 32ds. Size $3\frac{9}{16}$ " to 7", inclusive, advancing by 16ths. Size $7\frac{1}{6}$ " and $7\frac{1}{4}$ ".

Rounds can also be rolled to decimal dimensions, if so arranged. Rounds \%" and smaller can be furnished in coils. For Weights see table of Round Bars.

HALF ROUNDS



Size %'' to %'', inclusive, advancing by 64ths. Size $^{1}\%_{1}''$ to 1%'', inclusive, advancing by 16ths. Size 2'', 2%'', 3''.

Weights are half the weights of Rounds of corresponding diameters.

HEXAGONS



Size %" to 11½6", inclusive, advancing by 32ds. Size 1¾" to 3¾6", inclusive, advancing by 16ths. For Weights see table of Hexagon Bars. SIZES

OF

FLAT ROLLED

STEEL

RECTANGULAR AND CIRCULAR PLATES—CARBON STEEL

SHEARED PLATES, THREE-SIXTEENTH INCH AND OVER—EXTREME SIZES

| Thick- | Weight, | | | Wi | dths a | nd Len | gths in | Inches | | | | Diam. |
|-----------------|---------------------|-----|-----|-----|--------|--------|----------|------------|-----|-----|-----|--------|
| ness, Inches | Lbs. per Sq. Ft. | 128 | 126 | 120 | 114 | 108 | 102 | 96 | 90 | 84 | 78 | Inches |
| 3/16 | 7.65 | | | | | | | | 270 | 320 | 345 | 90 |
| 1/4 | 10.20 | | | | 175 | 250 | 280 | 300 | 330 | 375 | 400 | 115 |
| 5/16 | 12.75 | | | 240 | 270 | 320 | 360 | 380 | 420 | 440 | 460 | 120 |
| 3/8 | 15.30 | 220 | 240 | 270 | 320 | 365 | 380 | 410 | 450 | 500 | 550 | 130 |
| 7/16 | 17.85 | 240 | 270 | 300 | 360 | 370 | 410 | 430 | 460 | 510 | 550 | 130 |
| 1/2 | 20.40 | 260 | 270 | 320 | 365 | 400 | 450 | 480 | 510 | 550 | 580 | 130 |
| 9/16 | 22.95 | 260 | 270 | 330 | 373 | 420 | 470 | 500 | 530 | 570 | 600 | 130 |
| 5/8 | 25.50 | 260 | 300 | 350 | 390 | 450 | 500 | 520 | 540 | 600 | 620 | 130 |
| 11/16 | 28.05 | 260 | 300 | 360 | 420 | 450 | 500 | 520 | 540 | 600 | 620 | 130 |
| 3/4 | 30.60 | 260 | 300 | 360 | 400 | 450 | 490 | 520 | 540 | 600 | 620 | 130 |
| 18/16 | 33.15 | 260 | 300 | 340 | 385 | 440 | 490 | 510 | 530 | 600 | 620 | 130 |
| 7/8 | 35.70 | 260 | 360 | 330 | 375 | 440 | 480 | 510 | 530 | 600 | 620 | 130 |
| 1 | 40.80 | 250 | 300 | 300 | 340 | 440 | 460 | 500 | 530 | 580 | 600 | 130 |
| 11/8 | 45.90 | 250 | 300 | 300 | 330 | 410 | 440 | 450 | 500 | 550 | 580 | 130 |
| 11/4 | 51.00 | 240 | 270 | 300 | 310 | 380 | 400 | 420 | 490 | 530 | 550 | 130 |
| 1 1/2 | 61.20 | 220 | 230 | 260 | 280 | 330 | 320 | 340 | 420 | 440 | 480 | 130 |
| 13/4 | 71.40 | 200 | 200 | 220 | 240 | 280 | 270 | 300 | 380 | 380 | 410 | 130 |
| 2 | 81.60 | 180 | 180 | 190 | 210 | 240 | 240 | 260 | 320 | 330 | 360 | 130 |
| 21/4 | 91.80 | 150 | 160 | 170 | 190 | 210 | 210 | 230 | 280 | 295 | 320 | 130 |
| 274 | 1 31.00 | 100 | 100 | | | | | | | | | 1 |
| Thick- | Weight, | | | 1 | Vidths | and L | engths i | n Inch | 23 | | | Diam |
| ness, | Lbs. per | | | | | | 9. | | | | | Inche |
| Inches | Sq. Ft. | 72 | 66 | 60 | 5 | 1 4 | 18 | 42 | 36 | 30 | 24 | |
| 3/16 | 7.65 | 375 | 420 | 470 | 48 | 0 4 | 80 | 180 | 480 | 480 | 480 | 90 |
| 1/4 | 10.20 | 430 | 475 | 525 | | | | 530 | 530 | 530 | 500 | 115 |
| 5/16 | 12.75 | 480 | 500 | 560 | | | | 550 | 550 | 550 | 550 | 120 |
| 3/8 | | 600 | 600 | 620 | | | | 600 | 600 | 600 | 550 | 130 |
| | 15.30 | | 630 | | | | | 600 | 600 | 600 | 600 | 130 |
| 7/16 1/2 | 17.85 20.40 | 600 | 630 | | | | | 600 | 600 | 600 | 600 | 130 |
| | | 620 | 640 | | | | | 600 | 600 | 600 | 600 | 130 |
| 9/16 5/8 | 22.95 | 620 | 640 | | | | | 600 | 600 | 600 | 600 | 130 |
| | 25.50 28.05 | 620 | 640 | | | | | 600 | 600 | 600 | 580 | 130 |
| 11/16 3/4 | | 620 | 640 | | | | | 600 | 600 | 600 | 580 | 130 |
| , - | 30.60 | | 640 | | | 1 | | 600 | 580 | 570 | 550 | 130 |
| 13/16 | 33.15 | 620 | | | | | | 600 | 580 | 550 | 550 | 130 |
| 7/8 | 35.70 | 620 | 640 | | | | | 580 | 580 | 520 | 500 | 130 |
| 1 | 40.80 | 600 | 630 | | | | | 580 | 580 | 520 | 500 | 130 |
| 11/8 | 45.90 | 580 | 620 | | | | | 560 | 560 | 520 | 450 | 130 |
| 11/4 | 51.00 | 550 | 600 | | | | | | 540 | 470 | 430 | 130 |
| 11/2 | 61.20 | 530 | 600 | | | | | 540 540 | 540 | 430 | 380 | 130 |
| 13/4 | 71.40 | 450 | 490 | | | | 550 | - | 500 | 400 | 350 | 130 |
| 2 | 81.60 | 400 | 440 | | | | 500 | 500 | | 300 | 200 | 130 |
| 21/4 | 91.80 tes 36" v | 350 | 390 | | | | 150 | 450 | 450 | | | |

Plates 36" wide and under by 14" thick and heavier, also plates up to 48" wide and 51a" thick and heavier, can be rolled on Universal Mills.

For greater length and Universal Mill Sizes, see Universal Mill Plate Table.

Plates of greater dimensions than shown in above tables may be submitted for special consideration.

FLAT ROLLED STEEL

RECTANGULAR PLATES-NICKEL STEEL

SHEARED PLATES, ONE-FOURTH INCH AND OVER-EXTREME SIZES

| Thick- | | | | | | Widt | hs and | Leng | ths in | Inches | 3 | | | | |
|-----------------|-----|-----|-----|-----|-----|------|--------|------|--------|--------|-----|-----|-----|-----|-----|
| ness. Inches | 102 | 96 | 90 | 84 | 78 | 72 | 66 | 60 | 54 | 50 | 48 | 42 | 36 | 30 | 24 |
| 1/4 | | | | | | 240 | 240 | 260 | 280 | 280 | 280 | 280 | 280 | 260 | 260 |
| 5/18 | | | | | 260 | 260 | 270 | 300 | 310 | 310 | 340 | 340 | 340 | 310 | 310 |
| 3/8 | | 280 | 340 | 390 | 420 | 450 | 500 | 500 | 500 | 500 | 480 | 450 | 450 | 430 | 430 |
| 746 | 260 | 300 | 360 | 400 | 430 | 480 | 520 | 520 | 520 | 520 | 500 | 490 | 490 | 480 | 480 |
| 1/2 | 270 | 320 | 380 | 420 | 460 | 485 | 520 | 520 | 520 | 520 | 500 | 490 | 490 | 480 | 480 |
| 9/10 | 270 | 320 | 380 | 420 | 460 | 485 | 520 | 520 | 520 | 520 | 500 | 490 | 490 | 480 | 480 |
| 5/8 | 270 | 300 | 355 | 390 | 440 | 480 | 520 | 520 | 520 | 520 | 500 | 500 | 500 | 480 | 450 |
| 11/16 | 260 | 300 | 355 | 390 | 440 | 460 | 490 | 500 | 500 | 500 | 500 | 500 | 480 | 480 | 450 |
| 34 | 260 | 300 | 355 | 390 | 440 | 450 | 460 | 500 | 500 | 500 | 500 | 500 | 480 | 480 | 450 |
| 18/16 | 260 | 300 | 355 | 390 | 440 | 440 | 460 | 480 | 500 | 500 | 500 | 500 | 480 | 460 | 440 |
| 78 | 260 | 300 | 355 | 390 | 440 | 440 | 460 | 480 | 480 | 480 | 480 | 480 | 480 | 450 | 440 |
| 1 | 260 | 290 | 320 | 370 | 400 | 430 | 440 | 460 | 480 | 480 | 480 | 480 | 440 | 420 | 420 |
| 11/8 | 250 | 270 | 295 | 330 | 375 | 400 | 410 | 420 | 440 | 440 | 440 | 440 | 440 | 420 | 420 |
| 134 | 240 | 260 | 290 | 315 | 330 | 350 | 360 | 380 | 390 | 400 | 400 | 420 | 420 | 400 | 400 |
| 11/2 | 230 | 260 | 290 | 290 | 310 | 330 | 350 | 370 | 390 | 390 | 390 | 390 | 380 | 380 | 360 |
| 13/4 | 220 | 230 | 250 | 270 | 300 | 310 | 330 | 350 | 370 | 390 | 390 | 360 | 340 | 340 | 320 |
| 2 | 210 | 230 | 250 | 260 | 290 | 295 | 310 | 330 | 350 | 370 | 370 | 340 | 320 | 320 | 290 |

RECTANGULAR PLATES-NICKEL STEEL

UNIVERSAL MILL PLATES, ONE-FOURTH INCH AND OVER-EXTREME SIZES

| Thick- | | | | Widt | hs and Le | ngths in l | Inches | | | |
|-----------------|-------|-------|-------|-------|-----------|------------|--------|-------|-------|-------|
| ness, Inches | 48-46 | 45-41 | 40-36 | 35-31 | 30-26 | 25-20 | 19-17 | 16-15 | 14-12 | 11-10 |
| 1/4 | | | | | | | 660 | 660 | 660 | 660 |
| 5/16 | 540 | 540 | 600 | 660 | 720 | 780 | 780 | 780 | 780 | 780 |
| 38 | 720 | 720 | 780 | 840 | 960 | 960 | 1020 | 1020 | 1020 | 1020 |
| 510 | 840 | 840 | 960 | 1020 | 1080 | 1080 | 1020 | 1020 | 1020 | 1020 |
| 1/2 | 960 | 960 | 1080 | 1140 | 1200 | 1200 | 1020 | 1020 | 1020 | 1020 |
| 9/18 | 960 | 960 | 1080 | 1140 | 1200 | 1200 | 1020 | 1020 | 1020 | 1020 |
| 5/8 | 900 | 900 | 1020 | 1080 | 1140 | 1140 | 1000 | 1000 | 1020 | 1020 |
| 3/4 | 840 | 840 | 960 | 1020 | 1080 | 1080 | 1000 | 1000 | 1020 | 1020 |
| 78 | 780 | 780 | 840 | 960 | 960 | 960 | 1000 | 1000 | 1000 | 1000 |
| 1 | 720 | 750 | 780 | 816 | 840 | 900 | 1000 | 1000 | 1000 | 1000 |
| 11/8 | 640 | 667 | 693 | 725 | 744 | 800 | 1000 | 1000 | 1000 | 770 |
| 11/4 | 575 | GUO. | 624 | 652 | 672 | 720 | 1000 | 1000 | 1000 | 880 |
| 138 | 525 | 545 | 567 | 593 | 600 | 655 | 970 | 1000 | 1000 | 840 |
| 11/2 | 480 | 500 | 520 | 544 | 540 | 600 | 890 | 1000 | 980 | 840 |
| 15/8 | 444 | 461 | 480 | 502 | 504 | 554 | 820 | 978 | 980 | 840 |
| 134 | 410 | 428 | 445 | 466 | 480 | 514 | 765 | 908 | 980 | 720 |
| 178 | 384 | 400 | 416 | 435 | 444 | 480 | 710 | 847 | 968 | 660 |
| 2 | 360 | 375 | 390 | 408 | 420 | 450 | 670 | 794 | 908 | 600 |

All sizes of Rectangular Nickel Steel Plates given in above tables under \(\frac{1}{2}'' \) thick should be specified to gage only. Plates \(\frac{1}{2}'' \) thick and over can be rolled to either gage or weight per square foot.

RECTANGULAR UNIVERSAL PLATES—CARBON STEEL

UNIVERSAL MILL PLATES, ONE-FOURTH INCH AND OVER-EXTREME SIZES

| Thick- | Weight, | | | | | Widt | hs and | Lengtl | hs in I | nches | | | | |
|--------|----------|------|------|------|------|-------|--------|--------|---------|-------|------|------|------|------|
| ness, | Lbs. per | 48- | 45- | 40- | 38- | 36- | 34- | 30- | 25- | 19- | 16- | 14- | 11- | 97/8 |
| Inches | Sq. Ft. | 46 | 41 | 39 | 37 | 35 | 31 | 26 | 20 | 17 | 15 | 12 | 10 | 61/8 |
| 1/4 | 10.20 | | | | | 720 | 840 | 1080 | 1080 | 1080 | 1080 | 1080 | 1080 | 108 |
| 516 | 12.75 | 1200 | 1200 | 1260 | 1320 | 1320 | 1320 | 1380 | 1380 | 1200 | 1200 | 1200 | 1200 | 108 |
| 3/8 | 15.30 | 1320 | 1320 | 1380 | 1440 | 1500 | 1500 | 1500 | 1500 | 1308 | 1308 | 1200 | 1200 | 108 |
| 316 | 17.85 | 1428 | 1428 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1356 | 1356 | 1356 | 1356 | 108 |
| 1/2 | 20.40 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 108 |
| 916 | 22.95 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 108 |
| 5/8 | 25.50 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 108 |
| 3/4 | 30.60 | 1248 | 1332 | 1500 | 1476 | 1500 | 1320 | 1500 | 1500 | 1500 | 1500 | 1500 | 1500 | 108 |
| 7/8 | 35.70 | 1068 | 1140 | 1284 | 1260 | 1332 | 1128 | 1332 | 1392 | 1416 | 1452 | 1500 | 1500 | 108 |
| 1 | 40.80 | 936 | 996 | 1128 | 1104 | 1164 | 996 | 1164 | 1212 | 1248 | 1260 | 1452 | 1500 | 102 |
| 1 1/8 | 45.90 | 828 | 888 | 996 | 984 | 1032 | 876 | 1032 | 1080 | 1104 | 1128 | 1284 | 1500 | 96 |
| 1 1/4 | 51.00 | 744 | 804 | 900 | 876 | 924 | 792 | 924 | 972 | 996 | 1008 | 1152 | 1476 | 90 |
| 1 3/8 | 56.10 | 684 | 720 | 816 | 804 | 840 | 720 | 840 | 888 | 900 | 924 | 1056 | 1344 | 78 |
| 1 1/2 | 61.20 | 624 | 660 | 744 | 732 | 768 | 660 | 768 | 804 | 828 | 840 | 960 | 1224 | 72 |
| 1 5/8 | 66.30 | 576 | 612 | 696 | 672 | . 708 | 612 | 708 | 744 | 768 | 780 | 888 | 1128 | 66 |
| 1 3/4 | 71.40 | 528 | 564 | 636 | 624 | 660 | 564 | 660 | 696 | 708 | 720 | 828 | 1056 | 60 |
| 1 1/8 | 76.50 | 492 | 528 | 600 | 588 | 624 | 528 | 624 | 648 | 660 | 672 | 768 | 984 | 60 |
| 2 | 81.60 | 468 | 492 | 564 | 552 | 576 | 492 | 576 | 600 | 624 | 624 | 720 | 924 | 54 |

Plates of greater dimensions than shown in above table may be submitted for special consideration.

FLAT ROLLED STEEL

| Width, | « | Width | ← Face Measure - → |
|------------------|------------------------|----------------------|--|
| Inches | | | eOverall Measure -> |
| | Thickness, B. W. G. | Thickness, Inches | Thickness, Inches |
| | No. 23 to No. 10 | 18 to \$16 | 18 to 14—Face Measure only |
| Over 716 to 1 | No. 23 to No. 6 | 38 to 38 | 18 to 55—Face or Overall Measure |
| Over 1 to 2 | No. 23 to No. 6 | 316 to 134 | 3/6 to 1 |
| Over 2 to 3½ | No. 22 to No. 6 | 1/4 to 21/2 | 14 to 1 — " " " " |
| Over 3½ to 5 | No. 18 to No. 6 | 14 to 21/2 | 14 to 1 |
| Over 5 to 6 | No. 16 to No. 1 | 14 to 215 | \$16 to 1 |
| Over 6 to 8 | No. 16 to No. 1 | 14 to 312 | \$16 to 34- " " |
| Over 8 to 10 | No. 14 to No. 1 | 1/4 to 31/5 * | The Over-all Measure is determined |
| Over 10 to 151/2 | No. 13 to No. 1 | 34 to 2 * | by adding to Face Measure; |
| Over 15½ to 18 | No. 12 to No. 1 | 14 to 2 * | One-half of the thickness for all sizes |
| Over 18 to 1858 | No. 11 to No. 1 | 1/4 to 2 * | Ster for all sizes over 1/2" to 3/4", inclu- |
| Over 1858 to 24 | | 14 to 2 * | 38" for all sizes over 34" in thickness. |

SKELP

All sizes within the range of Plates and Flat Rolled Steel can be furnished.

NUT STEEL FLATS

All sizes of Nut Steel Flats within the range of Square Edge Flats can be furnished. Some of the smaller sizes can be furnished in coils.

ROUND EDGE BABY CARRIAGE SPRING STEEL

½" to %6", wide, x No. 13 B.W.G. to %6" 5%" to 1\%", wide, x No. 13 B.W.G. to \%"

Sizes not listed will be considered.

Weights are approximately the weights of Round Edge Flats.

ROUND EDGE CONCAVE OR VEHICLE SPRING STEEL



1½" to 2", wide, x No. 7 B.W.G. to No. 00 B.W.G. 2½", wide, x No. 6 B.W.G. to No. 00 B.W.G.

2%6" to 3", wide, x No. 5 B.W.G. to 1/2."

31/16" to 41/2", wide, x 1/4" to 1/2"

Sizes not listed will be considered.

Weights are approximately the weights of Round Edge Flats.

PROFILES


OF


RAILS, SPLICE BARS


AND


TRACK ACCESSORIES

A. S. C. E. RAILS HEAVY SECTIONS










| Rails | | | | | |
|--------------------------------|-------|-----------------|-----------------|--------------|---------|
| ~ | 5 1 | Wi | dth | Weight | a .· |
| Section Depth, Index Inches | | Base, Inches | Head, Inches | per Vard Ser | Section |
| 10040 | 5 3/4 | 58/4 | 2 % | 100 | S 10040 |
| 9040 | 5 8/8 | 58/8 | 25/8 | 90 | S 9040 |
| 8540 | 5846 | 5 3/16 | 2 1/16 | 85 | 8 8540 |
| 8040 | 5 | 5 | 21/2 | 80 | S 8040 |



23%

21/4

21/6

60

55

50

S 6040

S 5540

S 5040

414

41/16

376

6040

5540


5040


41/4


4 1/16


374

A. S. C. E. RAILS LIGHT SECTIONS













| Rails | | | | | |
|------------------|------------------|-----------------|-----------------|---------------------|---------|
| | D41 | Width | | Weight | Section |
| Section Index | Depth, Inches | Base, Inches | Head, Inches | per Yard, Pounds | Index |
| 4540 | 311/16 | 311/18 | 2 | 45 | S 4540 |
| 4040 | 3 1/2 | 3 1/2 | 1 7/8 | 40 | S 4040 |
| 3540 | 3 5/16 | 3 1/18 | 1 3/4 | 35 | S 3540 |
| 3040 | 3 1/8 | 3 1/8 | 1 11/16 | 30 | S 3040 |




AMERICAN RAILWAY ASSOCIATION RAILS SERIES A












| Rails | | | | | |
|------------------|-------|-----------------|-----------------|---------------------|------------------|
| C41 D41 | D 41 | Wi | idth | Weight | Section Index |
| Section Index | | Base, Inches | Head, Inches | per Yard, Pounds | |
| 10020 | 6 | 5 1/2 | 2 3/4 | 100 | S 10020 |
| 9020 | 5 5/8 | 5 1/8 | 2 %16 | 90 | S 9020 |
| *8020 | 51/8 | 4 5/8 | 2 1/2 | 80 | S 8020 |
| *7020 | 4 3/4 | 4 1/4 | 2 3/8 | 70 | S 7020 |

*Not rolled by C. S. Co., I. S. Co., or T. C. I. & R. R. Co.

AMERICAN RAILWAY ASSOCIATION RAILS SERIES B









| | Splice Bars | | | | |
|------------------|------------------|-----------------|-----------------|---------------------|------------------|
| g .: | D (1 | Width | | Weight | 9 |
| Section Index | Depth, Inches | Base, Inches | Head, Inches | per Yard, Pounds | Section Index |
| 10030 | 5 4 1/61 | 5 %4 | 2 21/32 | 100 | S 10030, 9040 |
| 9030 | 5 17/64 | 4 4 9/64 | 2 1/18 | 90 | S 9030B |
| 8030 | 415/16 | 4 7/16 | 2746 | 80 | S 8030 |

AMERICAN RAILWAY ENGINEERING ASSOCIATION RAILS








| Rails | | | | | |
|--------|------------------|-----------------|-----------------|-------------------------------|------------------|
| | 70 | Wi | dth | Weight per Yard, Pounds | Section Index |
| | Depth, Inches | Base, Inches | Head, Inches | | |
| *15025 | 734 | 634 | 31/8 | 150.45 | |
| *14025 | 7 | 61/4 | 3 | 138.52 | |
| 13025 | 634 | 6 | 215/16 | 129.64 | |

^{*}Not rolled by C. S. Co., I. S. Co., or T. C. I. & R. R. Co.

AMERICAN RAILWAY ENGINEERING ASSOCIATION RAILS










| Splice Bars | Rails | | | | | |
|-------------|---------------------|-----------------|-----------------|------------------|------------------|--|
| 0 | Weight | h | Width | | | |
| Section | per Yard, Pounds | Head, Inches | Base, Inches | Depth, Inches | Section Index | |
| | 120.87 | 238 | 534 | 61/2 | *12025 | |
| S 11025 I | 110.36 | 22532 | 51/2 | 614 | 11025 | |
| S 10025 E | 101.49 | 211/16 | 538 | 6 | 10025 | |


*Not rolled by C. S. Co., I. S. Co., or T. C. I. & R. R. Co.














| Rails | | | | | Splice Bars |
|-----------------------------------|-----------------------------|------------------------|----------------------------|-------------------------------|---------------------------------|
| Section Depth, Index Inches | Donth | Wi | dth | Weight | |
| | | Base, Inches | Head, Inches | per Yard, Pounds | Section Index |
| *13027 13031 12722 11522 | 615/16 65/8 7 61/2 | 6 5}4 6}4 5}4 | $2^{27/3}_{2}_{3}_{3}_{3}$ | 129.13 130 127.3 115 | S 13031 C S 12722 S 11523 |


^{*}Furnished only by special arrangement.

MISCELLANEOUS RAILS—Concluded










| | Splice Bars | | | | |
|--------------------------------|-------------|-----------------|-----------------|---------------------|------------------|
| Section | Donth | Wi | dth | Weight | ~ . |
| Section Depth, Index Inches | | Base, Inches | Head, Inches | per Yard, Pounds | Section Index |
| 11523 | 614 | 5 1/2 | 3 | 115 | S 11523 |
| 10524 | 6 | 5 1/2 | 3 | 105 | S 10524A |
| 10032 | 558 | 538 | 2916 | 100 | S 9040 |
| 10031 | 511/16 | 5 | 24364 | 100 | S 10031 D |

ANGLE SPLICE BARS

A. S. C. E. RAILS-Heavy Sections





| Splice Bars | | Finish | ed Pair | Rails |
|---------------|----------------------------|-------------------|-------------------|--------------------|
| Section Index | Weight per Foot, Pounds | Length, Inches | Weight, Pounds | Section Index |
| S 10040 | 15.80 | 34 | 85.65 | 10040 |
| S 9040 | 13.50 | 34 | 72.74 | 9040, 10030, 10032 |
| S 8540 | 12.40 | 34 | 67.56 | 8540 |
| S 8040 | 11.50 | 34 | 62.58 | 8040, 9030, 8077 |
| 8 7540 | 10.70 | 34 | 57.97 | 7540 |
| S 7040 | 10.00 | 34 | 54.64 | 7040 |
| S 6540 | 9.20 | 24 | 35.55 | 6540 |
| S 6040 | 8.40 | 24 | 32.40 | 6040 |
| S 5540 | 7.50 | 24 | 28.90 | 5540 |
| S 5040 | 6.62 | 24 | 25.50 | 5040 |

ANGLE SPLICE BARS AND FISH BARS A. S. C. E. RAILS-Light Sections S 4540 S 4040 1/4 17/8 S 3540 S 3040 S 2540 S 2040 11/16 198 \$1240S 1/16 Finished Pair Rails Splice Bars Weight, Weight per Foot, Length, Section Index Section Index Pounds Inches Pounds $18.75 \\ 16.10$ S 4540 5.80 20 4540 S 4040 5.00 20 4040 S 3540 S 3040 S 2540 S 2040 4.58 1618 12.10 3540 3.97 1616 10.45 3040 5.70 2540 1638 4.86 2040 1640 $\frac{1.70}{1.36}$ 4.36 1640 *S 1440 1636 3.44 1440 S 1240 1.36 3.44 1240 1649 $0.99 \\ 0.75$ *S 1040 1619 $\frac{2.60}{2.00}$ 1040 840 840 1616 *Not rolled by Carnegie Steel Company.


ANGLE SPLICE BARS

A. R. A. RAILS-SERIES A





A. R. A. RAILS—SERIES B








| Splie | Splice Bars | | hed Pair | Rails |
|---------------|----------------------------|-------------------|-------------------|---------------|
| Section Index | Weight per Foot, Pounds | Length, Inches | Weight, Pounds | Section Index |
| S 10020 | 19.04 | 34 | 103.94 | 10020 |
| S 9020 | 16.64 | 34 | 90.51 | 9020 |
| S 9030 B | 15.06 | 34 | 82.47 | 9030 |
| S 8030 | 12.65 | 34 | 68.42 | 8030 |


SPLICE BAR SECTIONS .

ANGLE SPLICE BARS—Continued MISCELLANEOUS RAILS












| Splice Bars | | Finished Pair | | Rails |
|--------------|----------------------------|-------------------|-------------------|---------------|
| ection Index | Weight per Foot, Pounds | Length, Inches | Weight, Pounds | Section Index |
| 13031 C | 21.83 | 24 | 84.34 | 13031 |
| 12722 | 20.50 | 38 | 127.40 | 12722 |
| 11523 | 17.88 | 38 | 110.99 | 11523, 11522 |
| 11025 D | 17.68 | 24 | 68.72 | 11025 |
| | | | | |


ANGLE SPLICE BARS-Concluded













| Splice Bars | | Finish | ed Pair | Rails |
|---------------|----------------------------|-------------------|-------------------|------------------------|
| Section Index | Weight per Foot, Pounds | Length, Inches | Weight, Pounds | Section Index |
| S 10524 A | 15.10 | 38 | 93.70 | 10524 |
| S 10031 D | 15.81 | 24 | 60.94 | 10031 |
| S 10025 E | 17.38 | 24 | 67.22 | 10025 |
| S 85 HA | 12.00 | | | 85 H |
| S 7033 | 9.80 | 34 | 53.25 | 7033, 6733, 6033, 5633 |


INSULATED JOINTS






| Splic | e Bars | Finish | Rails | |
|---------------|----------------------------|-------------------|-------------------|---------------|
| Section Index | Weight per Foot, Pounds | Length, Inches | Weight, Pounds | Section Index |
| PS 13031 | 26.11 | 26 | 108.18 | 13031 |
| PS 10031 | 21.44 | 26 | 88.47 | 10031 |

MAIN FROG FILLERS



M 233, 233 A, 233 B M 236, 236 A, 236 B




M 235, 235 A, 235 B

GROUP No. 1

| Section | Weight | | | | Dimer | isions, | Inches | | | | Rail |
|---------|-----------------|------------|--------|--------|--------|---------------|--------|-------|--------|----------------|---------|
| Index | Foot, Pounds | a | a' | ь | c | d | 0 | f | g | h | Section |
| M 233 | 50.6 | 43/64 | 378 | 313/82 | 217/92 | 1/2 | 8/8 | 11/32 | 113/16 | 2 | |
| M 233A | 47.9 | 355/64 | 311/16 | 313/82 | 217/82 | 1/2 | 3/8 | 11/32 | 15% | 2 | 10524 |
| M 233B | 55.3 | $4^{23}64$ | 43/16 | 318/82 | 217/32 | 1/2 | 3/8 | 11/32 | 21/8 | 2 | |
| M 236 | 52.0 | 32%2 | 349/64 | 311/16 | 258/64 | 1/2 | 28/64 | 3/8 | 113/16 | 21/4 | |
| M 236A | 49.2 | 328/32 | 387/04 | 311/16 | 25864 | 1/2 | 28/64 | 3/8 | 15% | 21/4 | 13025 |
| M 236B | 56.7 | 47/32 | 45/64 | 311/16 | 25%4 | $\frac{1}{2}$ | 23/84 | 36 | 21/8 | $2\frac{1}{4}$ | |
| M 235 | 52.6 | 41/16 | 315/16 | 313/82 | 25% | 1/2 | 9/32 | 84 | 118/16 | 21/4 | |
| M 235A | 49.8 | 37/8 | 33/4 | 313/82 | 25/8 | 1/2 | 9/82 | 3/8 | 15% | 21/4 | 13031 |
| M 235B | 57.3 | 43% | 41/4 | 313/82 | 25% | 1/2 | 9/32 | 8/8 | 21/8 | 21/4 | |

RAIL ACCESSORIES

THIRD-RAIL FROG FILLERS



M 237, 237 A M 239, 239 A



M 238, 238 A


GROUP No. 2

| Section | Weight | | | I | Dimension | s, Inch | es | | | Rail |
|---------|-----------------|----------------|-------|--------|-----------|---------------|-------|-------|------|---------|
| Index | Foot, Pounds | a | a' | b | С | d | e | f | g | Section |
| M 237 | 29.5 | 211/82 | 23/16 | 318/82 | 217/82 | 1/2 | 3/8 | 11/32 | 1/82 | 10524 |
| M 237A | 30.0 | 23/8 | 27/82 | 313/32 | 217/32 | 1/2 | 3/8 | 11/32 | 1/16 | 10024 |
| M 239 | 29.8 | 27/32 | 28/32 | 311/16 | 258/64 | 1/2 | 28/64 | 8/8 | 1/82 | 12005 |
| M 239A | 30.3 | $2\frac{1}{4}$ | 21/8 | 311/16 | 25861 | $\frac{1}{2}$ | 23/64 | 3/8 | 1/16 | 13025 |
| M 238 | 29.5 | 2%2 | 25/82 | 318/32 | 25/8 | 1/2 | 9/82 | 8/8 | 1/82 | 10091 |
| M 238A | 30.0 | 25/16 | 23/16 | 313/82 | 25/8 | 1/2 | 9/32 | 8/8 | 1/16 | 13031 |

REINFORCING BARS



M 1394, 1394 A, 1394 B M 1396, 1396 A, 1396 B




M 1395, 1395 A, 1395 B

GROUP No. 3

| Section | Weight | | | Dimension | s, Inches | | | Rail Section |
|---------|-----------------|----------------|--------|-------------|---------------|-------|-------|-----------------|
| Index | Foot, Pounds | a | b | c | d | е | f | |
| M 1394 | 19.2 | 1 1/2 | 313/32 | 217/32 | 1/2 | 3/8 | 11/32 | |
| M 1394A | 21.0 | 15/8 | 313/82 | 217/32 | 1/2 | 3 8 | 11/82 | 10524 |
| M 1394B | 22.9 | 1 34 | 313/32 | $2^{17/32}$ | $\frac{1}{2}$ | 3/8 | 11/32 | 1052 |
| M 1396 | 20.9 | 1 ½ | 311/16 | 258/64 | 1.5 | 23/61 | 8% | |
| M 1396A | 22.8 | 1 5/8 | 311/16 | 253/64 | 1/2 | 23/64 | 3/8 | 13025 |
| M 1396B | 24.6 | $1\frac{3}{4}$ | 311/16 | 253/64 | 1/2 | 28/64 | 3/4 | |
| M 1395 | 19.9 | $1\frac{1}{2}$ | 318/32 | 25/8 | 1/2 | 9/32 | 8/4 | |
| M 1395A | 21.7 | 1 5/8 | 313/32 | 25/8 | 1/2 | 9/32 | 3/8 | 13031 |
| M 1395B | 23.6 | 1 3/4 | 313/32 | 25% | 1/2 | 9/32 | 3/8 | |


THIRD-RAIL FROG FILLERS



GROUP No. 4

| Rail | 3 | imensions, Inche | Weight | Section | |
|---------|------|------------------|--------|---------------------|--------|
| Section | g | b | St | per Foot, Pounds | Index |
| 10040 | 0 | 343/64 | 21/32 | 23.9 | M 243 |
| 10040 | 148 | 31/46 | 28/112 | 24.7 | M 243A |
| 9040 | 0 | 37/16 | 17% | 20.9 | M 242 |
| | 1/16 | 32%4 | 115/16 | 21.2 | M 242A |
| 8540 | 0 | 35/16 | 17/8 | 20.1 | M 241 |
| 0.040 | 146 | 321/64 | 115/16 | 20.8 | M 241A |
| 8040 | 0 | 311/64 | 113/16 | 18.6 | M 240 |
| 0040 | 1/8 | 318/64 | 115/16 | 19.5 | M 240A |

MAIN FROG FILLERS




GROUP No. 5

| Rail | | | Weight | Section | | | | | | |
|---------|---------|------|--------|---------|-----------------|-----------------|--------|--------|-----------------|--------|
| Section | h | g | f | e | d | С | Ь | a | Foot, Pounds | Index |
| | 29/64 | 134 | 28/64 | 15/64 | 1 5/8 | 218/64 | 345/64 | 325/32 | 39.1 | M 244A |
| 1004 | 227/128 | 2 | 28/64 | 15/64 | 1 7/8 | 21/16 | 311/16 | 41/32 | 40.1 | M 244B |
| | 23/64 | 134 | 23/64 | 11/64 | 1 5/8 | 161/64 | 329/64 | 321/32 | 34.2 | M 245A |
| 904 | 27/64 | 2 | 23/64 | 11/64 | 1 7/8 | $153/_{64}$ | 32%4 | 32%32 | 35.4 | M 245B |
| | 2 | 134 | 21/64 | 11/64 | 1 5/8 | 127/82 | 311/32 | 321/82 | 32.7 | M 246A |
| 854 | 21/16 | 2 | 21/64 | 11/64 | $1\frac{7}{8}$ | 123/82 | 311/32 | 329/82 | 33.8 | M 246B |
| | 181/82 | 134 | 21/64 | 68/64 | 1 5/8 | 111/16 | 3%16 | 319/32 | 30.3 | M 247 |
| 804 | 161/64 | 17/8 | 21/64 | 18/64 | 1 5/8 | 123/82 | 37/32 | 323/32 | 31.4 | M 247A |
| 0.01 | 21/82 | 2 | 21/64 | 63/64 | $1 7/\!\!\!/_8$ | $1\frac{9}{16}$ | 33/16 | 327/82 | 31.1 | M 247B |
| | 118/16 | 13/4 | 19/61 | 68/64 | 1 5/8 | 117/32 | 31/32 | 319/82 | 28.2 | M 248A |
| 704 | 17/8 | 2 | 19/64 | 63/64 | 1 7/8 | 113/32 | 31/32 | 327/32 | 29.0 | M 248B |
| 604 | 1 45/64 | 134 | 9/82 | 31/82 | 1 5/8 | 119/64 | 251/84 | 3%16 | 25.3 | M 249A |

RAIL ACCESSORIES

FROG FILLERS





GROUP No. 6


| Rai | Weight Dimensions, Inches | | | | | | | | Section | | |
|---------|---------------------------|--------|-------|-----------------------------|------------------|--------|------------------|--------|-----------------|--------|--|
| Section | h | g | f | е | d | С | ь | a | Foot, Pounds | Index | |
| | 21/8 | 113/18 | 23/64 | 13/32 | 121/82 | 31/16 | 313/16 | 327/32 | 44.1 | M 250 | |
| 1004 | 21/8 | 13/4 | 23/84 | 11/18 | 121/82 | 31/16 | 313/16 | 325/32 | 43.3 | M 250A | |
| | 2732 | 115/18 | 28/64 | $1\frac{1}{1}\frac{1}{3}$ 2 | $129/\!\!/_{32}$ | 231/82 | $3^{25}/\!\!s_2$ | 381/82 | 44.6 | M 250B | |
| | 21/82 | 11846 | 23/64 | 11/82 | 121/32 | 213/16 | 3%16 | 323/32 | 39.5 | M 251 | |
| 904 | 23/84 | 13/4 | 28/04 | 1 | 121/82 | 251/64 | 385/61 | 321/82 | 38.8 | M 251A | |
| | $2\frac{9}{32}$ | 115/16 | 23/64 | 31/82 | 129/82 | 23/4 | 3%16 | 327/32 | 40.0 | M 251B | |
| 854 | 2 | 118/1e | 21/84 | 11/82 | 121/82 | 211/16 | 37/16 | 328/32 | 37.4 | M 252 | |
| 804 | 115/18 | 118/16 | 21/84 | 1 | 121/82 | 2%6 | 35/16 | 321/82 | 35.6 | M 253 | |

CARNEGIE STEEL COMPANY

CROSS TIE SECTIONS










| Section | Dorth | Width o | f Flanges | Web Thickness, | Weight |
|---------|------------------|----------------|-------------------|----------------|--------------------|
| Index | Depth, Inches | Top, Inches | Bottom, Inches | Inches | per Foot Pounds |
| M 29 | 5 1/2 | 5 | 8 | 3/8 | 24.0 |
| M 21 | 51/2 | 4 1/2 | 8 | 1/4 | 20.0 |
| M 25 | 4 1/4 | 4 | 6 | 1/4 | 14.5 |
| M 24 | 3 | 3 | 41/2 | 18/64 | 9.4 |

Full information is given in separate issues on Steel Cross Ties.

CROSS TIE SECTIONS-Concluded








| Section Index | Depth, Inches | Width, Inches | Web Thickness, Inches | Weight per Foot, Pounds |
|------------------|------------------|------------------|--------------------------|----------------------------|
| M 27 | 21/4 | 7 | 1/4 | 9.0 |
| M 20 | 2 | 6 | 8/16 | 6.0 |
| M 18 | 11/2 | 5 | 5/82 | 4.2 |
| M 26A | 13/16 | 48/4 | 9/64 | 3.25 |
| M 19A | 11/16 | 41/4 | 1/8 | 2.50 |
| *M 23 | 7/8 | 45% | 8/16 | 3.50 |
| *M 22 | 11/16 | 4 | 5/32 | 2.50 |

^{*}Furnished only by special arrangement. Full information is given in separate issues on Steel Cross Ties.



| Clip | Weight | Weight, Finished. | | Clips for |
|--|---|---|--|---|
| Number | Pounds | | Tie Sections | Rail Sections |
| 128 120 106 104 103 114 | 6.0 5.6 7.2 7.2 4.3 2.24 | $\begin{array}{c} 0.87 \\ 0.81 \\ 1.05 \\ 1.02 \\ 0.58 \\ 0.24 \end{array}$ | M21, M25, M29 M18, M20, M27 M21, M25, M29 M21, M25, M29 M21, M25, M29 M21, M25, M29 | 100 to 60 lb. A. R. AB 50 to 25 lb. A. S. C. E. and A. R. A. 100 to 60 lb. A. S. C. E. 100 to 60 lb. Angle Bars 100 to 55 lb. A. S. C. E. 50 to 25 lb. A. S. C. E. |

Clips can be furnished with standard $^{2}\% 2^{\prime\prime}$ diameter holes or with holes of any size consistent with section.

TABLE OF RAILS AND ACCESSORIES—Rails, 39 Feet

| _14 | 200 | Mat'l plete | | | | 233.96 | 219.92 | 222.59 | 220.65 | | 199.29 | 186.39 | 180.89 | 172.05 | 168.78 | 172.79 | 171.85 | 174.33 | 154.69 | 155.33 | 156.92 |
|------------------|-----------|----------------|--------|------------------|-----------|---------------------|-----------|-----------|------------|-------------|------------|---------------------------------|----------|-----------------|-------------|-----------------|----------------|----------------|-----------------|-----------------------|-------------------|
| Single Track | ss Tons | Blia | 3.8 | 236.42 | 217.67 | 213.71 | 204.29 | 203.72 | 200.04 | 189.94 | 180.72 | 173.42 | 164.06 | 157.14 | 157.14 | 157.14 | 159.48 | 157.14 | 141.43 | .03 13.90 141.43 155. | 3.03 15.49 141.43 |
| Sing | n Gross | ls.j | To | | | 20.25 | 15.63 | 18.87 | 20.61 | | 18.57 | 12.97 | 16.83 | 14.91 | 3.03 11.64 | 15.65 | 12.37 | 17.191 | 13.26 | 13.90 | 15.49 |
| Mile of S | Weight in | kes | iq8 | 3.82 | 3.82 | 3.82 | 3.82 | 3.82 18.8 | 3.82 | 3.82 | 3.82 | 3.82 | 3.82 | 3.03 | 3.03 | 3.03 | 3.03 | 3.03 | 3.03 | 3.03 | 3.03 |
| | Wei | stuV, | Bolta | | | 2.12 | 1.41 | 1.38 | 0.92 | | 0.92 | 0.89 | 1.07 | 1.21 | 1.02 | 1.21 | 0.97 | 1.21 | 1.17 | 1.21 | 1.19 |
| r One | | втв В | Splice | 18.31 | | 14.31 | 10.40 | 13.67 | 15.87 | | 13.83 | 8.26 | 11.94 | 10.67 | 7.59 | 11.41 | 8.37 | 12.95 | 9.06 | 99.6 | 11.27 |
| Material for One | er | kes | iq8 | 1116 11520 | 11520 | 674 11520 | 116 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 | 11520 |
| Mate | Number | stuN, | Bolta | 1116 | | 1674 | 1116 | 1116 | 1674 | | 1674 | 11161 | 1674 | 1674 | 1116 | 1674 | 1116 | 1674 | 1674 | 16741 | 1674 |
| | Z | ans G | | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 | 279 |
| ails | s Tons | lat asiroa | | | | 94.75 | 76.54 | 92.68 | 103.06 | | 102.75 | 74.84 | 102.65 | 94.85 | 72.70 | 86.66 | 77.58 | 109.35 | 93.74 | 98.22 | 109.50 |
| of R. | Gross | kes | idS | 16.18 | 17.57 | 17.89 | 90 18.72 | 18.77 | 19.12 | 20.13 | 21.16 | 22.05 | 23.31 | 19.25 | 19.25 | 19.25 | 18.97 | 19.25 | 21.39 | 21.39 | 21.39 |
| s for 1000 Tons | | stuN, | Bolta | | | 9.90 | 6.90 | 6/ | 4.60 | | 5.09 | 47.665.13 | 55 | 62.91 7.69 | 20 | 69. | 60 | 7.69 | 8.28 | 8.54 | 8.39 |
| | Weig | ered a | Splice | 77.44 | | 96.99 | 50.926. | 67.126. | 79.34 | | 76.50 | | 72.796. | | 48.326. | 72.64 | 52.526. | 82.41 | 64.07 | 68.29 | 79.72 |
| | er | кев | iq8 | 48727 | 52924 | 53905 | 56391 | 56548 | 57539 | 60651 | 63745 | 6436,66428 | 70219 | 73310 | 73310 | 73310 | 72235 | 73310 | 973 11838 81454 | 973 11838 81454 | 973 11838 81454 |
| cessor | Number | stuN, | Bolta | 4720 | | 7836 | 5464 | 5480 | 8370 | | 9264 | | 10206 | 106567 | 7104 | 10656 | 2000 | 10656 | 11838 | 11838 | 11838 |
| Ac | | to are are E | | 1180 | 1282 | 1306 | 1366 | 1370 | 1395 | 1469 | 1544 | 1609 | 1701 | 1776 | 1776 | 1776 | 1750 | 1776 | | | |
| int | Pounds | Joint 919lq | | | | 131.83 | 94.82 | 120.84 | 134.78 | | 118.37 | 73.49 | 104.48 | 95.35 | 69.14 | 101.32 | 75.02 | 113 64 | 82.14 | 87.23 | 100.03 |
| Rail Joint | | a and | | 4 | | 6 16.98 | 11.32 | 11.10 | 3 7.38 | | 6 7.38 | 4 7.14 | 8.63 | 9.70 | 4 8.20 | 02.6 9 | 4 7.80 | 9.70 | 9.40 | 9.70 | 9.52 |
| One] | Weight in | Bara e | | 00 | _ | 85 | 3.50 | 09.74 | 7.40 | | 10.99 | 56.35 | 95.85 | 85.65 | 60.94 | 62 | 67.22 | 103.94 | 72.74 | 7.53 B | 51 |
| | | Tisq | One | 8 147. | - 00 | 8 114. | 8 83 | = | 8 127. | ,oc | _ | | _ | | _ | 1e 91. | | | | 16 7 | 16 90 |
| kе | iqS | lo əzi2 | In. | | 8/2x 9 | - 1 | 8/2x 9 | 9 | 6 x5/8 | 6 x 5 | 8/2 y | 6 x ⁵ / ₈ | 8 x 2/8 | x45/8 51/2x9/16 | x5%272x9/16 | x45/8 51/2x9/16 | x51/251/2x9/16 | x458 51/2x9/16 | x48%51/2x9/16 | 51/2x9/16 | x41/251/2x9/16 |
| Bar | | o əzig | In. | | | 9x8/ ₁ 1 | 9x8/11 | 1/8x61/4 | 7/8x45/8 6 | | 7/8x45/8 6 | x5 | 16x48/86 | x45/8 | x53/8 | x45/8 | x51/2 | x458 | x43/8 | x45/8 | x41/2 |
| | | Splice | In. | 3.2 | _ | 28 1 | | 25 1 | 38 | | 38 | 24 1 | 38 15/16 | 34 1 | 24 1 | 34 1 | 24 1 | 34 1 | 34 1 | 34 1 | 34 1 |
| | | Base o | In. | | * | _ | 516 | | - | ** | | 51/2 | _ | | | 59/64 | 86.53 | - | 58% | 449/64 | 51/8 |
| _ | li | Ra | In. I | 4 68,4 | 61 | 61 | | | 61/4 | | | | 51 | | 51465 | 1/64 58 | KJ | 10 | | 7/84 44 | |
| 3 | _ | Yar | 1 | 45.78 | .527 | 1 | | .64 63/4 | .3 7 | 120.87 61/2 | 61/2 | .3664 | .4 6 | 584 | | 54 | .49 6 | 9 | 538 | 51 | 558 |
| 16 | | Weigh | Lbs. | 5025 150.45 78/4 | 25 138.52 | 33 136 | 31 130 | 25 129.64 | 27 | 25 120. | 23 115 | 1025 110.36 | 24 104.4 | 1000 | 31 100 | 30 100 | 101 | 20 100 | 40 90 | 30 90 | 20 90 |
| | noi | bos lis | R | 1502 | 140251 | 13633 | 13031 | 13025 | 12722 | 12025 | 11523 | 1105 | 10524 | 10040 | 10031 | 10030 | 10025 | 10020 | 9040 | 9030 | 9020 |

Basis of table, 89% furnished 39 ft. and 11% not less than 24 ft. long, varying by full feet. Ties 22 in. centers, 2880 ties per mile. Number and weight of accessories do not allow for any excess.


CARNEGIE STEEL COMPANY

| Material for One Mile of Single Track | - | lice Bara tts, Muts | | 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | |
|---------------------------------------|-----------------|------------------------|-----------|--|--------|----------|------|----|--|
| rial for | 2 | ikes | dS | 1304 11520 1150 1150 1150 1150 1150 1150 115 | | | | | |
| Mate | Number | stuV ,et | Bol | | | | | | |
| | ~ | lo eri erad əsil | Pa Gp | 00 00 00 00 00 00 00 00 00 00 00 00 00 | | | | | |
| 30 | To | tal cessories | | 14.81 86.47 19.25 10.756 19.25 10.756 19.25 10.756 10.25 10.756 10.25 10.756 10.25 10.756 10.25 | | | | | |
| f Rails | Gross | ikes | dS | 14.81 19.25 11.95 | | | | | |
| Tons | Weight in Gross | etuN ,et | | 63.59 8.07 74.58 8.98 8.98 8.98 | | | | | |
| s for 10 | We | era Bara | as | 10.00 | | | | | |
| | Number | 1 | Number | Number | Number | mber | ikes | dg | 4 56399 0 73312 0 73312 0 813412 0 814488 8 10400 8 |
| | | | | | | etuV ,et | Bol | | |
| 1 | | lo ari erad əsi | Pa Spl | 1596 2075 2005 2005 2005 2205 2205 2205 2206 2206 | | | | | |
| int | Pounds | tal Joint etel | Co Co | 100.57 99.58 99.58 10.58 99.58 99.59 | | | | | |
| One Rail Joint | in Po | bts and Sture | | | | | | | |
| One I | Weight in | e Pair ice Bara | IqS | 888898817789898827744488888888888888888888888888 | | | | | |
| 93 | liqë | do szig | In. | 11 | | | | | |
| 7 | Bol | lo əziZ | In. | 130 655 554 24 1845 515295 68.25 411.22 100 554 554 554 554 554 555 55 | | | | | |
| - | Jo 185 | Length Splice J | In. | 44444444444444444444444444444444444444 | | | | | |
| Li | | Base of | In. | 13.4 Land 13.4 L | | | | | |
| | lo | Height IisH | In. | 20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | | | |
| - | _ | MeighW Vard | Lbs. | | | | | | |

284

RAILS AND ACCESSORIES

| 1 | | apolete | no) | 40.00 90 |
|--|--------------|-------------------|--------------|---|
| Material for One Kilometer of Single Track | 000 | I'tsM I | rota | 040111000008888888888888888888888888888 |
| ngle | Tonnes | | Rail | 500000000000000000000000000000000000000 |
| of Si | In T | al sairtes | toT 500 A | 1.7811091 1.7811091 1.7810619 1.7810 |
| eter | Weight in | 892 | liqZ | 17.7.1.1.7.7.8.8.8.7.1.1.7.8.8.8.8.9.9.1.7.7.1.7.8.8.8.8.7.1.7.7.8.8.8.8.7.1.7.7.8.8.8.8 |
| Tilon | We | stuV ,a | Bolt | 1.06 9.09 9.09 9.09 9.09 9.09 9.00 9.00 9 |
|)ne I | | ce Bars | ilq2 | 86447188787878066808858888860664488888 |
| for (| - | 892 | liq2 | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| teria | Number | a, Nuta | Bolt | 816 666 8 1224 66 |
| Material for One | ź | ra of ce Bara | Spli | Sci. Sci. Sci. Sci. Sci. Sci. Sci. Sci. |
| | | 8911088 | - | 85.38 1010.88 1010.53 1010.53 1010.53 1010.84 |
| ills | Tonnes | le. | toT | 25 |
| of Ra | in T | R93 | liq2 | |
| nes (| eight in | atuN ,e | Bolt | 8.13 9.05 9.05 9.05 9.05 9.05 9.05 9.05 9.05 |
| for 1000 Tonnes of Rails | | втвВ ээ | ilq2 | 6 1238 6 67216 85.45 90.05 17.86 18.8 18.8 18.8 18.8 18.8 18.8 18.8 1 |
| r 100 | | gay | liq2 | 51700 67216 67216 67216 67216 67216 74688 74688 74688 74688 74688 84024 96024 96024 96024 96024 112030 10030 10030 10030 10030 10030 10030 10030 10030 10030 10030 |
| ies fo | Jer. | | 1:45 | 6328 51700 12336 67216 12336 67216 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 14542 84024 14642 84024 17628 96024 17628 96024 17628 96024 17628 96024 17628 12030 13708 112030 13708 112 |
| Accessories | Number | atuM ,a | Bolt | 12336 67216 12336 67216 12336 67216 12336 67216 13336 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13710 74688 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 11209 13708 1209 13708 11209 13708 11209 14687 13708 11209 14687 13708 11209 14687 13708 11209 14687 13708 11209 14687 13708 11209 14990 16687 28688 13708 12698 126988 126988 126988 126988 126988 12698 12698 12698 12698 12698 12698 12698 12698 12698 12698 12 |
| Acc | | та от етва Ээі | | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 12 | S | atelqm | | 5. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. |
| Rail Joint | in Kilograms | raiol la | 1 | 44.0 44.0 44.0 44.0 44.0 44.0 44.0 44.0 |
| Rail | Kij | bas stil | Bol I | 4 Holds 4 Ho |
| One | | ere Bara | lqS | 48.0 48.0 48.0 48.0 48.0 48.0 48.0 48.0 |
| | -1 | lis Pair | 1 1 | 17.09 09 02 02 04 04 04 04 04 04 04 04 04 04 04 04 04 |
| 9 yi | ds | lo sziz | mm. | 140x14.3 140 |
| | | | | 140x1 140x2 |
| 310 | ря | to saiz | mm. | 25.4x117 25.4x117 25.4x1117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 25.4x117 26.4x117 27.4x14 27 |
| | | | = | 28282828 28282828 28282828 |
| | | Length Splice | mm. | 8644 8644 8644 8644 8644 8644 8644 8644 |
| [is] | H H | Base o | mm. | 6444 688 28 39.70 610 88 6x152 49.60 145.05 146.05 146.05 49.60 145.27 130.05 49.60 145.27 130.05 44.64 136.52 136.52 44.64 136.52 136.52 44.64 136.74 127.04 44.64 13.77 131.76 44.64 13.77 131.76 44.64 13.77 131.77 44.64 13.77 13.77 44.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 13.77 45.64 13.77 45.65 1 |
| | _ | IIBJI | 1 1 | 46.6.5.13 47.2.13 4 |
| | jo ; | Heigh | mm. | 146.8.28 145.8.27 133.2.27 133.5.24 133.5.24 122.17 122.17 122.17 123.19 106.5.3 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106.5 106 |
| | t p | Weigh Me | Kg. | 664 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| _ | _ | bec lis | Я | 13031 [64 49] 13031 [64 49] 13030 [45 60] 10020 [45 60] 9040 [44 61 60] 9040 [44 61 60] 9050 [44 64 60] 9050 [|
| | | | - (| |



TABLES OF WEIGHTS

OF

FLAT ROLLED STEEL

AND

MERCHANT BARS

THESE Tables of Weights of Flat Rolled Steel and Merchant Bars are intended for the computation of weights only, and the sizes given herein have no relation to the sizes actually rolled by Carnegie Steel Company.

THE average weight of Steel is 489.6 pounds per cubic foot, or 0.28333 pound per cubic inch, and the weight in pounds per lineal foot is obtained by multiplying the area of the steel section in square inches by 3.4.

WEIGHTS OF FLAT ROLLED STEEL

WEIGHTS OF FLAT ROLLED STEEL Pounds Per Square Foot

TABLE I-Thicknesses in Decimals of an Inch

| Thickness Inches | Pounds per Sq. Foot |
|---------------------|---------------------------|---------------------|---------------------------|---------------------|---------------------------|---------------------|---------------------------|
| .01 | .408 | .26 | 10.608 | .51 | 20.808 | .76 | 31.008 |
| .02 | .816 | .27 | 11.016 | .52 | 21.216 | .77 | 31.416 |
| .03 | 1.224 | .28 | 11.424 | .53 | 21.624 | .78 | 31.824 |
| .04 | 1.632 | .29 | 11.832 | .54 | 22.032 | .79 | 32.232 |
| .05 | 2.040 | .30 | 12.240 | .55 | 22.440 | .80 | 32.640 |
| .06 | 2.448 | .31 | 12.648 | .56 | 22.848 | .81 | 33.048 |
| .07 | 2.856 | .32 | 13.056 | .57 | 23.256 | .82 | 33.456 |
| .08 | 3.264 | .33 | 13.464 | .58 | 23.664 | .83 | 33.864 |
| .09 | 3.672 | .34 | 13.872 | .59 | 24.072 | .84 | 34.272 |
| .10 | 4.080 | .35 | 14.280 | .60 | 24.480 | .85 | 34.680 |
| .11 | 4.488 | .36 | 14.688 | .61 | 24.888 | .86 | 35.088 |
| .12 | 4.896 | .37 | 15.096 | .62 | 25.296 | .87 | 35.496 |
| .13 | 5.304 | .38 | 15.504 | .63 | 25.704 | .88 | 35.904 |
| .14 | 5.712 | .39 | 15.912 | .64 | 26.112 | .89 | 36.312 |
| .15 | 6.120 | .40 | 16.320 | .65 | 26.520 | .90 | 36.720 |
| .16 | 6.528 | .41 | 16.728 | .66 | 26.928 | .91 | 37.128 |
| .17 | 6.936 | .42 | 17.136 | .67 | 27.336 | .92 | 37.536 |
| .18 | 7.344 | .43 | 17.544 | -68 | 27.744 | .93 | 37.944 |
| .19 | 7.752 | .44 | 17.952 | .69 | 28.152 | .94 | 38.352 |
| .20 | 8.160 | .45 | 18.360 | .70 | 28.560 | .95 | 38.760 |
| .21 | 8.568 | .46 | 18.768 | .71 | 28.968 | .96 | 39.168 |
| .22 | 8.976 | .47 | 19.176 | .72 | 29.376 | .97 | 39.576 |
| .23 | 9.384 | .48 | 19.584 | .73 | 29.784 | .98 | 39.984 |
| .24 | 9.792 | .49 | 19.992 | .74 | 30.192 | .99 | 40.392 |
| .25 | 10.200 | .50 | 20.400 | .75 | 30.600 | 1.00 | 40.800 |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE II-Thickness in Gages from No. 24 to No. 1-Widths from 1/8 inch to 12 inches

| 14 14 14 14 14 14 14 14 14 14 14 14 14 1 | ickness, W. G. | TP. | 22222 | 20 13 17 | 9104E | 11000 | 8799 | 4825 |
|---|-------------------|----------------|-----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------------------|
| ## ## ## ## ## ## ## ## ## ## ## ## ## | | 800 | .0357 .0357 .0408 | .0446 .0536 .0625 | .0829 .0918 .1058 | .1390 .1530 .1709 | .2104 .2295 .2588 .2805 | .3302 .3302 .3621 .3825 |
| H 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 15 14 </td <td></td> <td>323</td> <td>.0304 .0345 .0387 .0442</td> <td>.0580 .0580 .0677</td> <td></td> <td>1111111</td> <td></td> <td>.3287 .3577 .3923 .4144</td> | | 323 | .0304 .0345 .0387 .0442 | .0580 .0580 .0677 | | 1111111 | | .3287 .3577 .3923 .4144 |
| WIDTH, INCHES WIDTH, INCH WIDTH, INCHES WIDTH, INCHES WIDTH, INCHES WIDTH, INCHES | | 16 | .0327 .0372 .0417 | .0521 .0625 .0729 | | .1621 .1785 .1993 | | .3540 .3853 .4225 |
| WIDTH, INCHES Width Wid | | (c) [c) | .0351 .0398 .0446 | .0558 .0669 .0781 | .1036 .1148 .1323 | .1737 .1913 .2136 .2359 | .2630 .2869 .3235 .3506 | .4128 .4526 .4526 |
| ## 13 56 13 14 14 15 14 15 14 15 14 15 14 15 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15 | | 12/2 | .0374 .0425 .0476 .0544 | .0595 .0714 .0833 | .1105 .1224 .1411 | .1853 .2040 .2278 .2516 | .2805 .3060 .3451 .3740 | .4403 .4828 .5100 |
| ## 5-6 ## 14 | - | 177 | .0452 .0506 .0578 | .0632 .0759 .0885 | .1174 .1301 .1499 | .1969 .2168 .2420 | .2980 .3251 .3667 .3974 | .4678 .5130 .5419 |
| \$6 \$1 \$2 \$4< | - | 6 10 | .0421 .0478 .0536 | .0669 .0803 .0937 | .1243 .1377 .1587 .1817 | .2295 .2295 .2563 | .3156 .3443 .3882 .4208 | .4552 .4953 .5432 |
| ## 14 | | orica orica | .0444 .0505 .0565 .0646 | .0848 | .1312 .1454 .1676 .1918 | .2423 .2423 .2705 | .3331 .3634 .4098 | .4805 .5229 .5733 |
| WIDTH, INCHES 14 | . : | 200 | .0468 .0531 .0595 | .0744 .0893 .1041 | .1530 .1764 .2019 | .2550 .2848 .3145 | .3506 .3825 .4314 | .5504 .6035 .6375 |
| 15 | - | | .0491 .0558 .0625 .0714 | .0781 .0937 .1093 | .1450 .1607 .1852 .2120 | 2432 2678 2390 3302 | .3682 .4016 .4529 | .5310 .5779 .6337 |
| 15 | VIDTE | 10 | .0514 .0584 .0655 .0748 | .0818 .0982 .1145 | .1519 .1683 .1940 .2221 | .2548 .2805 .3132 .3460 | .3857 .4208 .4745 | .5563 .6054 .6639 |
| 15 | H, INC | 19 PT | .0538 .0611 .0684 .0782 | .0855 .1026 .1197 .1417 | .1588 .1760 .2028 .2322 | .2664 .2933 .3275 | .4032 .4399 .4961 | .5816 .6329 .6940 .7331 |
| 14 | HES | 4 | .0561 .0638 .0714 .0816 | .0893 .1071 .1250 | .1658 .1836 .2117 .2423 | .2780 .3060 .3417 .3774 | .4208 .4590 .5177 | .6605 .7242 .7650 |
| 15 | 20 | nice nice | .0584 .0744 .0850 | .0930 .1116 .1302 .1541 | .1727 .1913 .2205 | .2895 .3188 .3559 | .4383 .4781 .5392 | .6322 .6880 .7544 .7969 |
| 76 34 48 94 1 145 1 145 .0655 .0678 .0701 .0725 .0748 .0771 .0744 .0770 .0875 .0974 .0877 .0852 .0883 .0820 .0952 .0987 .0987 .0852 .0896 .1020 .1054 .1088 .1122 .1250 .1224 .1339 .1383 .1428 .1478 .1726 .1359 .1381 .1428 .1478 .116 .1551 .1166 .1718 .1726 .1379 .1391 .1972 .1077 .204 .207 .2141 .206 .1778 .1726 .1787 .1849 .1910 .1972 .204 .205 .226 .227 .2214 .225 .226 .227 .2214 .225 .228 .228 .228 .228 .228 .228 .228 .228 .232 .3331 .232 .232 .232 .232 <td< td=""><td>5</td><td>100</td><td>.0608 .0691 .07774 .0884</td><td>.0967 .1160 .1354 .1602</td><td>.1796 .1989 .2293</td><td>.3011 .3315 .3702</td><td>.4558 .4973 .5608</td><td></td></td<> | 5 | 100 | .0608 .0691 .07774 .0884 | .0967 .1160 .1354 .1602 | .1796 .1989 .2293 | .3011 .3315 .3702 | .4558 .4973 .5608 | |
| 34 44 14 145 0678 .0701 .0725 .0748 .0771 .0772 .0822 .0874 .0877 .0863 .0893 .0922 .0987 .0863 .0893 .0922 .0987 .0896 .1020 .1054 .108 .112 .1078 .1116 .1153 .1190 .1227 .1294 .1339 .1383 .1498 .1472 .1294 .1361 .1972 .2034 .2037 .2019 .2295 .2372 .2448 .525 .2297 .2096 .3744 .352 .2448 .2377 .3028 .3323 .333 .332 .2377 .3028 .3323 .332 .332 .4560 .4718 .4875 .503 .5189 .4564 .573 .5435 .5610 .5785 .5546 .573 .5435 .5610 .5785 | 2.1 | 109 | .0631 .0717 .0803 .0918 | 1205 1205 1406 1664 | .1865 .2066 .2381 .2725 | .3127 .3443 .3844 .4246 | .4733 .5164 .5824 .6311 | .6828 .7430 .8147 .8606 |
| 14 | 172 | 00 | .0655 .0744 .0833 .0952 | .1041 .1250 .1458 | .1934 .2142 .2469 .2826 | .3243 .3570 .3987 .4403 | .4909 .5355 .6039 | .7705 .8449 .8925 |
| 1 | 60 | 900 | .0678 .0770 .0863 .0986 | .1078 .1294 .1510 .1787 | .2003 .2219 .2557 .2927 | .3359 .3698 .4129 | .5084 .5546 .6255 .6779 | .7333 .7980 .8751 .9244 |
| 1 145 175 175 175 175 175 175 175 175 175 17 | 10 | 0 | .0701 .0797 .0893 | .1116 .1339 .1562 .1849 | 2072 2295 2646 3028 | .3474 .3825 .4271 .4718 | .5259 .5738 .6471 | .7586 .8256 .9053 |
| 144 1000 1000 1122 1122 1122 1473 1718 2279 2279 2279 2279 2322 2322 2322 2323 2428 5189 5 | 3.1 | des des | .0725 .0823 .0922 .1054 | .1153 .1383 .1614 .1910 | .2141 .2372 .2734 .3129 | .3590 .3953 .4414 .4875 | .5435 .5929 .6686 .7246 | .7839 .8531 .9354 .9881 |
| 144 10987 11227 11227 11227 11227 11718 122799 12279 12279 12279 12279 12279 12279 12279 12279 122 | - | - | .0748 .0850 .0952 .1088 | .1190 .1428 .1666 .1972 | .2210 .2448 .2822 .3230 | .4556 .5032 | .6902 .7480 | .8092 .8806 .9656 1.0200 |
| 114 -0795 -0903 -0903 -0903 -1015 -1156 -1517 -1770 -2095 -2095 -2097 -2 | 7 | 23 | .0877 .0982 .0982 | .1227 .1473 .1718 | .2525 .2910 .3331 | .3822 .4208 .4698 .5189 | .6311 .7118 .7714 | |
| | 1 4 | 10 | .0795 .0903 .1012 | .1264 .1517 .1770 | .2348 .2601 .2998 .3432 | .3938 .4335 .4841 .5347 | .5961 .6503 .7333 .7948 | .8598 .9356 1.0260 |

1.0379 .8851 | .9104 | .9356 | .9609 | .9862 | .0115 | 1.0368 | 1.0874 | 1.1127 | 1.1379 | 1.1852 | 1.1856 | 1.2138 | 1.2644 | 1.3150 | 1.3555 | 1.4161 | 1.4667 | 1.5173 | 1.5678 | 1.6184 | 1.6950 | .997 | 1.0182 | 1.0457 | 1.0782 | 1.1083 | 1.1858 | 1.1858 | 1.1858 | 1.2183 | 1.2183 | 1.2383 | 1.2859 | 1.2375 | 1.2374 | 1.3278 | 1.4174 | 1.2374 | 1.3775 | 1.4174 | 1.2374 | 1.3775 | 1.3774 | 1.3775 | 1.3774 | 1.3775 | 1.3774 | 1.3775 | 1.3774 | 1.3775 | 1.3774 | 1.3775 | 1.3774 | 1.3775 | 1.3775 | 1.3775 | 1.3774 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1.3775 | 1. 1543 1753 1964 2244 3436 8064 8240 8415 8766 9116 3467 9818 1.0168 1.0519 1.0869 1.1220 1.1571 8789 8899 9180 3563 9545 1.0239 1.1271 1.1220 1.1571 1.2633 1.263 2454 2945 4558 5049 5820 6662 .7644 .8415 $1.1156^{1}.1475^{1}.1794^{1}.2113^{1}.2431^{1}.2750^{1}.3089^{1}.3388^{1}.3706^{1}.4025^{1}.4944^{1}.4663^{1}.4981^{1}.5300^{1}.5938^{1}.6775^{1}.7213^{1}.7850^{1}.9765^{1}.2768^{1}.2706^{1}.4025^{1}.4964^{1}.4663^{1}.4981^{1}.5300^{1}.5928^{1}.6775^{1}.7213^{1}.7850^{1}.2468^{1}.9125^{1}.2768^{1}.2706^{1}.4988^{1}.4668^{1}.2488^{1}.4888^{1}$ 276 .7412 .8160 .9112 L.0064 .1496 .1904 2380 3332 .4420 5644 6460 2 .1449 1845 2306 2767 3228 4282 5468 6258 .7180 .9750 3821 100 .1785 .2231 .3124 .4144 9999 .6949 .9435 .1594 .5291 1/2 .1356 .1726 .2157 .2588 .3020 .3574 .4437 5115 .7395 .9121 5854 100 .1309 2083 2916 .4284 .4939 .7140 .7973 .1666 1904 5653 3451 34 .1262 .1434 .1607 .1836 2008 3328 .4131 4762 .6254 .6885 .8492 2811 5451 # .6630 .7404 .8177 1216 1381 1547 1768 3591 4586 5249 .1934 .2321 .2707 .3205 28 .1169 .1328 .1488 .1700 1859 .2603 .4409 .5791 .6375 .7119 .7863 3453 3081 16 1122 1275 1428 1632 .1785 2499 2958 3315 4233 .5559 .6120 .6834 .7548 4845 72 .5443 .5993 .6692 .7391 WIDTH, INCHES 1099 1398 .1598 1748 2447 2896 3246 4145 C.0.3.45 .1075 .1369 2053 2835 .3519 .4057 .4643 5327 5865 6549 7234 16 .3108 .0519 .1052 .1195 .1339 .1530 2008 2343 2773 3968 4542 .5212 .5738 .6407 9202 .7889 9026 0 C .8415 .9490 1.0285 .1169 .1636 .1964 .2291 .2712 3039 3366 3880 4441 .5096 .5610 .6265 .6319 .1496 88 .7538 1.0051 .1005 .1142 .1279 .1462 1599 1319 2239 2650 2970 3290 3792 4340 .4980 6122 .9275 12 .7363 .8033 .9059 .9818 .0982 .1116 .1250 .1428 1562 1874 2187 2588 2901 3213 3704 4239 4864 5980 10 .1525 .1830 .2135 .2527 .2832 .3137 .3616 4748 .0958 .1089 .1220 .1394 4138 5228 5837 .7188 8843 0/100 .7013 .7650 .8628 .9350 .5100 .0935 1063 11360 1488 1785 2083 2465 2763 3060 3528 4038 5695 6230 17 7459 1450 2693 3937 4517 4973 5553 6837 9116 0912 1036 1160 1326 2030 F 100 .0888 .1009 .1131 .1413 .1978 2624 2907 3351 3836 4401 5410 5976 7268 8136 8883 100 0983 .1101 1376 1926 2555 3735 4718 5268 9404 7980 200 .0842 .0956 .1071 .1339 .1607 .1874 .2219 2486 2754 3175 3634 4169 4590 5126 5661 6311 .7765 178 1302 2417 3533 4053 4463 4983 5504 6136 7549 0818 0930 1041 1190 1822 62 CO Тріскиева В. М. С. 354K 22234 7233 2=26 TMONT

| hickness, W. G. | T 2222 | 20 19 18 17 | \$ 10 mm free free free free free free free f | 2112 | 82-99 | 4 W CV + |
|-----------------|----------------------------------|----------------------------------|---|--|--|--|
| ě | .1590 .1806 .2023 .2312 | .2529 .3035 .3540 | .4696 .5202 .5997 .6864 | .7875 .8670 .9682 1.0693 | 1,1921 1,3005 1,4567 1,5895 | 1.7196 1.8713 2.0519 |
| 6 | | | .4834 .5355 .6173 .7066 | .8925 .9966 .11008 | 1.2272 1.3388 1.5098 1.6363 | 1.9263 |
| 716 | .1683 .1913 .2142 .2448 | | .4973 .5508 .6350 | .8339 .9180 1.0251 1.1322 | .2272 1.2623 .3388 1.3770 .5098 1.5530 .6363 1.6830 | 17196 7701 18077 18713 19724 2.0230 2.0736 2.1747 2.2253 2.2759 2.8326 2.3770 2.476 2.476 2.476 2.476 2.832 2.6299 2.6393 2.6393 2.6393 2.6393 2.6393 2.6393 2.7311 2.7316 2.832 2.2316 2.2316 2.366 2.4217 2.4767 2.5317 2.568 2.4418 2.668 2.4418 2.668 2.4418 2.668 2.4418 2.668 2.4418 2.669 2.7311 2.7318 2.74 |
| 9.5 | .1730 .1966 .2202 .2516 | .3302 .3853 .4560 | .5111 .5661 .6526 .7469 | .8570 .9435 1.0536 | 1.2973 1.4153 1.5961 1.7298 | 1.8713 2.0364 2.2330 |
| 93% | .2019 .2019 .2261 .2584 | .2826 .3392 .3957 | .5249 .5814 .6702 | .8802 .9690 1.0821 1.1951 | 1.3324 1.4535 1.6392 1.7765 | 1.9219 2.0914 2.2933 |
| 16 | .1823 .2072 .2321 .2652 | .3481 .4061 | .5387 .5967 .6879 | .9033 .9945 1.1105 1.2266 | 1.3674 1.4918 1.6824 1.8233 | 1.7701 1.8207 1.8713 1.9219 1.9724 2.0230 2.0736 2.1747 2.2253 2.2759 2.3256 2.3370 2.4276 2.4772 2.5258 2.5739 2.6259 2.6305 2.7311 2.7316 2.8250 2.3170 2.4767 2.5317 2.5868 2.6418 2.6968 2.7519 2.8059 2.8050 2.9170 2.7318 2.7761 2.8368 2.6418 2.6968 2.7519 2.8059 2.8050 2.9170 2.7718 2.7718 2.7761 2.8358 2.23567 2.0775 2.8059 2.8050 2.9170 2.7718 2.7718 2.7761 2.8358 2.28567 2.0775 2.8358 |
| 716 | .1870 .2125 .2380 .2720 | .3570 .4165 | .5525 .6120 .7055 | .9265 1.0200 1.1390 1.2580 | 1.4025 1.5300 1.7255 1.8700 | 2.0230 2.2015 2.4140 |
| 6 | .1917 .2178 .2440 .2788 | .3049 .3659 .4269 | .5663 .6273 .7231 | .9497 .9728 1.0455 1.0710 1.1675 1.1960 1.2895 1.3209 | 1.4025 1.4376 1.4726 1.5300 1.5683 1.6065 1.7255 1.7686 1.8118 1.8700 1.9168 1.9635 | 2.2565 |
| 95% | .1964 .2231 .2499 .2856 | .3124 .3749 .4373 | .5801 .6426 .7408 | .9497 .9728 1.0455 1.0710 1.1675 1.1960 1.2895 1.3209 | 1.4726 1.6065 1.8118 1.9635 | 2.1242 2.3116 2.5347 |
| #16 | .2010 .2284 .2559 .2934 | .3198 .3838 .4477 .5300 | .5939 .6579 .7584 | .99 60 1.0965 1.2244 1.3524 | 1.5077 1.6448 1.8549 2.0103 | 2.1747 |
| WIDT 73% | .2057 .2338 .2618 .2992 | .3273 .3927 .4582 | .6078 .6732 .7761 | 1.0192 1.1220 1.2529 1.3838 | 1.5077 1.5428 1.6448 1.6830 1.8549 1.8981 2.0103 2.0570 | 2.2253 2.4217 2.6554 |
| H, IN | .2104 .2391 .2678 | .3347 .4016 .4686 .5546 | .6216 .6885 .7937 | 1.0423 1.1475 1.2814 1.4153 | 1.5778 1.7213 1.9412 2.1038 | 2.2759 2.4767 2.7158 |
| WIDTH, INCHES | 2151 2444 2737 3128 | .3421 .4106 .4790 | .6354 .7038 .8113 | .1730 .3099 .4467 | 1.6129 1.7595 1.9843 2.1505 | 2.3265 2.5317 2.7761 |
| 215 | .2197 .2497 .2797 .3196 | .3496 .4195 .4894 .5793 | .6492 .7191 .8230 | 1.086 1.118 1.1350 1.1581 1.181 1.2045 1.2376 1.2508 1.1709 1.1305 1.2370 1.3508 1.3209 1.3383 1.3665 1.3953 1.4523 1.4877 1.5095 1.3383 1.3665 1.3953 1.4523 1.4877 1.5095 1.5377 | 1.6479 1.6830 1.7978 1.8360 2.0275 2.0706 2.1973 2.2440 | 2.3770 2.5868 2.8365 |
| m | .2244 .2550 .2856 .3264 | .3570 .4284 .4998 .5916 | .6630 .7344 .8466 .9690 | 1.1118 1.2240 1.3668 1.5096 | 1.6830 1.8360 2.0706 2.2440 | 2.4276 2.6418 2.8968 |
| 316 | .2291 .2603 .2916 .3332 | .3644 .4373 .5102 | .6768 .7497 .8642 | 1.1350 1.2495 1.3953 1.5411 | 1.7181 1.8743 2.1137 2.2908 | 2.6968 |
| 818 | 2338 2656 2975 3400 | .3719 .4463 .5206 | .6906 .7650 .8819 | | 1.77831 1.7882 1.8233 1.8583 1.8934 1.9284 1.9284 1.9295 1.1925 1.9590 2.0273 2.0655 2.1038 2.1420 2.1420 2.2473 2.2432 2.2863 2.2435 2.2437 2.3875 2.34375 2.3478 2.3478 2.3575 2.3413 2.5130 | 2.5288 2.7519 3.0175 |
| 3 3 | 2384 2709 3035 3468 | .4552 .4552 .5310 .6286 | .7044 .7803 .8995 .0296 | | 1.7882 1.9508 2.2000 2.3843 | 2.5793 2.8069 3.0779 |
| 374 | 2763 2763 3094 3536 | .3868 .4641 .5415 .6409 | .7183 .7956 .9172 | 1.2045 1.3260 1.4807 1.6354 | 1.8233 1.8583 1.9890 2.0273 2.24320 2.2863 2.4310 2.4778 | 2.6299 2.8620 3.1382 |
| 3.5 | .2478 .2816 .3154 .3604 | .3942 .4730 .5519 | .7321 .8109 .9348 1.0699 | 1.3276 1.3515 1.5092 1.6669 | 2.0273 2.2863 2.4778 | 2.6805 2.7311 2.7816 2.8322 2.9170 2.9720 3.0271 3.0821 3.1986 3.2589 3.3193 3.3796 3.788 3.4425 3.5063 3.5700 |
| 33,8 | .2525 .2869 .3213 .3672 | .4016 .4820 .5623 | .7459 .8262 .9524 1.0901 | 1.2508 1.3770 1.5377 1.6983 | 2.3294 2.5245 | 2.7311 2.9720 3.2589 |
| 37 | .2571 .2922 .3273 .3740 | .4091 .4909 .5727 .6779 | .7597 .8415 .9701 | 1.2508 1.2739 1 1.3770 1.4025 1 1.5377 1.5661 1 1.6983 1.7298 1 | 1.9284 2.1038 2.3726 2.5713 | 2.7816 3.0271 3.3193 |
| 3/2 | .2618 .2975 .3332 .3808 | .4165 .4998 .5831 | .7735 .8568 .9877 1.1305 | 1.29 71 1.4280 1.5946 1.761 2 | 1.9635 2.1420 2.4157 2.6180 | 2.8322 3.0821 3.3796 3.5700 |

.8538 .3834 .7319 .4879 5576 1.1934 1.2240 1.2546 1.3757 1.4110 1.4463 $1.4535 \\ 1.4790 \\ 1.5045 \\ 1.8360 \\ 1.5045 \\ 1.8360 \\ 1.5055 \\ 1.5810 \\ 1.5085 \\ 1.7680 \\ 1.7786 \\ 1.7786 \\ 1.7786 \\ 1.7786 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7785 \\ 1.7788 \\ 1$ 1.623[1.6516] 1.6516[1.6800] 1.7065[1.7770] 1.7656[1.7939] 1.8224[1.8509] 1.8794[1.9078] 1.9863[1.9648] 1.9049[1.9648] 2.0370[2.0487] 2.0479[2.1078] 2.350[2.0487] 2.350[2.0487] 2.350[2.3588] 2.3502[2.3587] 2.3502[22.4589|2.5000|2.5451|2.5883|2.6314|2.6745|2.7177|2.7608|2.8039|2.8471|2.8900|2.9334|2.9765|3.0196|3.0628|3.1059|3.1490|3.1922|2.2353|3.2785|3.3647|3.4510|3.5373|2.648|2.7115|2.7583|2.8965|2.9453|2.9920|3.0858|3.0855|3.1323|3.1790|3.2258|3.2725|3.3193|3.3660|3.4128|3.4596|3.5063|3.5530|3.6465|3.7400|3.8336|3.77400|3.8336|3.77400|3.8336|3.77400|3.8336|3.77400|3.8336|3.77400|3.8336|3.77400|3.8336|3.77400|3.8336|3.7740|3.8336|3.7740|3.8336|3.77400|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8336|3.7740|3.8340|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3.7740|3. 2.8828 [2.9334 [2.9839] 3.0345 [3.0351 [3.1357] 3.1862] 3.2368 [3.2887 [3.2386] 3.4391 [3.4597] 3.5408 [3.5408] 3.5908 [3.7426] 3.7792 [3.7931] 3.8437 [3.9449] 4.0460 [4.1472] 3.1374 [3.6326] 3.7491 [3.7491] 3.7491 3 .320[3].3434[1.366[1.3898]1.4129[1.4361]1.459[1.4864]1.5026[1.5287]1.5519[1.5751]1.5982]1.6519[1.576]1.5982]1.6519[1.5767]1.69932.1803 [2.2168 [2.2568] 2.335 [2.3715 [2.4098 [2.4480] 2.485 [2.5245 [2.5528 [2.6010 [2.633] 2.6775 [2.7158 [2.7540] 2.7923 [2.8305 [2.8688] 2.9070 [2.9835 [3.0600] 3.1365 1.6150 1.6554 21/8 1.9986 [2.0336] 2.0587 [2.1038] 2.1338 [2.1739] 2.2089 [2.240] 2.2791 [2.3141] 2.3492 [2.3843] 2.4193 [2.454] 2.4594 [2.5245] 2.5596 [2.5346] 2.5596 [2.5346] 2.5946 [2.5346] 2.5940 [2.545] 2.5940 [2.546] 2.5940 [2..7140 .8330 .9860 .3740 .5440 10 1.5746 4144 5304 5801 .8122 9614 .4641 478 1.3405 1.5343 .4522 .4522 .5168 .5653 .6783 .7914 9367 1.0498 1.1628 434 .8978 9116 9254 9393 9531 9669 9807 9945 1.0083 1.022 11.0359 945 1.0098 1.025 11.0404 1.055 7.10710 1.0863 1.1016 1.1169 1.1322 1.1475 1.2346|1.2523|1.2699|1.2875|1.3052|1.3228 .5100 .5578 .7809 1.4535 1.4737 1.4939 1.5141 .9244 3984 414 .3931 .4403 .5504 .6605 .7705 .9121 45,8 .3413 .4344 4964 .5429 .7601 8997 416 .5355 .6426 .7497 .3825 .4284 4896 8874 41/2 .3772 4828 5281 .7393 1.4131 1.4333 8751 416 .3273 .3719 .4165 .5206 .6248 .7289 .8628 43/8 7873 8011 8149 8288 8426 8564 8702 8840 8978 9116 9254 9393 9531 8771 8874 9027 9180 9333 9486 9639 9792 9945 100981.02511.0404[1.0587] 1.0531.0231.023[1.0406].0583[1.0759].0935[1.1112].11288[1.1464].1.641[1.1817[1.1994].1270] .3226 .3666 .4106 .5132 .7185 1.3728 1.3929 WIDTH, INCHES 4 1 6 .3179 .3613 .5058 4624 8381 41/4 .3132 .3559 .3987 .6976 1.1507 | 1.1709 | 1.1911 | 1.2113 | 1.2314 | 1.2516 | 1.2718 | 1.2920 | 1.3122 | 1.3324 | 1.3526 |.4556 .5983 416 .3086 .3506 .3927 .4488 4909 .8135 438 .3453 .3453 .3868 4834 89/9 .4420 8011 416 .7888 .3400 .3808 .4352 4760 .6664 4 .3749 .5623 2945 6560 7765 318 .3294 .3689 .4216 .6456 .5534 378 4537 6352 .4148 2852 3630 313 .5355 6248 7395 .3188 .3570 4080 334 2758 .3511 .4012 4388 .6143 7272 319 .3081 .4314 .7149 3451 3944 32% 3028 3392 5935 5087 7025 Thickness 8 5 4 W 0 P 9 D 2222 2822 3112 4 10 CM -

| (|
|---|
| |
| |
| |
| |
| |

TABLE II—Continued

| | ∞ | .5984 .6800 .7616 .8704 | .9520 1.1424 1.3328 1.5776 | 1.7680 1.9584 2.2576 2.5840 | 2.9648 3.2640 3.6448 4.025 6 | 2.9458 3.0154 3.0856 3.1556 3.2259 3.2359 3.3560 3.4351 3.5068 3.3764 3.6468 3.7166 3.7868 3.8569 3.8570 3.9971 4.0673 4.1374 4.2075 4.2776 4.3478 4.4179 4.42075 4.2976 4.3478 4.2075 4.2976 4.3478 4.4179 4.42075 4.2978 4.2075 | 4.2488 4.3495 4.4506 4.5518 4.6502 4.7541 4.8552 2.4564 5.0575 5.1587 5.2598 5.3540 5.46213 5.6624 5.7656 5.8667 5.9679 6.0630 6.1702 6.2713 6.3725 6.4736 5.2823 4.7332 4.5433 5.3534 5.0625 5.1735 5.2826 5.3234 5.0535 5.1735 5.2826 5.3735 6.3723 5.3723 5.3723 5.3723 5.3731 6.3732 6.2731 6.2731 6.2732 6.2731 6 |
|---------------|-----------|-----------------------------------|--|--|--|--|--|
| | 17/8 | .5891 .7497 .8568 | .9371 1.1246 1.3120 1.5530 | 1.7404 1.9278 2.2223 2.5436 | 2.9185 3.2130 3.5879 3.9627 | 4.4179 4.8195 5.4353 5.8905 | 6.3725 6.9347 7.6041 8.0325 |
| | 734 | .5797 .6588 .7378 .8432 | .9223 1.1067 1.2912 1.5283 | 1.7128 1.8972 2.1871 2.5033 | 3.8722 3.1620 3.5309 3.8998 | 4.3478 4.7430 5.3491 5.7970 | 6.2713 6.8247 7.4834 7.9050 |
| | 15% | .5704 .6481 .7259 .8296 | .8925 .9074 1.0710 1.0889 1 1.2495 1.2703 1 1.4790 1.5037 1 | 1.6851 1.8666 2.1518 2.4629 | 2.8258 3.1110 3.4740 3.8369 | 4.2776 4.6665 5.2628 5.7035 | 6.1702 6.7146 7.3627 7.775 |
| | 13% | .5610 .6375 .7140 | .8925 1.0710 1.2495 1.4790 | 1.6575 1.8360 2.1165 2.4225 | 2.7795 3.0600 3.4170 3.7740 | 4.2075 4.5900 5.1765 5.6100 | 6.0690 6.6045 7.2420 7.6500 |
| | 73/8 | .5517 .6269 .7021 | .8330 .8479 .8628 .8776 .99961.01751.03531.0532116621.18701.20791.2287138041.40511.42971.45444 | 1.6299 1.8054 2.0812 2.3821 | 2.7332 3.0090 3.3601 3.7111 | 4.1374 4.5135 5.0902 5.5165 | 5.9679 16.4944 57.1213 |
| | 71/4 | .5423 .6902 .7888 | .8628 1.0353 1.2079 1.4297 | 1.6023 1.7748 2.0460 2.3418 | 2.6869 2.9580 3.3031 3.6482 | 4.0673 4.4370 5.0040 5.4230 | 5.8667 6.3844 7.0006 7.3950 |
| | 71/8 | .5330 .6056 .6783 | .8479 1.0175 1.1870 1.4051 | 1.5746 1.7442 2.0107 2.3014 | 2.6405 2.9070 3.2462 3.5853 | 3.9971 4.3605 4.9177 5.3295 | 6.2745 6.8795 7.2675 |
| | 7 | .5236 .5950 .6664 .7616 | .8330 .9996 1.1662 1.3804 | 1.5470 1.7136 1.9754 2.2610 | 2.5942 2.8560 3.1892 3.5224 | 3.9270 4.2840 4.8314 5.2360 | 6.1644 6.1642 6.7592 7.1400 |
| | 8/9 | .5143 .5844 .6545 | .8033 .8181 .9639 .9818 1.12461.1454 1.33111.3558 | 1.5194 1.6830 1.9401 2.2206 | 2.5479 2.8050 3.1323 3.4595 | 3.8569 4.2075 4.7451 5.1425 | 5.5632 6.0541 6.6385 17.0128 |
| WIDTH, INCHES | 634 | .5049 .5738 .6426 | .8033 .9639 1.1246 1.3311 | 1.4918 1.6524 1.9049 2.1803 | 2.5016 2.7540 3.0753 3.3966 | 3.7868 4.1310 4.6589 5.0490 | 5.4621 5.944 16.5178 56.8850 |
| TH, IN | 828 | .4956 .5631 .6307 | .7735 .7884 .9282 .9461 1.08291.1037 1.28181.3065 | 1.4641 1.6218 1.8696 2.1399 | 2.4552 2.7030 3.0184 3.3337 | 3.7166 4.0545 84.5726 | 5.361(9.834(4.397) 6.757 |
| WID | 61/2 | .4862 .5525 .6188 | .7735 .9282 1.0829 1.2818 | 1.4365 1.5912 1.8343 2.0995 | 2.4089 2.6520 2.9614 3.2708 | 3.6465 3.9780 4.4863 14.8620 | 5.2598 5.7239 6.276 |
| | 63/8 | .5419 .6069 | .7438 .7586 .8925 .9104 1.0413 1.0621 1.2325 1.2572 | 1.4089 1.5606 1.7990 2.0591 | 2.3626 2.6010 2.9045 3.2079 | 3.5764 3.9015 84.400 | 5.1587 5.6138 5.6138 0.6.502 |
| | 614 | .4675 .5313 .5950 .6800 | .7438 .8925 1.0413 1.2325 | 1.3813 1.5300 1.7638 2.0188 | 2.3163 2.5500 52.8475 13.1450 | 3.825(3.825(4.313) 5.4.675(| 4 5.0577 7 5.5038 3 6.0350 5 6.3750 |
| | 8/19 | .4582 .5206 .5831 .6664 | .7140 .7289 .8568 .8747 .9996 1.0204 .1832 1.2079 | 1.3536 1.4994 1.7285 1.9784 | 2.2699 2.4990 2.7906 3.0821 | 3.436 3.748 4.227 4.581 | 5 4.956 6 5.393 6 5.914 0 6.247 |
| | 9 | .4488 .5100 .5712 .6528 | .7140 .8568 .9996 1.1832 | 1.3260 1.4688 1.6932 1.9380 | 2.2236 2.4480 7.2.7336 3.0192 | 3.366 3.672 9.4.1412 5.4.488 | 1 4.855 5 5.283 9 5.793 5 6.120 |
| | 578 | .4395 .4994 .5593 | .6991 .8390 .9788 1.1586 | 1.2984 1.4382 7.1.6579 8.1.8976 | 2.397(7.2.676) 4.2.956 | 8 3.295 0 3.595 7 4.054 0 4.394 | 9 4.754 5 5.173 2 5.672 0 5.992 |
| | 534 | .4301 .4888 .5474 .6256 | .6843 .8211 .9580 | 1.2708 1.4076 1.6227 9 1.8573 | 52.131(52.346) 52.619 52.893 | 6 3.225 5 3.519 4 3.968 5 4.301 | 8 4.652 4 5.063 5 5.552 5 5.865 |
| | 55% | .4208 .4781 .5355 | .6545 .6694 .7854 .8033 .9163 .9371 1.0846 1.1093 | 1.243] 1.377(1.5874 | 3 2.084 0 2.295 8 2.562 6 2.830 | 3.155 0.3.442 1.3.882 0.4.207 | 6 4.551 3 4.953 8 5.431 0 5.737 |
| | 51/2 | .4114 .4675 .5236 .5984 | .6545 .7854 .9163 01.0846 | 1.2156 31.346 31.552 11.776 | 2.244 2.244 9.2.505 7.2.767 | 4 3.085 5 3.366 8 3.796 5 4.114 | 5 4.450 2 4.843 1 5.310 5 5.610 |
| | 53% | .4021 3.4569 3.5117 5848 | 3 .6396 7 .7676 7 .8955 3 1.0600 1 | 1.1669 1.1879 1.2155 1.2431 1.2708 1.2984 1.3260 1.3536 1.3813 1.4089 1.4365 1.4611 1.4918 1.5194 1.5470 1.5776 1.6223 1.6259 1.6575 1.6851 1.7128 1.7404 1.7680 1.9584 1.2852 1.3158 1.3464 1.3770 1.4776 1.4382 1.4382 1.4588 1.4994 1.3300 1.5606 1.3912 1.6218 1.6239 1.6830 1.7136 1.7748 1.8054 1.8059 1.8050 1.8666 1.8972 1.2928 1.9959 1.8939 1.8959 1.9901 1.9749 1.9744 2.0177 2.0460 2.0812 2.1165 2.1818 2.2877 1.6379 1.6379 1.6379 1.7885 1.7799 1.8343 1.8956 1.9049 1.9401 1.9754 2.0177 2.0460 2.0812 2.1165 2.1818 2.1878 1.2237 1.6379 1.8376 1.2089 1.2089 1.2089 2.1839 2. | 1.9457 1.9920 2.0838 2.0846 2.1310 2.1773 2.2236 2.2369 2.3362 2.4069 2.4552 2.5016 2.5479 2.5942 2.6446 2.6889 2.7332 2.7795 2.8722 2.9185 2.9468 2.1420 2.1930 2.2440 2.2950 2.3460 2.3570 2.4490 2.2500 2.5010 2.6570 2.7030 2.7440 2.8050 2.8560 2.9070 2.9580 3.0090 3.0500 3.1110 3.1620 3.2130 3.2640 2.3930 2.3480 2.5058 2.5628 2.5628 2.6197 2.6767 2.7336 2.2945 2.9645 2.964 3.0184 3.7733 3.1323 3.1323 3.1323 3.3331 3.3501 3.3501 3.3501 3.4740 3.8369 3.8397 3.5478 2.7470 2.3509 3.3577 3.4740 3.8369 3.8398 3.57740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3.4740 2.3577 3.4757 3. | 2.9458 3.0154 3.0855 3.1556 3.2258 3.2358 3.2359 3.3560 3.4361 3.5063 3.7764 3.7786 3.7166 3.7868 3.8569 3.9270 3.3971 4.0673 4.1374 4.2077 4.2077 4.2970 4.2890 3.2356 3.5150 3.5355 3.5700 3.5955 3.7750 4.2078 4.2075 4.2240 4.3605 4.4370 4.5135 4.5900 4.6665 4.7450 4.8190 4.8950 3.5236 3.709 3.709 3.7990 4.2075 4.2240 4.3605 4.4370 4.5135 4.5900 4.6665 4.7450 4.8190 4.2075 4.2240 4.3605 5.7761 4.2075 4.2240 4.2075 4.2240 4.7451 4.819 4.2075 4.2240 4.2075 4.2240 4.2075 4.2240 4.2075 5.2258 5.3240 4.2075 5.2268 5.3491 5.4320 5.2340 5.2440 5.2075 5.2240 4.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 4.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2240 5.2440 5.2075 5.2440 5.2075 5.2440 5.2075 5.2440 5.2440 5.2075 5.2440 5.2440 5.2075 5.2440 5.2440 5.2075 5.2440 5.244 | 4.2483 4.3495 (4.4506 4.5518 4.6529 4.7541 4.8552 4.9564 5.0575 5.1587 5.2598 5.3610 5.4621 5.5633 5.6644 5.7656 5.8687 5.9679 6.0690 6.1702 6.2713 6.3725 5.2623 4.7332 4.9433 6.2734 6.3844 6.4944 6.6045 6.7746 6.8247 6.3847 6.3947 6.5947 6 |
| | 514 | .3927 .4463 .4998 .5712 | .6248 .7497 .8747 1.0353 | 1.160 1.285 1.481 1.695 | 2.142 2.391 2.641 | 2.945 3.213 3.623 3.927 | 4.2483 4.6232 5.0694 5.3550 |
| kness, | Thic B. W | 22 23 24 21 22 23 24 | 20 12 13 13 13 13 13 13 13 13 13 13 13 13 13 | 504E | 2110 | 000 | 4.10 01- |

| | 12 | .898 1.020 1.142 1.306 | 1.428 1.714 1.999 2.366 | 2.652 2.938 3.386 3.876 | 4.447 4.896 5.467 6.038 | 6.732 7.344 8.282 8.976 | 9.710 10.567 11.587 12.240 |
|---------------|-------|-----------------------------------|--|--|---|--|--|
| | 1134 | .879 .999 1.119 1.278 | 1.398 1.678 1.958 2.317 | 2.597 2.876 3.316 3.795 | 4.355 4.794 5.353 5.913 | 6.592 7.191 8.110 8.789 | |
| | 11/2 | .860 978 1.095 1.251 | 1.369 1.642 1.916 2.268 | 2.542 2.815 3.245 3.715 | 4.262 4.692 5.239 5.787 | 6.452 7.038 7.937 8.602 | 9.306 10.127 11.104 11.730 |
| | 1134 | .842 .956 1.071 | 1.339 1.607 1.874 2.219 | 2.486 2.754 3.175 3.634 | 4.169 4.590 5.126 5.661 | 6.311 6.885 7.765 8.415 | 9.104 9.306 9.907 10.127 10.863 11.104 11.475 11.730 |
| | = | .823 .935 1.047 1.197 | 1.309 1.571 1.833 2.169 | 2.431 2.693 3.104 3.553 | 4.077 4.488 5.012 5.535 | 6.171 6.732 7.592 8.228 | 8:201 9:104 9:306 9:508 9:687 9:30710.127 10.347 10:622 10:863 11.104 11.346 11.220 11.475 11.730 11.385 |
| | 1034 | .804 .914 1.023 1.170 | 1.279 1.535 1.791 2.120 | 2.376 2.632 3.034 3.472 | 3.984 4.386 4.898 5.409 | 6.031 6.579 7.420 8.041 | 8.699 9.467 10.380 |
| | 101/2 | .785 .893 1.000 1.142 | 1.250 1.499 1.749 2.071 | 2.321 2.570 2.963 3.392 | 3.891 4.284 4.784 5.284 | 5.891 6.426 7.247 7.854 | 8.497 9.246 10.139 10.710 |
| | 10% | .767 .871 .976 1.115 | 1.220 1.464 1.708 2.021 | 2.265 2.509 2.893 3.311 | 3.799 4.182 4.670 5.158 | 5.750 6.273 7.075 7.667 | 8.294 9.026 9.897 0.455 |
| | 10 | .748 .850 .952 1.088 | 1.190 1.428 1.666 1.972 | 2.210 2.448 2.822 3.230 | 3.706 4.080 4.556 5.032 | 5.610 6.120 6.902 7.480 | 8.092 8.806 9.656 |
| | 93.4 | .7293 .8288 .9282 | 1.1603 1.3923 1.6244 1.9227 | 2.1548 2.3868 2.7515 3.1493 | 3.6134 3.9780 4.4421 4.9062 | 5.4698 5.9670 6.7295 7.2930 | 7.8897 8.5859 9.4146 9.9450 |
| CHES | 95.8 | .7200 .8181 .9163 | 1.1454 1.3745 1.6035 1.8981 | 2.1271 2.3562 2.7162 3.1089 | 3.3817 3.4744 3.5207 3.6570 3.6334 3.7230 3.7740 3.8250 3.8760 3.9270 3.9780 4.1874 4.2143 4.2713 4.3282 4.3852 4.4421 4.5917 4.6546 4.7175 4.7804 4.8433 4.9062 | 5.3996 5.8905 6.6432 7.1995 | 7.7886 8.4758 9.2939 9.8175 |
| WIDTH, INCHES | 91/2 | .7106 .8075 .9044 1.0336 | 1.1305 1.3566 1.5827 1.8734 | 2.0995 2.3256 2.6809 3.0685 | 3.5207 3.8760 4.3282 4.7804 | 5.3295 5.8140 6.5569 7.1060 | 7.6874 8.3657 9.1732 9,6900 |
| | 93/8 | .7013 .7969 .8925 1.0200 | 1.1156 1.3388 1.5619 1.8488 | 2.0719 2.2950 2.6456 3.0281 | 3.4744 3.8250 4.2713 4.7175 | 5.1893 5.2594 5.6610 5.7375 6.3844 6.4706 6.9190 7.0125 | 7.5863 8.2556 9.0525 9.5625 |
| | 914 | .6919 .7863 .8806 1.0064 | 1.1008 1.3209 1.5411 1.8241 | 2.0443 2.2644 2.6104 2.9878 | 3.4281 3.7740 4.2143 4.6546 | 5.1893 5.6610 6.3844 6.9190 | 7.4851 8.1456 8.9318 9.4350 |
| | 978 | .6826 .7756 .8687 .9928 | 1.0413 1.0561 1.0710 1.0859 1.2495 1.2674 1.2852 1.3031 1.4578 1.4786 1.4994 1.5202 1.7255 1.7502 1.7748 1.7995 | 1.9890 2.0166 2.0443 2.2032 2.2338 2.2644 2.5398 2.5751 2.6104 2.9070 2.9474 2.9878 | 3.3817 3.7230 4.1574 4.5917 | 5.1191 5.5845 6.2981 6.8255 | 7.3840 8.0355 8.8111 9.3075 |
| | 6 | .6732 .7650 .8568 .9792 | 1.0710 1.2852 1.4994 1.7748 | 1.9890 2.2032 2.5398 2.9070 | 3.2428 3.2891 3.3354 3.5700 3.6210 3.6720 3.9865 4.0435 4.1004 4.4030 4.4659 4.5288 | 4.9088 4.9789 5.0490 5.3550 5.4315 5.5080 6.0393 6.1255 6.2118 6.5450 6.6385 6.7320 | 7.2828 7.9254 8.6904 9.1800 |
| | 8/8 | .6639 .7544 .8449 | 1.0561 1.2674 1.4786 1.7502 | 1.9614 2.1726 2.5045 2.8666 | 3.2891 3.6210 4.0435 4.4659 | 4.9789 5.4315 6.1255 6.6385 | 7.1817 7.8153 8.5697 9.0525 |
| | 83.4 | .6545 .7438 .8330 | 1.0413 1.2495 1.4578 1.7255 | 1.9061 1.9338 1.9614 2.1114 2.1420 2.1726 2.4340 2.4693 2.5045 2.7859 2.8263 2.8666 | 3.2428 3.5700 3.9865 4.4030 | 4.9088 5.3550 6.0393 6.5450 | 7.0805 7.7053 8.4490 8.9250 |
| | 858 | .6452 .7331 .8211 .9384 | 1.0264 1.2317 1.4369 1.7009 | 1.9061 2.1114 2.4340 2.7859 | 3.1964 3.5190 3.9296 4.3401 | 4.7685 4.8386 5.2020 5.2785 5.8667 5.9530 6.3580 6.4515 | 6.9794 7.5952 8.3283 8.7975 |
| | 81/2 | .6358 .7225 .8092 .9248 | 9966 1.0115 1.0264 1.0413 1.0561 1.0710 1.0859 1.1008 1.1156 1.1305 1.1454 1.1960 1.2138 1.2217 1.2495 1.2862 1.2802 1.3031 1.3209 1.3388 1.35661.3745 1.3853 1.4161 1.4369 1.4578 1.4786 1.4994 1.5202 1.5411 1.5619 1.5877 1.6035 1.6516 1.6702 1.7009 1.7255 1.7762 1.7748 1.7795 1.8241 1.8488 1.8734 1.8991 | 1.8785 2.0808 2.3987 2.7455 | 3.1501 3.4680 73.8726 84.2772 | 4.7685 5.2020 5.8667 6.3580 | 6.8782 6.9734 7.0805 7.1817 7.2828 7.3840 7.4851 7.5863 7.6874 7.7886 7.8897 8.092 17.4851 7.5852 7.7053 7.2153 7.2254 8.0355 8.1456 8.2556 8.3667 8.4788 8.5859 8.806 8.2076 8.3283 8.4490 8.5697 8.6904 8.8111 8.3918 9.0525 9.1752 9.2399 9.4146 9.556 8.6700 8.7975 8.9250 9.0525 9.1800 9.3075 9.4350 9.565 9.6000 9.8175 9.3959 9.4146 9.556 |
| | 800 | .6265 .7119 .7973 .9112 | .9966 1.1960 1.3953 1.6516 | 1.8509 2.0502 2.3634 2.7051 | 0111] 3.0575 3.1038 3.1501 3.1964 2.2428 3.2891 3.3354 3.3817 3.4281 3.4744 3.5267 3.5670 3.6134 3.1503.38603.41703.482903.55900 3.62103.877403.82503.87603.39770 3.9780 3.77803.77803.82503.87803.87803.77803.878803.87803.87803.87803.87803.87803.878833.87803.878833.87803.878833.87803.878833.87803.878833.87803.8788333.878833.8788333.8788333.8788333.878833333333 | 4.6984 5.1255 5.7804 6.2645 | 6.5748 6.6759 6.7771 6.8782 6.9794 7.0805 7.1817 7.2828 7.3840 7.4851 7.5863 7.6874 7.7886 7.8897 7.1549 7.2850 7.3750 7.4851 7.5853 7.4851 7.5853 7.4851 7.5853 7.4851 7.2850 7.4851 7.2850 7.4851 7.2850 7.2 |
| | 814 | .6171 .7013 .7854 .8976 | .9818 1.1781 1.3745 1.6269 | 2.0196 2.3282 2.6648 | 3.0575 3.3660 3.7587 4.1514 | ST 10 10 60 | 6.5748 6.6759 6.7771 7.1549 7.2650 7.3750 7.8455 7.9662 8.0869 8.2875 8.4150 8.5425 |
| | 878 | .6078 .6906 .7735 8840 | .9669 1.1603 1.3536 1.6023 | 1.7956 1.9890 2.2929 2.6244 | 3.3150 3.3150 3.7018 4.0885 | 4.5581 4.9725 5.6079 6.0775 | 6.5748 7.1549 7.8455 8.2875 |
| nesa, | Thick | 23 24 | 20 119 17 | 51775 | 1112 | 0.48 | 4200 |

Widths from 121 Inches to 81 Inches WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot TABLE III-Thickness in Gages from No. 12 to No. 1.

| | 1734 | 6.58 7.24 8.09 8.93 | 9.96 10.86 12.25 13.28 | 14.36 15.63 17.14 18.11 | 231/2 | 8.71 9.59 10.71 11.83 | 13.18 14.38 16.22 17.58 | 19.02 20.69 22.69 23.97 |
|---------------|-------|------------------------------|---------------------------------|----------------------------------|-------|--------------------------------|----------------------------------|----------------------------------|
| | 171/2 | 6.49 7.14 7.97 8.81 | 9.82 10.71 12.08 13.09 | 14.16 15.41 16.90 17.85 | 231/4 | 8.62 9.49 10.59 11.70 | 13.04 14.23 16.05 17.39 | 18.81 20.47 22.45 23.72 |
| | 171/4 | 6.39 7.04 7.86 8.68 | 9.68 10.56 11.91 12.90 | 13.96 15.19 16.66 17.60 | 23 | 8.52 9.38 10.48 11.57 | 12.90 14.08 15.87 17.20 | 18.61 20.25 22.21 23.46 |
| | 17 | 6.30 6.94 7.75 8.55 | 9.54 10.40 11.73 12.72 | 13.76 14.97 16.42 17.34 | 2234 | 8.43 9.28 10.36 11.45 | 12.76 13.92 15.70 17.02 | 18.41 20.03 21.97 23.21 |
| | 1634 | 6.21 6.83 7.63 8.43 | 9.40 10.25 11.56 12.53 | 13.55 14.75 16.17 17.09 | 221/2 | 8.34 9.18 10.25 11.32 | 12.62 13.77 15.53 16.83 | 18.21 19.81 21.73 22.95 |
| | 161/2 | 6.11 6.73 7.52 8.30 | 9.26 10.10 11.39 12.34 | 13.35 14.53 15.93 16.83 | 221/4 | 8.25 9.08 10.14 11.20 | 12.48 13.62 15.36 16.64 | 18.00 19.59 21.48 22.70 |
| | 1614 | 6.02 6.63 7.40 8.18 | 9.12 9.95 11.22 12.16 | 13.15 14.31 15.69 16.58 | 22 | 8.15 8.98 10.02 11.07 | 12.34 13.46 15.18 16.46 | 17.80 19.37 21.24 22.44 |
| | 91 | 5.93 6.53 7.29 8.05 | 8.98 9.79 11.04 11.97 | 12.95 14.09 15.45 16.32 | 2134 | 8.06 8.87 9.91 | 12.20 13.31 15.01 16.27 | 17.60 19.15 21.00 22.19 |
| | 1534 | 5.84 6.43 7.18 7.93 | 8.84 9.64 10.87 11.78 | 12.74 13.87 15.21 16.07 | 211/2 | 7.97 8.77 9.80 10.82 | 12.06 13.16 14.84 16.08 | 17.40 18.93 20.76 21.93 |
| | 151/2 | 5.74 6.32 7.06 7.80 | 8.70 9.49 10.70 11.59 | 12.54 13.65 14.97 15.81 | 211/4 | 7.88 8.67 9.68 10.69 | 11.92 13.01 14.67 15.90 | 17.20 18.71 20.52 21.68 |
| CHES | 151/4 | 5.65 6.22 6.95 7.67 | 8.56 9.33 10.53 11.41 | 12.34 13.43 14.73 15.56 | 21 | 7.78 8.57 9.57 10.57 | 11.78 12.85 14.49 15.71 | 16.99 18.49 20.28 21.42 |
| WIDTH, INCHES | 15 | 5.56 6.12 6.83 7.55 | 8.42 9.18 10.35 11.22 | 12.14 13.21 14.48 15.30 | 2634 | 7.69 8.47 9.45 10.44 | 11.64 12.70 14.32 15.52 | 16.79 18.27 20.04 21.17 |
| WID | 1434 | 5.47 6.02 6.72 7.42 | 8.27 9.03 10.18 11.03 | 11.94 12.99 14.24 15.05 | 201/2 | 7.60 8.36 9.34 10.32 | 11.50 12.55 14.15 15.33 | 16.59 18.05 19.79 20.91 |
| | 141/2 | 5.37 5.92 6.61 7.30 | 8.13 8.87 10.01 10.85 | 11.73 12.77 14.00 14.79 | 2014 | 7.50 8.26 9.23 10.19 | 11.36 12.39 13.98 15.15 | 16.39 17.83 19.55 20.66 |
| | 141/4 | 5.28 5.81 6.49 7.17 | 7.99 8.72 9.84 10.66 | 11.53 12.55 13.76 14.54 | 20 | 7.41 8.16 9.11 10.06 | 11.22 12.24 13.80 14.96 | 16.18 17.61 19.31 20.40 |
| | 14 | 5.19 5.71 6.38 7.04 | 7.85 8.57 9.66 10.47 | 11.33 12.33 13.52 14.28 | 1934 | 7.32 8.06 9.00 9.94 | 11.08 12.09 13.63 14.77 | 15.98 17.39 19.07 20.15 |
| | 1334 | 5.10 5.61 6.26 6.92 | 7.71 8.42 9.49 10.29 | 11.13 12.11 13.28 14.03 | 191/2 | 7.23 7.96 8.88 9.81 | 10.94 11.93 13.46 14.59 | 15.78 17.17 18.83 19.89 |
| | 131/2 | 5.00 5.51 6.15 6.79 | 7.57 8.26 9.32 10.10 | 10.92 11.89 13.04 13.77 | 1914 | 7.13 7.85 8.77 9.69 | 10.80 11.78 13.29 14.40 | 15.58 16.95 18.59 19.64 |
| į. | 1314 | 4.91 5.41 6.04 6.67 | 7.43 8.11 9.15 9.91 | 10.72 11.67 12.79 13.52 | 19 | 7.04 7.75 8.66 9.56 | 10.66 11.63 13.11 14.21 | 15.37 16.73 18.35 19.38 |
| | 13 | 4.82 5.30 5.92 6.54 | 7.29 7.96 8.97 9.72 | 10.52 11.45 12.55 13.26 | 1834 | 6.95 7.65 8.54 9.44 | 10.52 11.48 12.94 14.03 | 15.17 16.51 18.11 19.13 |
| | 1234 | 4.73 5.20 5.81 6.42 | 7.15 7.80 8.80 9.54 | 10.32 11.23 12.31 13.01 | 181/2 | 6.86 7.55 8.43 9.31 | 10.38 11.32 12.77 13.84 | 14.97 16.29 17.86 18.87 |
| | 121/2 | 4.63 5.10 5.70 6.29 | 7.01 7.65 8.63 9.35 | 10.12 11.01 12.07 12.75 | 181/4 | 6.76 7.45 8.31 9.18 | 10.24 11.17 12.60 13.65 | 14.77 16.07 17.62 18.62 |
| | 121/4 | 4.54 5.00 5.58 6.16 | 6.87 7.50 8.45 9.16 | 9.91 10.79 11.83 12.50 | 20 | 6.67 7.34 8.20 9.06 | 10.10 11.02 12.42 13.46 | 14.57 15.85 17.38 18.36 |
| kness, | Thic | 112 | 2 2 9 2 9 | 4861- | | 2110 9 | 8799 | 422- |

| ·n · · | B' L | 2100 | e 2 9 9 | 4 W CI = | | 3012 | 01878 | 4801- |
|---------------|---------|----------------------------------|--|----------------------------------|---------|----------------------------------|----------------------------------|----------------------------------|
| | 2334 | 8.80 9.69 10.82 11.95 | 13.32 14.54 16.39 17.77 | 19.22 20.91 22.93 24.23 | 291/2 | 10.93 12.04 13.44 14.84 | 16.55 18.05 20.36 22.07 | 23.87 25.98 28.49 30.09 |
| | 24 | 8.89 9.79 10.93 12.08 | 13.46 14.69 16.56 17.95 | 19.42 21.13 23.17 24.48 | 2934 | 11.03 12.14 13.55 14.97 | 16.69 18.21 20.53 22.25 | 24.07 26.20 28.73 30.35 |
| | 2414 | 8.99 9.89 11.05 12.20 | 13.60 14.84 16.74 18.14 | 19.62 21.35 23.42 24.74 | 30 | 11.12 12.24 13.67 15.10 | 16.83 18.36 20.71 22.44 | 24.28 26.42 28.97 30.60 |
| | 241/2 | 9 08 10.00 11.16 12.33 | 13.74 14.99 16.91 18.33 | 19.83 21.57 23.66 24.99 | 3014 | 11.21 12.34 13.78 15.22 | 16.97 18.51 20.88 22.63 | 24.48 26.64 29.21 30.86 |
| | 2434 | 9.17 10.10 11.28 12.45 | 13.88 15.15 17.08 18.51 | 20.03 21.79 23.90 25.25 | 301/2 | 11.30 12.44 13.90 15.35 | 17.11 18.67 21.05 22.81 | 24.68 26.86 29.45 31.11 |
| | 25 | 9.27 10.20 11.39 12.58 | 14.03 15.30 17.26 18.70 | 20.23 22.02 24.14 25.50 | 3034 | 11.40 12.55 14.01 15.47 | 17.25 18.82 21.22 23.00 | 24.88 27.08 29.69 31.37 |
| | 2514 | 9.36 10.30 11.50 12.71 | 14.17 15.45 17.43 18.89 | 20.43 22.24 24.38 25.76 | 31 | 11.49 12.65 14.12 15.60 | 17.39 18.97 21.40 23.19 | 25.09 27.30 29.93 31.62 |
| | 25/2 | 9.45 10.40 11.62 12.83 | 14.31 15.61 17.60 19.07 | 20.63 22.46 24.62 26.01 | 311/4 | 11.58 12.75 14.24 15.73 | 17.53 19.13 21.57 23.38 | 25.29 27.52 30.18 31.88 |
| | 2534 | 9.54 10.51 11.73 12.96 | 14.45 15.76 17.77 19.26 | 20.84 22.68 24.86 26.27 | 311/2 | 11.67 12.85 14.35 15.85 | 17.67 19.28 21.74 23.56 | 25.49 27.74 30.42 32.13 |
| | 26 | 9.64 10.61 11.85 13.08 | 14.59 15.91 17.95 19.45 | 21.04 22.90 25.11 26.52 | 3134 | 11.77 12.95 14.47 15.98 | 17.81 19.43 21.91 23.75 | 25.69 27.96 30.66 32.39 |
| WIDTH, INCHES | 767 | 9.73 10.71 11.96 13.21 | 14.73 16.07 18.12 19.64 | 21.24 23.12 25.35 26.78 | 32 | 11.86 13.06 14.58 16.10 | 17.95 19.58 22.09 23.94 | 25.89 28.18 30.90 32.64 |
| I, INC. | 261/2 | 9.82 10.81 12.07 13.33 | 14.87 16.22 18.29 19.82 | 21.44 23.34 25.59 27.03 | 321/4 | 11.95 13.16 14.69 16.23 | 18.09 19.74 22.26 24.12 | 26.10 28.40 31.14 32.90 |
| HES | 2634 | 9.91 10.91 12.19 13.46 | 15.01 16.37 18.46 20.01 | 21.65 23.56 25.83 27.29 | 321/2 | 12.04 13.26 14.81 16.35 | 18.23 19.89 22.43 24.31 | 26.30 28.62 31.38 33.15 |
| | 27 | 10.01 11.02 12.30 13.59 | 15.15 16.52 18.64 20.20 | 21.85 23.78 26.07 27.54 | 3234 | 12.14 13.36 14.92 16.48 | 18.37 20.04 22.60 24.50 | 26.50 28.84 31.62 33.41 |
| | 271/4 2 | 10.10 11.12 12.42 13.71 | 15.29 16.68 18.81 20.38 | 22.05 24.00 26.31 27.80 | 33 3 | 12.23 13.46 15.03 16.61 | 20.20 20.20 22.78 24.68 | 26.70 29.06 31.86 33.66 |
| | 271/2 2 | 10.19 11.22 12.53 13.84 | 15.43 16.83 18.98 20.57 | 22.25 24.22 26.55 28.05 | 3314 3 | 12.32 13.57 15.15 16.73 | 18.65 20.35 22.95 24.87 | 26.91 29.28 32.11 33.92 |
| | 273.4 | 10.28 11.32 12.64 13.96 | 15.57 16.98 19.15 20.76 | 22.46 24.44 26.80 28.31 | 331/2 3 | 12.42 13.67 15.26 16.86 | 18.79 20.50 23.12 25.06 | 27.11 29.50 32.35 34.17 |
| | 28 2 | 10.38 11.42 12.76 14.09 | 15.71 17.14 19.33 20.94 | 22.66 24.66 27.04 28.56 | 3334 | 12.51 13.77 15.38 16.98 | 18.93 20.66 23.29 25.25 | 27.31 29.72 32.59 34.43 |
| | 2814 2 | 10.47 11.53 12.87 14.22 | 15.85 1 17.29 1 19.50 1 21.13 | 22.86 24.88 27.28 28.82 | 34 | 12.60 13.87 15.49 17.11 | 20.81 23.47 25.43 | 27.51 29.94 32.83 34.68 |
| | 281/2 2 | 10.56 11.63 12.98 14.34 | 15.99 17.44 19.67 21.32 | 23.06 25.10 27.52 29.07 | 341/4 3 | 12.69 13.97 15.60 17.23 | 19.21 20.96 23.64 25.62 | 27.72 30.16 33.07 34.94 |
| | 2834 | 10.65 11.73 13.10 14.47 | 16.13 17.60 19.84 21.51 | 23.26 25.32 27.76 29.33 | 341/2 3 | 12.79 14.08 15.72 17.36 | 19.35 21.11 23.81 25.81 | 27.92 30.38 33.31 35.19 |
| | 29 2 | 10.75 11.83 13.21 14.59 | 16.27 17.75 20.02 21.69 | 23.47 25.54 28.00 29.58 | 343/4 | 12.88 14.18 15.83 17.49 | 21.27 23.38 25.99 | 28.12 30.60 33.55 35.45 |
| | 2914 | 10.84 11.93 13.33 | 16.41 17.90 20.19 21.88 | 23.67 25.76 28.24 29.84 | 35 | 12.97 14.28 15.95 17.61 | 19.64 21.42 24.16 26.18 | 28.32 30.82 33.80 35.70 |

37.63 40.95 44.90 47.43 17.23 18.97 21.19 23.40 26.09 28.46 32.09 34.78 15.10 16.63 18.57 20.51 22.86 24.94 28.13 30.48 55 88 88 55 461 403 33.35. 25.95 28.31 31.92 34.60 37.43 40.73 44.66 47.18 15.01 16.52 18.45 20.38 22.72 24.79 27.95 30.29 32.77 35.66 39.11 41.31 17.14 18.87 21.07 23.27 4634 401 37.22 40.51 44.42 46.92 22.58 24.63 27.78 30.11 14.92 16.42 18.34 20.25 32.57 35.44 38.87 41.06 17.05 18.77 20.96 23.15 25.81 28.15 31.75 34.41 40 37.02 40.29 44.18 46.67 22.44 24.48 27.61 29.92 84.67 25.67 28.00 31.58 34.22 14.82 16.32 18.22 20.13 32.37 35.22 38.62 40.80 40 16.20.23. 14.73 16.22 18.11 20.00 36.82 40.07 43.93 46.41 32.17 35.00 38.38 40.55 16.86 18.56 20.73 22.90 3433 8.4.8 393 45 24.22 31 33 36.62 39.85 43.69 46.16 22.16 24.17 27.26 29.55 31.96 34.78 38.14 40.29 25.39 27.69 31.23 33.85 14.64 16.12 18.00 19.88 16.77 18.46 20.62 22.77 101 4514 391 16.68 18.36 20.50 22.64 25.25 27.54 31.06 33.66 4848 14.55 16.01 17.88 19.75 8,888 31.76 34.56 37.90 40.04 45 39.0 22.42.83 391 36.21 39.41 43.21 45.65 14.45 15.91 17.77 19.62 21.88 23.87 26.92 29.17 .56 .34 .66 .78 16.58 18.26 20.39 22.52 25.10 27.39 30.89 33.47 4434 34.33 24.96 27.23 30.71 33.29 16.49 18.16 20.27 22.39 39.7 21.74 23.72 26.75 28.99 31.36 34.12 37.42 39.53 55 65 65 36.0 39.3 42.6 45.5 383 15. 44 31.15 33.90 37.18 39.27 35.81 38.97 42.73 45.14 16.40 18.05 20.16 22.27 24.82 27.08 30.54 33.10 21.60 23.56 26.57 28.80 14.27 15.71 17.54 19.37 4434 381 14.18 15.61 17.43 19.25 21.46 23.41 26.40 28.61 30.95 33.68 36.93 39.02 16.31 17.95 20.05 22.14 24.68 26.93 30.37 32.91 35.60 38.75 42.49 44.88 WIDTH, INCHES 4 38 21.32 23.26 26.23 28.42 30.75 33.46 36.69 38.76 14.08 15.50 17.31 19.12 16.21 17.85 19.93 22.02 24.54 26.78 30.20 32.73 **4 55 56 58** 4334 38 335.4 16.12 17.75 19.82 21.89 21.18 23.10 26.06 28.24 30.55 33.24 36.45 38.51 8888 35.20 38.31 42.00 44.37 13.99 15.40 17.20 19.00 373 24.7 26.0 30.0 32.5 43 82228 16.03 17.65 19.70 21.76 21.04 22.95 25.88 28.05 13.90 15.30 17.09 18.87 26 47 85 35 35.00 38.09 41.76 44.12 101 37 38.33 43 24.2 26.2 32.3 20.90 22.80 25.71 27.86 848 15.94 17.54 19.59 21.64 16832 86 52 83 13.80 15.20 16.97 18.74 3714 32.83 24. 34.8 37.8 41.5 43.8 20.76 22.64 25.54 27.68 29.94 32.58 35.73 37.74 4 4 8 4 5 98 16 51 51 34.59 37.65 41.28 43.61 13.71 15.10 16.86 18.62 423 37 15.17. 31.83 29.74 32.36 35.49 37.49 13.62 14.99 16.74 18.49 20.62 22.49 25.36 27.49 34 38 38338 8448 363 42 15.7 19.2 21.2 28.28 37. 29.54 32.14 35.24 37.23 23.70 25.86 29.16 31.60 20.48 22.34 25.19 27.30 15.66 17.24 19.25 21.26 34.19 37.21 40.80 43.10 13.53 14.89 16.63 18.37 361 42 29.33 31.92 35.00 36.98 15.57 17.14 19.14 21.13 23.56 25.70 28.99 31.42 12 83 34 13.43 14.79 16.52 18.24 33.99 36.99 40.56 42.84 22.02.0 36 29.13 31.70 34.76 36.72 13.34 14.69 16.40 18.12 20.20 22.03 24.85 26.93 15.47 17.03 19.02 21.01 24888 33.78 36.77 40.31 42.59 4134 36 31.88.53 28.93 31.48 34.52 36.47 13.25 14.59 16.29 17.99 20.06 21.88 24.67 26.74 15.38 16.93 18.91 20.88 8848 337458 411/2 353 3 53 53 53 38.74 19.92 21.73 24.50 26.55 28.73 31.26 34.28 36.21 15.29 16.83 18.79 20.76 13.16 14.48 16.17 17.86 88338 4174 351 3883 33.33. 33.18 36.10 39.59 41.82 15.19 16.73 18.68 20.63 13.06 14.38 16.06 17.74 19.78 21.57 24.33 26.37 28.52 31.04 34.04 35.96 66 89 3514 888 B. W. G. 00 10 00 10 4 MOIT 9012 3112 Thickness,

| Jicknesa, W. G. | 2200 | 200 | 480- | | 2126 | 00 M | 4 10 01 F |
|--------------------------------|----------------------------------|----------------------------------|----------------------------------|-------|----------------------------------|----------------------------------|----------------------------------|
| 463/ | 17.33 19.07 21.30 23.52 | 26.23 28.61 32.27 34.97 | 37.83 41.17 45.14 47.69 | 521/2 | 19.46 21.42 23.92 26.42 | 29.45 32.13 36.24 39.27 | 42.48 46.23 50.69 53.55 |
| 47 | 17.42 19.18 21.41 23.65 | 26.37 28.76 32.44 35.16 | 38.03 41.39 45.38 47.94 | 5234 | 19.55 21.52 24.03 26.54 | 29.59 32.28 36.41 39.46 | 42.69 46.45 50.94 53.81 |
| 4714 | | 26.51 28.92 32.61 35.34 | 38.23 41.61 45.62 48.20 | 133 | 19.64 21.62 24.15 26.67 | 29.73 32.44 36.58 39.64 | 42.89 46.67 51.18 54.06 |
| 471% | | 26.65 29.07 32.78 35.53 | 38.44 41.83 45.87 48.45 | 5314 | 19.73 21.73 24.26 26.80 | 29.87 32.59 36.75 39.83 | 43.09 46.89 51.42 54.32 |
| 473% | 17.70 19.48 21.75 24.03 | 26.79 29.22 32.96 35.72 | 38.64 42.05 46.11 48.71 | 531/2 | 19.83 21.83 24.37 26.92 | 30.01 32.74 36.93 40.02 | 43.29 47.11 51.66 54.57 |
| | 17.79 19.58 21.87 24.15 | 26.93 29.38 33.13 35.90 | 38.84 42.27 46.35 48.96 | 53% | 19.92 21.93 24.49 27.05 | 30.15 32.90 37.10 40.21 | 43.49 47.33 51.90 54.83 |
| 4814 | 17.88 19.69 21.98 24.28 | 27.07 29.53 33.30 36.09 | 39.04 42.49 46.59 49.22 | 24 | 20.01 22.03 24.60 27.17 | 30.29 33.05 37.27 40.39 | 43.70 47.55 52.14 55.08 |
| 481/2 | 17.97 19.79 22.10 24.41 | 27.21 29.68 33.47 36.28 | 39.25 42.71 46.83 49.47 | 541/4 | 20.11 22.13 24.72 27.30 | 30.43 33.20 37.44 40.58 | 43.90 47.77 52.38 55.34 |
| 4834 | 18.07 19.89 22.21 24.53 | 27.35 29.84 33.65 36.47 | 39.45 42.93 47.07 49.73 | 541/2 | 20.20 22.24 24.83 27.42 | 30.57 33.35 37.62 40.77 | 44.10 47.99 52.63 55.59 |
| 49 | 18.16 19.99 22.32 24.66 | 27.49 29.99 33.82 36.65 | 39.65 43.15 47.31 49.98 | 5434 | 20.29 22.34 24.94 27.55 | 30.71 33.51 37.79 40.95 | 44.30 48.21 52.87 55.85 |
| WID7 | 18.25 20.09 22.44 24.78 | 27.63 30.14 33.99 36.84 | 39.85 43.37 47.56 50.24 | 22 | 20.38 22.44 25.06 27.68 | 30.86 33.66 37.96 41.14 | 44.51 48.43 53.11 56.10 |
| WIDTH, INCHES 91/491/491/491/4 | 18.34 20.20 22.55 24.91 | 27.77 30.29 34.16 37.03 | 40.06 43.59 47.80 50.49 | 5514 | 20.48 22.54 25.17 27.80 | 31.00 33.81 38.13 41.33 | 44.71 48.65 53.35 56.36 |
| CHES 49% | 18.44 20.30 22.67 25.03 | 27.91 30.45 34.34 37.21 | 40.26 43.81 48.04 50.75 | 551/2 | 20.57 22.64 25.29 27.93 | 31.14 33.97 38.31 41.51 | 44.91 48.87 53.59 56.61 |
| 20 | 18.53 20.40 22.78 25.16 | 28.05 30.60 34.51 37.40 | 40.46 44.03 48.28 51.00 | 5534 | 20.66 22.75 25.40 28.05 | 31.28 34.12 38.48 41.70 | 45.11 49.09 53.83 56.87 |
| 501/4 | 18.62 20.50 22.89 25.29 | 28.19 30.75 34.68 37.59 | 40.66 44.25 48.52 51.26 | 99 | 20.75 22.85 25.51 28.18 | 31.42 34.27 38.65 41.89 | 45.32 49.31 54.07 57.12 |
| 501/2 | 18.72 20.60 23.01 25.41 | 28.33 30.91 34.86 37.77 | 40.86 44.47 48.76 51.51 | 2614 | 20.85 22.95 25.63 28.31 | 31.56 34.43 38.82 42.08 | 45.52 49.53 54.32 57.38 |
| 5034 | 20.71 23.12 25.54 | 28.47 31.06 35.03 37.96 | 41.07 44.69 49.00 51.77 | 2/99 | 20.94 23.05 25.74 28.43 | 31.70 34.58 39.00 42.26 | 45.72 49.75 54.56 57.63 |
| 19 | 18.90 20.81 23.24 25.66 | 28.61 31.21 35.20 38.15 | 41.27 44.91 49.25 52.02 | 2694 | 21.03 23.15 25.86 28.56 | 31.84 34.73 39.17 42.45 | 45.92 49.97 54.80 57.89 |
| 51% | 18.99 20.91 23.35 25.79 | 28.75 31.37 35.37 38.34 | 41.47 45.13 49.49 52.28 | 29 | 21.12 23.26 25.97 28.68 | 31.98 34.88 39.34 42.64 | 46.12 50.19 55.04 58.14 |
| 511/3 | 19.09 21.01 23.46 25.91 | 28.89 31.52 35.55 38.52 | 41.67 45.35 49.73 52.53 | 571/4 | 21.22 23.36 26.08 28.81 | 32.12 35.04 39.51 42.82 | 46.33 50.41 55.28 58.40 |
| 513/ | 19.18 21.11 23.58 26.04 | 29.03 31.67 35.72 38.71 | 41.88 45.57 49.97 52.79 | 577/3 | 21.31 23.46 26.20 29.93 | 32.26 35.19 39.69 43.01 | 46.53 50.63 55.52 58.65 |
| 52 | 19.27 21.22 23.69 26.17 | 29.17 31.82 35.89 38.90 | 42.08 45.79 50.21 53.04 | 5734 | 21.40 23.56 26.31 29.06 | 32.40 35.34 39.86 43.20 | 46.73 50.85 55.76 58.91 |
| 521/4 | 19.36 21.32 23.81 26.29 | 29.31 31.98 36.06 39.08 | 42.28 46.01 50.45 53.30 | 28 | 21.49 23.66 26.42 29.19 | 32.54 35.50 40.03 43.38 | 46.93 51.07 56.00 59.18 |

| | 6334 | 23.63 26.01 29.04 32.08 | 35.76 39.02 44.00 47.69 | 51.59 56.14 61.56 65.03 | 691/2 | 25.76 28.36 31.66 34.97 | 38.99 42.53 47.97 51.99 | 56.24 61.20 67.11 70.89 |
|-----------------|-------|----------------------------------|----------------------------------|----------------------------------|---------------|----------------------------------|--------------------------------------|--------------------------------------|
| | 631/2 | 23.53 25.91 28.93 31.95 | 35.62 38.86 43.83 47.50 | 51.38 55.92 61.32 64.77 | 691/4 | 25.66 28.25 31.55 34.85 | 38.85 42.38 47.80 51.80 | 56.04 60.98 66.87 70.64 |
| | 6314 | 23.44 25.81 28.82 31.83 | 35.48 38.71 43.66 47.31 | 51.18 55.70 61.07 64.52 | 69 | 25.57 28.15 31.44 34.72 | 38.71 42.23 47.62 51.61 | 55.83 60.76 66.63 70.38 |
| | 63 | 23.35 25.70 28.70 31.70 | 35.34 38.56 43.48 47.12 | 50.98 55.48 60.83 64.26 | 6834 | 25.48 28.05 31.32 34.60 | 38.57 42.08 47.45 51.43 | 55.63 60.54 66.39 70.13 |
| | 6234 | 23.26 25.60 28.59 31.58 | 35.20 38.40 43.31 46.94 | 50.78 55.26 60.59 64.01 | 681/2 | 25.39 27.95 31.21 34.47 | 38.43 41.92 47.28 51.24 | 54.43 60.32 66.14 69.87 |
| | 623/2 | 23.16 25.50 28.48 31.45 | 35.06 38.25 43.14 46.75 | 50.58 55.04 60.35 63.75 | 681/4 | 25.29 27.85 31.09 34.34 | 38.29 41.77 47.11 51.05 | 55.23 60.10 65.90 69.62 |
| | 621/4 | 23.07 25.40 28.36 31.32 | 34.92 38.10 42.96 46.56 | 50.37 54.82 60.11 63.50 | 89 | 25.20 27.74 30.98 34.22 | 38.15 41.62 46.93 50.86 | 55.03 59.88 65.66 69.36 |
| | 62 | 22.98 25.30 28.25 31.20 | 34.78 37.94 42.79 46.38 | 50.17 54.60 59.87 63.24 | 673/4 | 25.11 27.64 30.87 34.09 | 38.01 41.46 46.76 50.68 | 54.82 59.66 65.42 69.11 |
| | 6134 | 22.88 25.19 28.13 31.07 | 34.64 37.79 42.62 46.19 | 49.97 54.38 59.63 62.99 | 671/2 | 25.02 27.54 30.75 33.97 | 37.87 41.31 46.59 50.49 | 54.62 59.44 65.18 68.85 |
| | 611/2 | 22.79 25.09 28.02 30.95 | 34.50 37.64 42.45 46.00 | 49.77 54.16 59.38 62.73 | 671/4 | 24.92 27.44 30.64 33.84 | 37.73 41.16 46.42 50.30 | 54.42 59.22 64.94 68.60 |
| CHES | 611/4 | 22.70 24.99 27.91 30.82 | 34.36 37.49 42.27 45.82 | 49.56 53.94 59.14 62.48 | 29 | 24.83 27.34 30.53 33.71 | 37.59 41.00 46.24 50.12 | 54.22 59.00 64.70 68.34 |
| WIDTH, INCHES | 19 | 22.61 24.89 27.79 30.70 | 34.22 37.33 42.10 45.63 | 49.36 53.72 58.90 62.22 | 663 4 | 24.74 27.23 30.41 33.59 | 37.45 40.85 46.07 49.93 | 54.01 58.78 64.45 68.09 |
| WID | 6034 | 22.51 24.79 27.68 30.57 | 34.08 37.18 41.93 45.44 | 49.16 53.50 58.66 61.97 | 661/2 | 24.64 27.13 30.30 33.46 | 37.31 40.70 45.90 49.74 | 53.81 58.56 64.21 67.83 |
| | 601/2 | 22.42 24.68 27.56 30.44 | 33.94 37.03 41.76 45.25 | 48.96 53.28 58.42 61.71 | 66 1/4 | 24.55 27.03 30.18 33.34 | 37.17 40.55 45.73 49.56 | 53.61 58.34 63.97 67.58 |
| | 6014 | 22.33 24.58 27.45 30.32 | 33.80 36.87 41.58 45.07 | 48.75 53.06 58.18 61.46 | 99 | 24.46 26.93 30.07 33.21 | 37,03 40.39 45.55 49.37 | 53.41 58.12 63.73 67.32 |
| | 09 | 22.24 24.48 27.34 30.19 | 33.66 36.72 41.41 44.88 | 48.55 52.84 57.94 61.20 | 6534 | 24.37 26.83 29.96 33.09 | 36.89 40.24 45.38 49.18 | 53.20 57.90 63.49 67.07 |
| | 5934 | 22.14 24.38 27.22 30.07 | 33.52 36.57 41.24 44.69 | 48.35 52.62 57.69 60.95 | 651/2 | 24.27 26.72 29.84 32.96 | 36.75 40.09 45.21 48.99 | 53.00 57.68 63.25 66.81 |
| | 591/2 | 22.05 24.28 27.11 29.94 | 33.38 36.41 41.07 44.51 | 48.15 52.40 57.45 60.69 | 651/4 | 24.18 26.62 29.73 32.83 | 36.61 39.93 45.04 48.81 | 52.80 57.46 63.01 66.56 |
| | 5914 | 21.96 24.17 26.99 29.81 | 33.24 36.26 40.89 44.32 | 52.18 57.21 57.21 60.44 | 65 | 24.09 26.52 29.61 32.71 | 36.47 39.78 44.86 48.62 | 52.60 57.24 62.76 66.30 |
| | 29 | 24.07 24.07 26.88 29.69 | 33.10 36.11 40.72 44.13 | 47.74 51.96 56.97 60.18 | 6434 | 24.00 26.42 32.58 | 36.32 7 39.63 44.69 5 48.43 | 52.40 57.02 66.05 |
| | 5834 | 23.97 23.97 26.77 29.56 | 32.96 35.96 40.55 43.95 | 47.54 51.74 56.73 59.93 | 641/2 | 23.90 26.32 29.39 32.46 | 36.18 39.47 44.52 48.25 | 52.19 56.80 62.28 1 65.79 |
| | 581/2 | 23.87 23.87 26.65 29.44 | 32.82 35.80 40.38 | 47.34 51.52 56.49 59.67 | 641/4 | 23.81 26.21 29.27 32.33 | 36.04 39.32 44.35 7 48.06 | 51.99 5 56.58 62.04 8 65.54 |
| | 5814 | 21.59 23.77 26.54 29.31 | 32.68 35.65 40.20 43.57 | 47.14 51.29 56.25 59.42 | 64 | 23.72 26.11 29.16 32.20 | 35.90 39.17 44.17 47.87 | 51.79 56.36 61.80 65.28 |
| V. G. ckness | Thi | 21112 | 82-919 | 480- | | 2110 | 87.99 | 4 W C/- |

| CKness, | B° A | 117 10 9 | 8799 | 4881- | | 2110 | 8799 | 4801 |
|---------------|-------|----------------------------------|----------------------------------|----------------------------------|-------|----------------------------------|----------------------------------|----------------------------------|
| | 6934 | 25.85 28.46 31.78 35.10 | 39.13 42.69 48.14 52.17 | 56.44 61.42 67.35 71.15 | 751/2 | 27.98 30.80 34.40 37.99 | 42.36 46.21 52.11 56.47 | 61.09 66.49 72.90 77.01 |
| | 20 | 25.94 28.56 31.89 35.22 | 39.27 42.84 48.31 52.36 | 56.64 61.64 67.59 71.40 | 7534 | 28.07 30.91 34.51 38.12 | 42.50 46.36 52.28 56.66 | 61.30 66.71 73.14 77.27 |
| | 701/4 | 26.03 28.66 32.01 35.35 | 39.41 42.99 48.49 52.55 | 56.85 61.86 67.83 71.66 | 9/ | 28.17 31.01 34.63 38.24 | 42.64 46.51 52.46 56.85 | 61.50 66.93 73.39 77.52 |
| | 701/2 | 26.13 28.76 32.12 35.48 | 39.55 43.15 48.66 52.73 | 57.05 62.08 68.07 71.91 | 761/4 | 28.26 31.11 34.74 38.37 | 42.78 46.67 52.63 57.04 | 61.70 67.15 73.63 77.78 |
| | 7034 | 26.22 28.87 32.23 35.60 | 39.69 43.30 48.83 52.92 | 57.25 62.30 68.32 72.17 | 761/2 | 28.35 31.21 34.85 38.49 | 42.92 46.82 52.80 57.22 | 61.90 67.37 73.87 78.03 |
| | 11 | 26.31 28.97 32.35 35.73 | 39.83 43.45 49.00 53.11 | 57.45 62.52 68.56 72.42 | 7634 | 28.44 31.31 34.97 38.62 | 43.06 46.97 52.97 57.41 | 62.11 67.59 74.11 78.29 |
| | 711/4 | 26.41 29.07 32.46 35.85 | 39.97 43.61 49.18 53.30 | 57.66 62.74 68.80 72.68 | 11 | 28.54 31.42 35.08 38.75 | 43.20 47.12 53.15 57.60 | 62.31 67.81 74.35 78.54 |
| | 711/2 | 26.50 29.17 32.58 35.98 | 40.11 43.76 49.35 53.48 | 57.86 62.96 69.04 72.93 | 77.74 | 28.63 31.52 35.20 38.87 | 43.34 47.28 53.32 57.78 | 62.51 68.03 74.59 78.80 |
| | 7134 | 26.59 29.27 32.69 36.10 | 40.25 43.91 49.52 53.67 | 58.06 63.18 69.28 73.19 | 771/2 | 28.72 31.62 35.31 39.00 | 43.48 47.43 53.49 57.97 | 62.71 68.25 74.83 79.05 |
| | 72 | 26.68 32.83 36.23 | 40.39 44.06 49.69 53.86 | 58.26 63.40 69.52 73.44 | 773% | 28.81 31.72 35.42 39.12 | 43.62 47.58 53.66 58.16 | 62.92 68.47 75.08 79.31 |
| WIDT | 721/4 | 26.78 29.48 32.92 36.36 | 40.53 44.22 49.87 54.04 | 58.46 63.62 69.76 73.70 | 78 | 28.91 31.82 35.54 39.25 | 43.76 47.74 53.84 58.34 | 63.12 68.69 75.32 79.56 |
| WIDTH, INCHES | 721/2 | 26.87 29.58 33.03 36.48 | 40.67 44.37 50.04 54.23 | 58.67 63.84 70.01 73.95 | 7814 | 29.00 31.93 35.65 39.38 | 43.90 47.89 54.01 58.53 | 63.32 68.91 75.56 79.82 |
| CHES | 7234 | 26.96 29.68 33.14 36.61 | 40.81 44.52 50.21 54.42 | 58.87 64.06 70.25 74.21 | 781/2 | 29.09 32.03 35.76 39.50 | 44.04 48.04 54.18 58.72 | 63.52 69.13 75.80 80.07 |
| | 73 | 27.05 29.78 33.26 36.73 | 40.95 44.68 50.38 54.60 | 59.07 64.28 70.49 74.46 | 7834 | 29.18 32.13 35.88 39.63 | 44.18 48.20 54.35 58.91 | 63.72 69.35 76.04 80.33 |
| | 731/4 | 27.15 29.89 33.37 36.86 | 41.09 44.83 50.56 54.79 | 59.27 64.50 70.73 | 79 | 29.28 32.23 35.99 39.75 | 44.32 48.35 54.53 59.09 | 63.93 69.57 76.28 80.58 |
| | 731/2 | 27.24 29.99 33.49 36.99 | 41.23 44.98 50.73 54.98 | 59.48 64.72 70.97 74.97 | 7914 | 29.37 32.33 36.11 39.88 | 44.46 48.50 54.70 59.28 | 64.13 69.79 76.52 80.84 |
| | 73% | 27.33 30.09 33.60 37.11 | 41.37 45.14 50.90 55.17 | 59.68 64.94 71.21 75.23 | 791/2 | 29.46 32.44 36.22 40.00 | 44.60 48.65 54.87 59.47 | 64.33 70.01 76.77 81.09 |
| | 74 | 27.42 30.19 33.71 37.24 | 41.51 45.29 51.07 55.35 | 59.88 65.16 71.45 75.48 | 79% | 29.56 32.54 36.33 40.13 | 44.74 48.81 55.04 59.65 | 64.53 70.23 77.01 81.35 |
| | 741/4 | 27.52 30.29 33.83 37.36 | 41.65 45.44 51.25 55.54 | 60.08 65.38 71.70 75.74 | 08 | 29.65 32.64 36.45 40.26 | 44.88 48.96 55.22 59.84 | 64.74 70.45 77.25 81.60 |
| | 741/2 | 27.61 30.40 33.94 37.49 | 41.79 45.59 51.42 55.73 | 60.29 65.60 71.94 75.99 | 801/4 | 29.74 32.74 36.56 40.38 | 45.02 49.11 55.39 60.03 | 64.94 70.67 77.49 81.86 |
| | 7434 | 27.70 30.50 34.06 37.61 | 41.93 45.75 51.59 55.91 | 60.49 65.82 72.18 76.25 | 801/2 | 29.83 32.84 36.68 40.51 | 45.16 49.27 55.56 60.21 | 65.14 70.89 77.73 82.11 |
| | 75 | 27.80 30.60 34.17 37.74 | 42.08 45.90 51.77 56.10 | 60.69 66.05 72.42 76.50 | 8034 | 29.93 32.95 36.79 40.63 | 45.30 49.42 55.73 60.40 | 65.34 71.11 77.97 82.37 |
| | 7514 | 27.89 30.70 34.28 37.87 | 42.22 46.05 51.94 56.29 | 66.27 72.66 76.76 | 2 | 30.02 33.05 36.90 40.76 | 45.44 49.57 55.91 60.59 | 65.55 71.33 78.21 82.62 |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV-Thicknesses from 3 inch to 21/2 inches. Widths from 3/8 inch to 1323/4 inches

| | | | | | | | | | _ | | | _ | | | | | | | | _ | | | | _ |
|-----------|----------------|---------|--|-------|-------|-------|-------|--------|----------|---------------|----------------|--------------------------------|---|---------------|---|---|---|---|-----------------------------|---------------|----------------------|--------------------------------|------------------------------------|---------|
| | 116 | 1129 | .3387 | .4516 | .5645 | .7902 | .9031 | 1.1289 | 1.5805 | 1.8063 | 2.0320 | 2.25/8 | 2.7094 | 2.9352 | 3.3867 | 3.6125 | - | 4.5156 | 5.4188 | 5.8703 | 6.3219 | 6.7734 | 7.6766 | 1071.0 |
| | 137 | 1096 | .3287 | .4383 | .5479 | 7670 | 99/8 | 1.0957 | | | .9723 | 2.1914 | 2.3109 2.3906 2.4703 2.5500 2.6297 2.7094 | 2.8488 | 3.0680 | 3.5063 | 3.9445 | 4.3828 | 5.2594 | 2.6977 | 6.1359 | 6.5742 | 7.4508 | 1.00071 |
| | - | .1063 | .3188 | .4250 | .5313 | .7438 | \$500 | 1.0625 | 1.4875 | 1.7000 | .8527 1.9125 1 | 2.125U | 2.5500 | 6762 2.7625 | $\frac{2.9750}{3.1875}$ | 3.4000 | 3.8250 | 6750 | 5.1000 | 5.5250 | 2.9500 | 3.3750 | 7.2250 7.4508 | 300 |
| | eoles mice | 1029 | 3088 | .4117 | .5146 | .7205 | -8234 | 2352 | 1.4410 | 1.6469 | | 2.0586 2.1250 2.2645 2.3375 | 4703 | 29.67.62 | 3.0879 | 3.2938 3.4000 | 3.7055 3.8250 | 4.5289 4.6750 | 1.9406 | 5.3523 5.5250 | 5.7641 | 6.1758 | 6.99927 | COT! |
| 3 | 100 | 1992 | .2988 | 3984 | .4980 | 6973 | .7969 | 19861 | 1.3945 | 1.5938 | 1.7930 | 3238 1.3922 | 3306 | 2.5898 | 2.78912 | 3.1875 | 3.5859 | 3.7 188 3.8316 3.9844 4.1172 4.2300 4.0906 4.2367 4.3828 4.5289 4.6750 | 4.6219 4.7813 4.9406 5.1000 | 5.1797 | 5.5781 | 5.9766 | 6.5477 6.7734 6.9992 7.2250 7.4508 | MCT /T' |
| SIES | 60 60 | .0963 | 2889 | 3852 | 4814 | .6740 | .7703 | 9629 | | - | - | 1184 | 2.3109 | 2.5035 | 2.6961 | 3.0813 | 3.4664 | 4.2367 4.3828 | 4.6219 | 5.0070 5.1797 | 5.3922 | 5.7773 5.9766 6 1625 6.3750 | 6.5477 | 0.3320 |
| | 18 | .0930 | 2789 | 3719 | .4648 | .6508 | .7438 | 9297 | 1.3016 | 1.4875 | 1.6734 | 1.8334 | 2.2313 | 2.4172 | 2.6031 | 2.9750 | 3.3469 | 4.0906 | 4.4625 | 4.8344 | 5.2063 | 5.5781 | 6.3219 | 0.0000 |
| | 1-109 | .0896 | .2689 | .3586 | .4482 | .6275 | .7172 | .8965 | 1.2551 | 1.4344 | 1.6137 | 7330 | 1516 | 2.3309 | 2.5102 2.6895 | 2.8688 | 3.2273 | 3.0809 | 1.3031 | 1.6617 | 5.0203 | 5.3789 | 5.0961 | 1777 |
| 0 | 13 | .0863 | .2590 | .3453 | .4316 | .6043 | 9089 | .8633 | 1.2086 | 1.3813 | | 1.7255 1 | 2.0719 | 2.2445 | 2.0453 2.1383 2.2313 2.3242 2.4172 2.1914 2.2910 2.3906 2.4902 2.5898 | 2.7625 | 3.1078 3.2273 | 2.3234 2.0063 2.7831 2.3219 3.0047 3.1873 3.3203 3.4331 | 4.1438 | 4.4891 | 4.8344 | 5.1797 | 5.8703 | 0.4100 |
| | 10/60 | .0830 | .2490 | 3320 | 4150 | .5811 | | .8301 | - | - | 1.4941 | 1.0001 | 1.9922 | 2.1582 | 2.3242 | 2.2313 2.3375 2.4438 2.5500 2.6563 2.7625 | 2.9883 | 3.6523 | 3.9844 | 4.3164 | 4.6484 | 4.9805 5.3125 | 5.6445 | 00/00 |
| G | % 4 | .0797 | .2391 | | 3984 | | | .7969 | \neg | $\overline{}$ | 4344 | 7521 | 1.9125 | 2.0719 | 2.2313 | 2.5500 | 2.3906 2.5102 2.6297 2.7492 2.8688 2.9883 | 3.5063 | 3.8250 | 4.1438 | 1.4625 | 4.7813 5.1000 | 5.4188 5.6445 | 0.000 |
| WIDTH, IN | ভাল | .0764 | .2291 | · | ·- | .5346 | | .7637 | \vdash | \vdash | 1.3746 | 527.3 | 1.8328 | 1.9855 | 2.1383 | 2.4438 | 2.7492 | 3.3602 | 3.6656 | 3.9711 | | 5820 8875 | 5.1930 | 1001 |
| WIDTH, | 11 | .0730 | | | | | | .7305 | \vdash | 1.1688 | 1.3148 | 1.4609 1 | 1.7531 | 1.8992 | 2.0453 | 2.3375 | 2.6297 | 3.2141 | 3.5063 | 3.7984 | 4.0906 | 4.3828 4. | 4.9672 | 10000 |
| | 200 | .1395 | | | | .4881 | | .6973 | | \vdash | 1.2551 | 1.33401 | 1.6734 | 1.8129 | 41.95232.022.022.09182. | 2.2313 | 2.5102 | 3.0680 | 3.3469 | 3.6258 | 3.9047 | 4.1836 | 4.5156 4.7414 4.9672 | 30000 |
| | 82 | .0664 | | | 3320 | | | .6641 | | 1.0625 | 1.1953 1 | 1.3281 | 1.5938 | 1.726 | 992 | .125 | 2.3906 | 2.9219 | 3.1875 | 3.4531 | 3.7188 | 3.9844 | 4.5156 | |
| | m/cs | .0631 | | - | | .4416 | - | .6309 | | \vdash | | 1.2617 | 1.5141 | 1.6402 | 1.7664 | 2.0188 | 2.15162.2711 | 2.7758 | 3.0281 | 3.2805 | 3.5328 | 3.7852 4.0375 | 4.2898 | 11.014E |
| | 16 | .0598 | • | | 2988 | | - | 5977 | | | 1.0758 | 1 3148 | 1.4344 1. | 1.5539 1. | 1.7930 1. | | 2.1516 | 2.6297 | 2.8688 | 3.1078 | 3.3469 | 3.8250 | 4.0641 | 1000 |
| | 327 | .0564 | | - | | 3951 | - | | 7902 | | 1.0160 | | 1.3547 | 1.4676 1. | 1.5805 | .7000 1.8063 | 2.0320 | 2.4836 | 2.7094 | 2.9352 | 3.1609 | 3.40003.6125 | 6125 3.8383 | 11.7011 |
| | 1/2 | .0531 | | | | | - | | .7438 | | .9563 | - | | 2949 1.3813 1 | .3945 1.4875 1. | $\overline{}$ | 1.9125 | 2.3375 | 2.5500 | 2.7625 | 2.9750 | 3.4000 | 3.6125 | ż |
| | 1-(09 | 0996 | | | | .3486 | | .4980 | | | .8965 | _ | | | 1.4941 | 1.5938 | 1.7930 | 2.1914 | 33306 | 2.4172 2.5898 | 2.7891 | 3.1875 | 3.3867 | 33.5 |
| | 16 | 3 .0930 | | • | 2324 | | | 5578 | | | 79887 | - | | .1223 1.20861 | 1.2949 1.3945 1.4941 | 3 1.4875 | 1.5539 1.6734 1.7930 1. | 22.0453 | 2.0719 2.2313 2.3906 | 52.4172 | 2 2.6031 | 52.9750 | 9352 3.1609 3.3867 | 5000 |
| | 1-109 1-109 | 2 .0432 | | • | 2158 | • • | | 4316 | | | 2 2533 | | $\overline{}$ | 91.122 | 31.2949 | 0 1.3813 | 4 1.5535 | | 5 2.0715 | 2.0719 2.2445 | 2.2313 2.4172 2.6031 | 2.5500 2.7625 2.9750 | NIC | 201.00 |
| | % | .0398 | 113 | .159. | 2301 | 2789 | .3188 | 4781 | .5578 | .637 | .7172 | 876 | .956 | 1.03591 | 1.1953 1.2 | 1.2750 | 1.43441 | 1.7531 | 1.9125 | 2.071 | 2.231 | 2.5500 | 2.7094 | 5 |
| ck- | Thi Tacs | 古井 | 100 to 10 | ~~ × | 0 00 | 0 - K | 14 | - 00° | 0-1- | 79 | 1 to | 00 mg | ·/* | min t | ~ === | - | 100 | * % | 100 | 100 | 200 | 8 | 218 | #/9 |

| | 216 | .219 | .438 | .657 | 877 | 1.096 | 1.315 | 1.534 | 1.753 | 2.191 | 2.630 | 3.068 | 3.506 | 3.945 | 4.383 | 4.821 | 5.259 | 5.698 | 6.136 | 6.574 | 7.013 | 7.889 | 8.766 | 9.642 | E10.01 | 11.395 | 12.272 | 13.148 | 14.025 | 14.902 | 15.778 |
|---------------|------------------------|------|--------|------|---------|--------|-------|--------|----------|--------|---------|-----------|-----------|----------------------|-----------|----------------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|---------------|---|-----------|-------------|------------|
| | 2 | .213 | .425 | .638 | 920 | 1.063 | 1.275 | 1.488 | 1.700 | 2.125 | | | | 3.825 | 4.250 | 4.675 | 5.100 | 5.525 | | | 008.9 | 7.650 | 8.500 | 9.350 | 10.200 | 11.050 | 11.900 | 2.750 | 13.600 | 14.450 | 15.300 |
| | 100 | 206 | .412 | .618 | .823 | 1.029 | 1.235 | 1.441 | 1.647 | 2.059 | 2.470 | 2.882 | 3.294 | | | 4.529 | 4.941 | 5.352 | | 6.176 | 6.588 | 7.411 | 8.234 | 9.028 | 9.881 | 10.705 | 11.528 | 12.352 | 13.175 | 13.998 | 14.822 |
| | 178 | .199 | 338 | .598 | 797 | 966° | 1.195 | 1.395 | 1.594 | 1.992 | | | 3.188 | 3.586 | | 4.383 | | | | | 6.375 | | | 8.766 | | 10.359 | 11.156 | 11.953 | 12.750 | 13.547 | (14.344 |
| | 1100 | .193 | 385 | .578 | .770 | | _ | 1.348 | | | | | 3.081 | | | | 4.622 | | | | 6.163 | | | | | 10.014 | 3 10.784 | 3 11.555 | 12.325 | 13.095 | 3 13.866 |
| | 134 | .186 | Ė | .558 | .744 | | _ | _ | 1.488 | | | | | 3.347 | 3.719 | 4.091 | | 4.834 | | 5.578 | | | | | | 3 9.669 | 10.413 | 3 11.156 1 | ≓ | 2 12.644 | 9[13.388] |
| | 111 | .179 | Ė | .538 | .717 | | - | 1.255 | _ | | | 2.510 | | | | 3.945 | | 4.662 | | | | | | 7 7.889 | | | 9 10.041 | 9 10.758 | 0 11.47 | | 1[12.909 |
| | 15/8 | .173 | _ | | | | _ | 1.209 | | 1.727 | | 2.417 | | | | | 4.144 | | | | 3 5.525 | 7 6.216 | | | | 3 8.978 | | 1 10.359 1 | 5 11.05 | | 3 12.431 |
| | 1.6 | .166 | _ | _ | _ | _ | | 1.162 | _ | 1.660 | | | | 3.988 | | | 3.384 | | | 1 4.980 | | | | | | 8 8.633 | | 3 9.961 | 0 10.625 | 8 11.289 | 5 11.95 |
| ΩŽ | 11/2 | 159 | | _ | _ | 797 | | _ | _ | 1.594 | | | 7 2.550 | 9 2.869 | | | 5 3.825 | 7 4.144 | | | 4 5.100 | | | | | 5 8.288 | | | | 2 10.838 | 86 11.475 |
| WIDTH, INCHES | 1000 1000 | | _ | | 1.624 | | | _ | | | | | 4 2.497 | 9 2.809 | | | 6 3.745 | | | 2 4.682 | | 8 5.618 | | | | 2 8.115 | 8.739 | 34 9.363 | 5 | 36 10.612 1 | 37/11.23 |
| DTH, I | 116 | .153 | | _ | | 7 .764 | | - | - | _ | | (1 | | 9 2.749 | | | 6 3.666 | | | | | 9 5.498 | 7 6.109 | | | | 37 8.553 | | | 50 10.386 | 58 10.99 |
| WI | 200 | | _ | | 4 .598 | 747 | | | 9 1.195 | | | | 8 2.391 | 0 2.689 | | | 6 3.586 | 8 3.885 | | | | 9 5.379 | - | | | | 31 8.367 | | | | |
| | 13/8 | | _ | | 1 .584 | 730 | | - | 2 1.169 | , | 3 1.753 | | 4 2.338 | 0 2.630 | | | | 2 3.798 | | | 39 4.675 | 5.259 | | | _ | | | | | | |
| | 1000 | | | _ | 571 | 7 714 | | | | 5 1.42 | 3 1.71 | 2 1.99 | 1 2.284 | | 9 2.855 | 3.141 | | 3.712 | 3.95 | 34 4.28 | 3 4.569 | 50 5.140 | | | | | | 37 8.566 | | | |
| | 100 | | | _ | 5558 | 269 | | 926 6 | _ | | | | 1 2.231 | | | | | | 7 3.905 | | | 5.020 | | | | 39, 7.252 | | 367 | | | |
| | 000 | Ι. | _ | | 3 .5445 | | | | 5 1.0891 | _ | - | 4 1 9059 | 10 | 12 450 | 3 2 7227 | 9 2.994 | 5 3.2672 | 31 3.5395 | 38 3.8117 | 14 4.0840 | 4 | | 25 5.4453 | 38 5.9898 | 50 6.5344 | 63 7.0789 | _6 | | 00 8.7125 | 13 9.2570 | 25 9.8016 |
| | 11/4 | 1 | | | 5313 | | 6964 | | 9 1.0625 | _ | - | | 10 | 2 3379 2 3976 2 4504 | 38.2.6563 | 2.8488 2.9219 2.9949 | 3.1078 3.1875 | 38 3.4531 | 583.7188 | 18 3.9844 | 38 4.2500 | 17 4 7813 | 97 5.3125 | 77 5.8438 | 56 6.3750 | 36 6.9063 | 7 2516 7 4375 | 95 7 9688 | 75 8.5000 | 55 9.0313 | 34 9.5625 |
| | 1 2 2 2 | 1 | | | 7 5180 | | | _ | 4 1 0359 | _ | - | ٠. | | 1 2 33 | 2 5898 | 8 2.848 | 31 3.107 | 3.3668 | 28 3 6258 | 3.8848 | 75 4.1438 | 22 4.6617 | 59 5.1797 | 165.6977 | 63 6.2156 | 09 6.7336 | | | 50 8.2875 | 97 8.8055 | 44 9.32 |
| | 101 | 1 | 7 2523 | | | | | 2832 | - | - | - | | | 300711 | 70 2 5234 | 27 2.7758 | 34 3.0281 | 41 3 2805 | 3 5328 | 55 3.7852 | 13 4.0375 | 27 4 5422 | 415.0469 | 55 5.5516 | 69 6.0563 | 83 6.5609 | 97 7 7656 | | | 39 8 5797 | 53.9.0844 |
| | 10 to | 1 | _ | | 11 4914 | _ | | _ | 33 9828 | - | - | | 25 1 9656 | | 2 4570 | 37 2.70 | 88 2 9484 | 78 3 1941 | 69 3 4398 | 59 3 6855 | 50 3.9313 | 31 4 4227 | 13 4 9141 | 94 5.4055 | 75 5 8969 | 56 6.3883 | 28 G 8797 | 19 7 2711 | 0017 8625 | 81 83539 | 63 8.8453 |
| | 11/8 | 1 | 2391 | _ | | _ | _ | 25 257 | | - | | 70 1 6724 | 94 1 9125 | 10 0 151 | 9062 6 67 | 2 5566 2 6297 | 91 2 8688 | 15 3 1078 | 39 3 3469 | 63 3 5859 | 88 3.8250 | 36 4 3031 | 84 4 7813 | 33 5 2594 | 5781 5 7375 | 30 6.2156 | 778 G 6938 | 000000000000000000000000000000000000000 | 757 6500 | 23 8 1281 | 572 8.6063 |
| _ | 10 00 | 116 | 2324 | 2486 | 4648 | _ | _ | _ | 9297 | - | _ | | _ | | - | | _ | | | _ | | | _ | _ | | 5 6 | | | _ | | _ |
| 1 | Thic sesa, don't | | 24 | 9 8 | 200 | 0 10 | 60 60 | , r | 182 | * 0 | 9 70 | 0 - | 16 | 9 0 | 16 | 27. | 200 | 13 | 2/2 | 15 | 9 | 71 | 178 | 3,8 | 170 | 2/2 | 13/ | 17/2 | 9/6 | 91% | 27.8 |

| r Lineal Foot | |
|-----------------|-------------|
| Pounds Per | |
| STEEL, P | V—Continued |
| ROLLED STEEL, F | TABLE IV |
| S OF FLAT | |
| WEIGHTS | |

5.206 10.413 11.156 13.388 17.850 5.950 8.181 14.875 16.070 16.363 18.992 19.338 31/2 5.113 111.688 9.496 10.227 10.957 13.148 14.609 17.531 20.453 21.914 3.652 4.383 5.844 6.574 8.035 8.766 2.191 2.557 2.922 7.305 3 7.889 909.8 12.909 1 17.213 10.041 15.778 20.081 2.510 11.263 11.475 25.341 25.819 2.869 4.303 5.020 5.738 9.323 10.559 10.758 21.117 21.516 m m 2.816 7.743 9.151 9.855 1 12.670 14.078 15.486 18.302 19.709 6.335 16.894 4.223 4.927 7.039 8.447 5.631 M 6.216 906.9 8.288 8.978 11.050 1 16.575 1 22.100 5.525 10.359 12.431 13.813 15.194 19.338 20.719 23.481 7.597 24.863 31/4 5.419 8.805 10.160 18.966 10.838 12.192 13.547 16.256 20.320 23.030 .339 .677 .016 .355 2.371 2.709 |960.9|7.451 8.128 14.902 17.611 23.906|24.384 5.313 696.4 8.633 17.266 2.656 10.625 15.938 22.578 .992 2.324 7.305 9.961 11.714 11.953 14.317 14.609 19.922 3.320 3.984 4.648 5.977 6.641 13.016 13.281 18.222 18.594 31/8 7.159 10.413 15.619 1 19.523 1 8.460 9.762 16.920 2.278 3.254 5.206 7.809 1.952 2.603 3.905 4.555 5.857 6.508 20.825 22.127 22.472 22.950 23.428 .913 7.013 8.925 15.300 16.575 17.850 20.400 3.825 7.650 9.563 10.200 12.484 12.750 13.733 14.025 11.236 11.475 18.727 19.125 21.223 21.675 2.231 2.550 9.363 8.739 312 624 936 3.745 4.994 5.618 6.242 998.9 7.491 8.115 14.981 15.194 15.539 15.884 16.230 17.478 15.725 16.150 16.577 17.000 17.425 17.850 18.275 18.700 19.125 19.550 19.975 16.700 17.611 18.063 18.514 18.966 19.417 19.869 20.320 20.772 12.223 17.631 18.169 18.647 19.125 19.603 20.081 20.559 21.038 21.516 21.994 22.472 .873 2.185 2.497 3.121 4.370 7.942 9.775 14.503 | 14.875 | 15.247 | 15.619 | 15.991 | 16.363 | 16.734 | 17.106 | 15.539 | 15.938 | 16.336 | 16.734 | 17.133 | 17.531 | 17.930 | 18.328 | 3.666 4.888 6.720 8.553 11.953 12.219 14.344 14.663 WIDTH, INCHES 2.444 10.758 10.997 13.148 13.441 27/8 5.379 6.574 7.770 9.563 1.793 2.092 7.172 8.367 8.965 2.988 3.586 4.184 4.781 213 2.391 5.977 2.922 3.506 4.675 5.259 8.766 10.519 5.844 6.428 7.013 7.597 8.181 11.422 11.688 12.564 12.856 13.706 14.025 4.091 234 4.569 5.140 7.995 8.566 10.280 14.848 1 1.999 2.855 3.427 3.998 6.282 6.853 7.424 9.138 5.711 2.284 7.252 12.272 1 13.388 1 5.020 5.578 7.809 14.503 1 3.347 4.463 5.136 1.952 3.905 6.694 8.367 8.925 9.802 10.041 10.891 11.156 25% 1.634 8.713 11.98011 3.267 4.356 4.901 5.445 5.990 7.079 7.623 8.168 2.723 1.906 13.813 14.158 6.534 3.719 5.313 5.844 7.438 7.969 8.500 9.563 12.7501 2.656 3.188 4.781 6.375 906.9 11.688 10.625 2 4.144 5.180 7.252 3.108 3.626 4.662 5.698 6.216 6.734 7.770 8.288 9.323 10.359 11.395 12.431 13.467 .554 1.813 2.072 2.590 .036 295 5.047 5.552 7.570 12.1131 6.056 8.075 9.084 10.094 13.122 514 1.766 2.019 2.523 3.028 3.533 4.542 6.561 10.519 10.811 11.103 14.742 15.141 23/8 6.880 7.371 7.863 9.828 1 3.440 4.914 11.794 5.405 12.777 13.759 1.966 2.457 3.931 4.423 6.388 737 229 1.720 1.474 2 15 5.259 8.606 6.216 12.431 1.673 1.913 2.869 3.347 4.303 5.738 6.694 7.172 7.650 2.391 3.825 4.781 13.945 14.344 21/4 3.719 6.043 7.438 8.367 10.227 0.838 11.156 1 12.086 13.016 14.875 1.859 3.254 4.648 5.113 5.578 6.508 6.973 16.256 16.734 395 1.627 2.324 2.789 4.184 4.064 4.516 4.967 8.128 9.031 9.934 14.450 1.806 2.258 2.709 3.161 5.419 5.870 6.773 7.225 11.741 12.644 13.547 21/8 гисрев 子できた といました 女子 できるして まるしまる まんろら 'ssəu Thick-

| | 8/19 | .545 | 1.634 | 2.178 | 2.723 | 3.267 | 4.356 | 5.445 | 6.534 | 7.623 | 8.713 | 9.802 | 10.891 | | | 15.247 | | | 19.603 | | 23.959 | 26.138 | | 8 | 33. | 34.850 | | 33.200 |
|---------------|-------|---------------------------------------|-------|-------|-------|-------|----------|-------|---------|--------------|-------|-------|--------|--------|--------|------------------|---------------|------------------------------------|-----------------------------------|------------------------------------|-------------------|-------------|----------|---------|---------|----------|---------|----------|
| | co. | 1.063 | 1.594 | 2.125 | 2.656 | 3.188 | 4.250 | 5.313 | 6.375 | 7.438 | 8.500 | 9.563 | 11 600 | | 3 5 | 13.813 | | 17 | 19 | | 83 | 25.500 | 77 | 33 | | 34.000 | 30.160 | 38.430 |
| | 478 | .518 | 1.554 | 2.072 | 2.590 | 3.108 | 3.626 | 5.180 | 6.216 | 7.252 | | | 11 205 | 12 431 | 10.401 | 13.46/ 14 503 | 15 530 | | 18.647 | 8 | 22 | | 07 | | 31 | 33.150 | 000 | 137.234 |
| | 434 | 1.009 | 1.514 | 2.019 | 2.523 | 3.028 | 4.038 | 5.047 | 6.056 | 7.066 | | | 11 102 | 12 113 | | 13.122 | | | 18.169 | 20.188 | 22.206 | 24.225 | 97 | 8 | | 32.300 | 50 | 56.550 |
| | 416 | 498 | 1.494 | 1.992 | 2.490 | 2.988 | 3.984 | 4.980 | 5.977 | 6.973 | | | 9.961 | | | 12.949 | 14 041 | 15 | 17.930 | | | 23.906 | 00 | 27. | 39 | 31.875 | 3 6 | 30.809 |
| | 45/8 | .983 | 1.474 | 1.966 | 2.457 | 0 0 | 3.931 | 4 | · ID | | | | | 11 70/ | 10/17 | 12.777 | 2 5 | 15.725 | 17. | 19. | 21. | | 2 | 27. | 39 | | 3 6 | 325.381 |
| | 4 16 | .970 | 1.454 | 1.939 | 2.424 | 2.909 | 3.878 | 4.848 | 5.817 | 6.787 | | | | 11 624 | 12.02 | 12.604 | 14 540 | 15.513 | 17.452 | 19. | 21. | 83 1 | 802.02 | 27. | 83 | | 3.5 | 34.300 |
| | 41/2 | .956 | 1.434 | 1.913 | 2.391 | | 3.825 | 4 | | 9 | | | | 11 475 | 0/4.11 | 12.431 | 14 044 | 15.300 | 17.213 | 19. | 21. | 22.5 | 24.863 | 26. | 8 | 30.600 | 25 | 134.420 |
| | 4 7 | .943 | 1.414 | 1.886 | 2.357 | 2.829 | 3.772 | | | - | | | | 11 016 | 010.11 | 12.259 | 10.202 | 15.088 | 16.973 | 18.859 | 8 | 22 | 74 | | | 30.175 | 32.06 | 133.947 |
| | 43/8 | .930 | 1.395 | 1.859 | 2.324 | | 3.254 | 4 | | | | | | 11 150 | 007.11 | 12.086 | 10.010 | 14.875 | 16.734 | 18 | 20 | 22.313 | 24. | 26. | 27.891 | 83 5 | 2 2 | 33.469 |
| CHES | 4 16 | .458 | 1.375 | 1.833 | 2.291 | 2.749 | 3.207 | 4.582 | | | | | | 10.080 | | 11.913 | 12 745 | 13.813 14.025 14.238 14.450 14.663 | 16.495 | 18 | 20.161 | 21. | 3 | 25. | 27.492 | 29.325 | 31.15 | 332.991 |
| WIDTH, INCHES | 414 | .903 | 1.355 | 1.806 | | | 3.161 | | - IC) | Ψ, | | | | 4.934 | 10.838 | 11.741 | 12.436 12.544 | 14.450 | 16.256 | 18.063 | 19.869 | 22 | 23.481 | 25. | 27. | 8 8 | 8 8 | 132.513 |
| WIDT | 4 1 6 | .445 | - | - | 2.225 | 0 | 3.114 |) 4 | | 9 | | 00 | | 3.788 | 10.078 | 11.568 | 10.400 | 14.238 | 16.017 | 7 | 19.577 | 21.356 | 23.136 | 24. | 26. | 8 | 330.255 | 32.03 |
| | 41/8 | .438 | 1.315 | 1.753 | 2.191 | 2.630 | 3.068 | | (T) | 9 | 2 | | | 9.642 | ETC.UI | 11.395 | 16.676 | 14.025 | 15.778 | 17.531 | 19.284 | 21.038 | 22.791 | 24. | 26. | 89 8 | | 331.556 |
| | 416 | .432 | 1.295 | 1.727 | 2.158 | 2.590 | 3.021 | 4 316 | 5.180 | _ | 906.9 | | | | 10.339 | 11.223 | 12.086 | 13.813 | 15.5391 | 17.266 | 18.992 | 8 | 22.445 | 24. | 25. | 27.625 | 23 | 0 31.078 |
| | 4 | .425 | 1.275 | 1.700 | | | 2.975 | | - 10 | ιĊ | 6.800 | 2 | | 9.350 | 10.200 | 11.050 | 11.300 | 13.600 | 15.300 | 17.000 | 18 | 8 | 22.100 | 23 | 25 | 27. | 8 | 30.600 |
| | 315 | .418 | 1.255 | 1.673 | 2.092 | 2.510 | 2.929 | 200 | 5.020 | | | | | | 10.041 | 10.877 | 11.714 | 13.388 | 15.061 | 16.734 | 18.408 | 20.081 | 21.755 | 23.428 | 25. | 26. | 28 | 30.122 |
| | 378 | .412 | 1.235 | 1.647 | 2 | C/J | 2.882 | 2 < | 4.941 | 5.764 | 6.588 | | | | | 10.705 | 875.11 | 12.152 12.352 | 14 822 | 16.469 | 18.116 | .444 19.763 | 21.409 | 23.056 | | 26. | 2 | 329.644 |
| | 313 | .405 | 1.215 | 1.620 | 2.025 | 2.430 | 2.836 | | 4.861 | | | | | | 9.722 | 10.532 | 11.342 | 12.152 | 14 583 | 16.203 | 531 17.823 18.116 | 19.444 | 21.064 | 22.684 | 24. | 25.925 | 27.545 | 329.166 |
| | 334 | .398 | 1.195 | 1.594 | | | 2.789 | 9 0 | 4.781 | | 6.375 | 2 | | 00 | 9.563 | | = | 11.953 | 2 966 14 105 14 344 14 583 14 822 | 15 406 15 672 15 938 16.203 16.469 | 17.531 | 19 | 3 20.719 | 22.313 | 323.906 | | 27 | 328.688 |
| | 311 | .392 | 1.175 | 1.567 | 1.959 | 2.351 | 2.743 | 0.104 | 4.702 | 5.485 | | | | 8.620 | | 10 | 10.970 | 11.754 | 14 105 | 15 672 | 16.947 17.239 | 18 | 3 20.373 | 21 | | 25 | 126.642 | 128.209 |
| | 35/8 | 385 | 1.155 | 1.541 | 1.926 | 2 | 00 | n c | 2.832 | <u>.</u> الن | 9 | 6.933 | | | 9.244 | 10.014 | 9 | 11.555 | | | 16.947 | 18.488 | 3 20.028 | 721.569 | 123.109 | 5 24.650 | 26 | 3 27.731 |
| | 3 16 | .379 | 1 136 | 1.514 | 1.893 | 2.271 | 2.650 | 3.028 | 3.780 | 5.299 | 6.056 | 6.813 | 7.570 | 8.327 | 9.084 | 9.841 | 10.598 | 11.355 | 10 000 | 15.02/ | 16.655 | 18.169 | 19.683 | 21.197 | 22.711 | | | 27.253 |
| | Thich | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | C e | 2 / X | in in | 9 00 | F C9 , | 4, | (e) (e) | × 1 | 170 | 0 | 200 | 19 | 14/ | 669 | 1% | 19 p | | % } | 7.% | 0 70 | 28 | 13/ | 4/2 | 5,2 | 21/8 | 21/4 |

| 11 | 1 | 8.850 2.500 2. |
|--------------|--------|--|
| | 00 | 100 100 000 0000 0000 0000 0000 0000 0000 0000 |
| | 17/8 | .837 2.510 3.347 4.184 4.184 6.654 8.367 11.714 11. |
| | 73/4 | .823 3.294 4.117 4.117 5.784 6.588 8.234 9.821 11.1528 13.175 13. |
| | 15/8 | 220 220 220 220 220 220 230 230 230 230 |
| | 732 | 2594 2594 2594 2594 2505 |
| | 73,8 | 7784 351 351 351 351 351 351 351 351 351 351 |
| | 71/4 7 | 0.000 |
| | 7 8/1 | .757 .777 .271 .302 .302 .302 .302 .302 .302 .302 .302 |
| | - | 744 757 758 1519 1519 1519 1519 1519 1519 1519 15 |
| | 7 | 11 11111 1000 0000 44400 |
| | 8/9 | 11 2 2 6 4 7 7 8 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| CHE | 6% | 704 1.717 2.128 1.717 2.128 1.717 2.128 2.118 2.18 2. |
| WIDTH INCHES | 658 | 1.704 1.405 |
| MID | 6,2 | . 631 2.0731 2.0732 2.4733 2.4733 2.525 5.525 6.906 6. |
| | 63/8 | 1.557 2.0032 2.709 3.387 4.047 4.741 4.741 10.038 1 |
| | 6,4 | 664 1.992 2.035 2.324 3.344 3.344 4.064 4.741 5.313 5.413 |
| | 8/9 | |
| | 9 | 1.253 1.318 1.352 1.353 1.362 1.363 |
| | 278 | 248 873 745 745 745 745 745 745 745 745 745 745 |
| | 534 | 88888888888888888888888888888888888888 |
| | 25% | 250 250 250 250 250 250 250 250 250 250 |
| | 51/2 | 284 169 169 169 169 169 169 173 181 181 181 181 181 181 181 18 |
| | 53/8 | 284 284 4427 286 280 280 280 280 280 280 280 280 |
| | 5% 5 | 231 116 6673 231 116 6673 334 463 338 338 338 338 338 338 338 34 34 35 36 37 37 37 37 37 37 37 37 37 37 37 37 37 |
| 88 | Inch | |
| | Thic, | 2457 4457 4564 5664 5664 6664 6664 6664 6 |

| - | 12 | 1.275 2.550 3.825 | 5.100 | 6.375 7.650 8.925 | 10.200 | 12.750 15.300 17.850 | 22.950 | 25.500 | 20.000 | 35.700 | 40.800 | 45.900 | 56.100 | 99.300 | 71.400 | 81.600 | 86.700 | 77.000 |
|---------------|----------------------|------------------------------|-------|-------------------------------|---------|--|---|--|-----------------------------|--|----------------------|--|----------------------|-------------|-------------|------------------------|----------------------|--|
| | 1134 | 1.248 2.497 3.745 | - | 6.242 7.491 8.739 | 9.988 | | 22.472 | 23.906 24.438 24.969 25.500 26.297 26.881 27.466 28.050 28.688 29.325 29.963 30.600 | 22.702 | 34.956 37.453 | 39.950 | 14.944 | 59 931 | 54.919 | 69.913 | 29.900 | 84.894 | 103.000 |
| | 111/2 | 1.222 2.444 3.666 | 4.888 | 6.109 7.331 8.553 | 9.775 | 12.2191 14.6631 17.1061 | 21.994 22.472 | | 03.323 | 34.213 | 39.100 | 43.988 | 53.763 | 63.538 | 68.425 | 78.200 | 83.088 84.894 | 015:10 |
| | 111/4 | | | | 9.563 | 11.688 11.953 12.219 14.025 14.344 14.663 16.363 16.734 17.106 18.700 19.125 19.550 | 20.559 21.038 21.516 | 22.844 23.375 23.906 24.438 25.128 25.713 26.297 26.881 27.412 29.050 28.89 29.325 | 21 070 | 33.469 | 37.400 38.250 39.100 | 40.163 41.119 42.075 43.031 44.625 45.688 46.750 47.813 | 52.594 57.375 | 52.156 | 66.938 | 76.500 | 81.281 | 000.000 |
| | = | | 4 1 | | | 11.688 14.025 16.363 | 21.038 | 23.375 25.713 28.050 | 000.00 | 32.725 35.725 35.063 | 37.400 | 40.163 41.119 42.075 43.031 44.625 45.688 46.750 47.813 | 51.425 | 60.775 | 65.450 | 74.800 | 79.475 | 004-100 |
| | 1034 | H 62 68 | | | | 10.625 10.891 11.156 11.422 12.750 13.069 13.388 13.706 14.875 15.247 15.619 15.991 17.001 17. | 20.559 | 22.313 22.844 24.544 25.128 36 7775 27 413 | 20,000 | 24,882,25,288,25,353,25,388,86,244,86,589,86,344,7,623,265,316,25,000,32,509,7 26,777,777,777,777,777,777,777,778,26,200,200,200,200,200,200,200,200,200, | 35.700 36.550 | 41.119 | 47.919 49.088 50.256 | 59.394 | 63.963 | 73.100 | 77.669 | 182.238 |
| | 101/2 | | | 5.578 6.694 7.809 | 8.925 | 11.156 13.388 15.619 | 20.081 | 22.313 24.544 | 20.00 | 31.238 | 35.700 | 44.625 | 49.088 | 58.013 | 62.475 | 71.400 | 75.863 | 380.32 |
| | 1014 | 100 | | 6.534 | 8.713 | 10.891 | 19.603 | 20.719 21.250 21.781 22.313 22.791 23.375 23.959 24.544 | 20.130 | 30.494 | 34.000 34.850 | 39.206 | 47.919 | 56.631 | 0 60.988 | 002.69 | 074.056 | 171.719172.675173.631174.588176.500178.413180.3251 |
| | 10 | - 0 m | | 6.375 6.375 7.437 | 8.500 | 10.625 | 19.12 | 18.859 19.125 19.391 19.656 19.922 20.188 20.453 20.719 21.250 20.745 20.719 21.250 20.745 20.719 21.250 20.745 20.719 21.250 20.745 20.719 21.791 22.375 20.745 20.798 21.333 21.625 20.731 20.735 20 | 20.000 | 529.750 | 34.000 | 38.250 | 146.750 | 955.250 | 3 59.500 | 000.89 | 4 72.250 | 81/6.30 |
| | 934 | 1.036 2.072 3.108 | 4 | 5.180 6.216 7.252 | - | 9.828 9.961 10.094 10.227 10.359 11.794 11.953 12.113 12.272 12.431 13.759 13.945 14.131 14.317 14.503 15.505 15.5 | 3 18.647 | 20.188 20.453 20.719 22.206 22.498 22.791 | 4.4.85 | 4 29.006 4 29.006 31 078 | 32.725 33.150 | 637.294 | 7 45.581 | 853.869 | 958.013 | 008.99 | 170.444 | 11/4.08 |
| WIDTH, INCHES | 95% | 1.023 2.045 3.068 | | 7 5.113 6 6.136 7.159 | 5 8.181 | 10.227 3 12.272 1 14.317 | 9 18.40 | 8 20.45; 6 22.49 | 924.544 | 3 28.634 | 032.72 | 8 36.816 5 40.906 | 3 44.997 | 853.178 | 5 57.269 | 065.450 | 8 69.541 | 51/3.63 |
| TH, IN | 912 | 1.009 2.019 3.028 | | 5.047 7 6.056 3 7.066 | | 9.961 10.094 11.953 12.113 13.945 14.131 | 0 18.16 | 2 20.18 4 22.20 | C22.42 q | 1 28.263 20.281 | 5 32.300 | 936.338 | 8 44.413 | 7 52.488 | 156.525 | 064.600 | 4 68.638 | 9/72.6/ |
| WID | 938 | 3 .996 6 1.992 8 2.988 | | 4 4.980 7 5.977 0 6.973 | | 8 9.961 4 11.953 9 13.945 | 1 17.93 | 6 19.922 2 21.914 | 823.90 | 27.519 27.891 | 031.875 | 3 39.844 | 4 43.828 | 651.797 | 8 55.781 | 62.900 63.750 | 167.734 | 3/1./1 |
| | 914 | 383 1.966 9 2.948 | (1) | 8 4.914 7 5.897 7 6.880 | | 5 9.828 4 11.794 3 13.759 | 2 17.69 | 19.391 19.656 21.330 21.622 | 923.58 | 25.208 25.553 25. 27.147 27.519 27. | 531.450 | 3 35.381 1 39.313 | 943.244 | 651.106 | 4 55.038 | 0 62.900 | 8 66.831 | 69.806/70.763 |
| | 918 | 6970 3 1.939 9 2.909 | | 1 4.848 8 5.817 4 6.787 | | 9.164 9.297 9.430 9.563 9.695 10.997 11.156 11.316 11.475 11.634 12.830 13.016 13.202 13.388 13.573 | 3 17.45 | 5 19.39 8 21.33 | 22.950/23.269/23.588/23.906 | 527.147 | 031.025 | 5 34.903 | 5 42.659 | 5 50.416 | 054.294 | 0 62.050 | 5 65.928 | 0.69.80 |
| | 6 | 3 .956 1.913 9 2.869 | | 5 4.781 8 5.738 1 6.694 | | 0 9.563 611.475 2 13.388 | 3 17.21 | 521.038 | 122.95 | 7 24.863 3 26.775 | 5 30.600 | 938.250 | 1 42.075 | 4 49.725 | 653.550 | 002.190 | 2 65.025 | 4 68.850 |
| | 818 | 0 .943 9 1.886 9 2.829 | | 8 4.715 8 5.658 8 6.601 | | 7 9.430 6 11.316 6 13.202 | 16.97 | 3 20.745 | 322.631 | 224.517 | 0 30.175 | 33.947 | 6 41.491 | 4 49.034 | 3 52.806 | 00.350 | 63.219 64.122 | 38/67.85 |
| | 83.4 | 6 .930 3 1.859 9 2.789 | | 2 4.648 8 5.578 5.508 | - | 7 11.156 10 13.016 | 5 16.73 | 1 20.45 | 21.994 22.313 | 926.031 | 5 29.750 | 33.469 | 2 40.906 | 3 48.344 | .319 52.063 | | 663.2 | 31166.93 |
| | 828 | 3 .916 6 1.833 9 2.749 | | 6 4.582 9 5.498 6 415 | | 11 9.164 10.997 14 12.830 | 00 14.00 36 16.49 | 3 18.32 | 521.99 | 31 23.827 38 25.659 | 0 29.325 | 13 32.991 | 38 40.322 | 3 47.653 | 51 | 57.800 58.650 | 13 62.31 | 25165.98 |
| | 83.2 | 00 .903 1.806 02.709 | | 9 4.516 39 5.419 6 322 | | 8.898 9.031 10.678 10.838 12.458 12.644 | 7 16.25 | 17.797 18.063 18.328 18.594 19.577 19.869 20.161 20.453 | 5621.675 | 36 23.481 16 25.288 | 75 28.900 | 34 32.513 | 3 39.738 | 72 46.963 | 31 50.575 | 50 57.800 | 60.509 61.413 62.316 | 69 65.0% |
| | 83% | 3 1.780 | | 59 5.339 | | 8.766 8.889 9.031 9.164 9.297 9.430 9.563 9.696 9.828 9.961 10.094 10.227 10.359 10.625 10.891 11.156 11.422 11.688 11.953 12.219 12.484 10.519 10.678 10.838 10.997 11.156 11.475 11.634 11.953 12.113 12.272 12.431 11.4575 15.484 12.870 13.089 13.388 13.706 14.055 14.465 14.484 14.665 14.891 12.272 12.481 12.487 12.481 12.641 12.861 13.881 13.706 13.388 13.783 13.783 13.885 13.786 14.485 14.485 12.487 12.487 12.487 12.641 12.6 | 78 16.01 | 31 17.75 34 19.57 | 38 21.356 | 91 23.136 44 24.916 | 50 28.475 | 56 32.034 | 59 39.153 | 81 46.272 | 88 49.831 | 94 53.391 |)6 60.50 | [63.113]64.069]65.025]65.981]66.938]67.894 |
| | 81/4 | 3 .877 | | 16 4.383 30 5.259 | | 33 8.766 59 10.519 1 36 12.272 | 13.813 14.025 14.239 14.490 14.666 15.306 15.306 15.313 15.452 17.501 15.306 16.100 18.60 18.67 19.125 19.609 20.081 15.539 15.778 16.017 16.256 16.496 16.794 16.973 17.213 17.452 17.691 17.590 18.169 18.408 18.647 19.125 19.609 20.081 | 17.266 17.531 17.797 18.063 18.328 18.594 18.992 19.284 19.577 19.869 20.161 20.453 | 20.719 21.038 | 15 22.791 72 24.544 | .625 28.050 | 531 35 063 | 34 38.569 | .891 45.581 | 44 49.088 | 97 52.594 50 56.100 | 909.69 80 | 56.63.1 |
| | 81/8 | .863 | 3.453 | 5.180 | 906.9 | 8.633 10.359 12.086 | | | | 22 42 | 27 | 31.078 | 37.984 | 44.891 | 48.344 | 51.797 | 58.703 | 62.156 |
| - | Thio ress Inch | | 2 m | 10 00 00 p | 2 /4 | P | 1 of | 120 mm | 14 | min 5-00 m | _ | 1/8/1 | 1 200 | 2 % | 200 | 2/8/2 | 21/8 | 21/4 |

| | | 1734 | 7.54 9.43 11.32 13.20 | 15.09 18.86 22.63 26.40 | 30.18 33.95 37.72 41.49 | 45.26 49.0 3 52.8 1 56.58 | 60.35 67.89 75.44 82.98 | 90.53 98.07 105.61 113.16 | 120.70 128.24 135.79 |
|-----------------------|--------|-------|--|----------------------------------|----------------------------------|--|----------------------------------|------------------------------------|----------------------------|
| | | 171/2 | 7.44 9.30 11.16 13.02 | 14.88 18.59 22.31 26.03 | 29.75 33.47 37.19 40.91 | 44.63 48.34 52.06 55.78 | 59.50 66.94 74.38 81.81 | 89.25 96.69 104.13 111.56 | 119.00 126.44 133.88 |
| I ABLE IV — Continued | | 1714 | 7.33 9.16 11.00 12.83 | 14.66 18.33 21.99 25.66 | 29.33 32.99 36.66 40.32 | 43.99 47.65 51.32 54.98 | 58.65 65.98 73.31 80.64 | 87.98 95.31 102.64 109.97 | 117.30 124.63 131.96 |
| | | 17 | 7.23 9.03 10.84 12.64 | 14.45 18.06 21.68 25.29 | 28.90 32.51 36.13 39.74 | 43.35 46.96 50.58 54.19 | 57.80 65.03 72.25 79.48 | 86.70 93.93 101.15 108.38 | 115.60 122.83 130.05 |
| | | 1634 | 7.12 8.90 10.68 12.46 | 14.24 17.80 21.36 24.92 | 28.48 32.03 35.59 39.15 | 42.71 46.27 49.83 53.39 | 56.95 64.07 71.19 78.31 | 85.43 92.54 99.66 106.78 | 113.90 121.02 128.14 |
| | | 161/2 | 7.01 8.77 10.52 12.27 | 14.03 17.53 21.04 24.54 | 28.05 31.56 35.06 38.57 | 42.08 45.58 49.09 52.59 | 56.10 63.11 70.13 77.14 | 84.15 91.16 98.18 105.19 | 112.20 119.21 126.23 |
| | | 1614 | 6.91 8.63 10.36 12.09 | 13.81 17.27 20.72 24.17 | 27.63 31.08 34.53 37.98 | 41.44 44.89 48.34 51.80 | 55.25 62.16 69.06 75.97 | 82.88 89.78 96.69 103.59 | 110.50 117.41 124.31 |
| | | 16 | 6.80 8.50 10.20 11.90 | 13.60 17.00 20.40 23.80 | 27.20 30.60 34.00 37.40 | 40.80 44.20 47.60 51.00 | 54.40 61.20 68.00 74.80 | 81.60 88.40 95.20 102.00 | 108.80 115.60 122.40 |
| | | 1534 | 6.69 8.37 10.04 11.71 | 13.39 16.73 20.08 23.43 | 26.78 30.12 33.47 36.82 | 40.16 43.51 46.86 50.20 | 53.55 60.24 66.94 73.63 | 80.33 87.02 93.71 100.41 | 107.10 113.79 120.49 |
| | | 151/2 | 6.59 8.23 9.88 11.53 | 13.18 16.47 19.76 23.06 | 26.35 29.64 32.94 36.23 | 39.53 42.82 46.11 49.41 | 52.70 59.29 65.88 72.46 | 79.05 85.64 92.23 98.81 | 105.40 111.99 118.58 |
| pani | INCHES | 1514 | 6.48 8.10 9.72 11.34 | 12.96 16.20 19.44 22.68 | 25.93 29.17 32.41 35.65 | 38.89 42.13 45.37 48.61 | 51.85 58.33 64.81 71.29 | 77.78 84.26 90.74 97.22 | 103.70 110.18 116.66 |
| Contin | H, IN | 15 | 6.38 7.97 9.56 11.16 | 12.75 15.94 19.13 22.31 | 25.50 28.69 31.88 35.06 | 38.25 41.44 44.63 47.81 | 51.00 57.38 63.75 70.13 | 76.50 82.88 89.25 95.63 | 102.00 108.38 114.75 |
| | WIDTH, | 1434 | 6.27 7.84 9.40 10.97 | 12.54 15.67 18.81 21.94 | 25.08 28.21 31.34 34.48 | 37.61 40.75 43.88 47.02 | 50.15 56.42 62.69 68.96 | 75.23 81.49 87.76 94.03 | 100.30 106.57 112.84 |
| I ADE | | 141/2 | 6.16 7.70 9.24 10.78 | 12.33 15.41 18.49 21.57 | 24.65 27.73 30.81 33.89 | 36.98 40.06 43.14 46.22 | 49.30 55.46 61.63 67.79 | 73.95 80.11 86.28 92.44 | 98.60 04.76 10.93 |
| | | 1414 | 6.06 7.57 9.08 10.60 | 12.11 15.14 18.17 21.20 | 24.23 27.25 30.28 33.31 | 36.34 39.37 42.39 45.42 | 48.45 54.51 60.56 66.62 | 72.68 78.73 84.79 90.84 | 96.90 102.96 109.01 |
| | | 14 | 5.95 7.44 8.93 10.41 | 11.90 14.88 17.85 20.83 | 23.80 26.78 29.75 32.73 | 35.70 38.68 41.65 44.63 | 47.60 53.55 59.50 65.45 | 71.40 77.35 83.30 89.25 | 95.20 101.15 107.10 |
| | | 1334 | 5.84 7.30 8.77 10.23 | 11.69 14.61 17.53 20.45 | 23.38 26.30 29.22 32.14 | 35.06 37.98 40.91 43.83 | 46.75 52.59 58.44 64.28 | 70.13 75.97 81.81 87.66 | 93.50 99.34 105.19 |
| | | 131/2 | 5.74 7.17 8.61 10.04 | 11.48 14.34 17.21 20.08 | 22.95 25.82 28.69 31.56 | 34.43 37.29 40.16 43.03 | 45.90 51.64 57.38 63.11 | 68.85 74.59 80.33 86.06 | 91.80 97.54 103.28 |
| | | 1314 | 5.63 7.04 8.45 9.85 | 11.26 14.08 16.89 19.71 | 22.53 25.34 28.16 30.97 | 33.79 36.60 39.42 42.23 | 45.05 50.68 56.31 61.94 | 67.58 73.21 78.84 84.47 | 90.10 95.73 101.36 |
| | | 13 | 5.53 6.91 8.29 9.67 | 11.05 13.81 16.58 19.34 | 22.10 24.86 27.63 30.39 | 33.15 35.91 38.68 41.44 | 44.20 49.73 55.25 60.78 | 66.30 71.83 77.35 82.88 | 88.40 93.93 99.45 |
| | | 1234 | 5.42 6.77 8.13 9.48 | 10.84 13.55 16.26 18.97 | 21.68 24.38 27.09 29.80 | 32.51 35.22 37.93 40.64 | 43.35 48.77 54.19 59.61 | 65.03 70.44 75.86 81.28 | 86.70 92.12 97.54 |
| | | 123/2 | 5.31 6.64 7.97 9.30 | 10.63 13.28 15.94 18.59 | 21.25 23.91 26.56 29.22 | 31.88 34.53 37.19 39.84 | 42.50 47.81 53.13 58.44 | 63.75 69.06 74.38 79.69 | 85.00 90.31 95.63 |
| | | 1214 | 5.21 6.51 7.81 9.11 | 10.41 13.02 15.62 18.22 | 20.83 23.43 26.03 28.63 | 31.24 33.84 36.44 39.05 | 41.65 46.86 52.06 57.27 | 62.48 67.68 72.89 78.09 | 83.30 88.51 93.71 |
| , | | Thi | 700 000 00 00 00 00 00 00 00 00 00 00 00 | 14 m 1 % - 10 | 1, % 10 % Ha | 2 4 4 6 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | 75,8 7478 | 22% |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV-Continued

| | 2375 | 9.99 12.48 14.98 17.48 | 19.98 24.97 29.96 34.96 | 39.95 44.94 49.94 54.93 | 59.93 64.92 69.91 74.91 | 79.90 89.89 99.88 109.86 | 119.85 129.84 139.83 149.81 | 159.80 169.79 179.78 |
|---------------|----------------------|--|--|--|--|--|---|---|
| | 231/4 | 9.88 12.35 14.82 17.29 | 19.76 24.70 29.64 34.58 | 39.53 44.47 49.41 54.35 | 59.29 64.23 69.17 74.11 | 79.05 88.93 98.81 108.69 | 118.58 128.46 138.34 148.22 | .20 30.50 32.60 33.4.30 136.00 137.70 139.40 141.10 142.80 144.50 146.20 147.90 149.60 151.30 153.00 154.70 156.40 158.10 159.80 139.50 140.89 142.69 144.50 146.31 149.32 151.73 153.53 155.34 157.14 158.35 166.75 166.37 166.18 167.39 169.79 157.14 158.25 149.26 149.18 151.09 153.00 154.51 156.83 158.74 160.55 162.56 164.49 166.39 168.30 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.37 174.04 175.35 177.35 177.37 174.04 175.37 175.37 174.04 175.37 175.37 174.04 175.37 175.37 175.37 174.04 175.37 |
| | 23 | 9.78 12.22 14.66 17.11 | 19.55 24.44 29.33 34.21 | 39.10 43.99 48.88 53.76 | 58.65 63.54 68.43 73.31 | 78.20 87.98 97.75 107.53 | 117.30 127.08 136.85 146.63 | 156.40 166.18 175.95 |
| | 2234 | 9.67 12.09 14.50 16.92 | 19.34 24.17 29.01 33.84 | 38.68 43.51 48.34 53.18 | 58.01 62.85 67.68 72.52 | 77.35 87.02 96.69 106.36 | 116.03 125.69 135.36 145.03 | 154.70 |
| | 221/2 | 9.56 11.95 14.34 16.73 | 19.13 23.91 28.69 33.47 | 38.25 43.03 47.81 52.59 | 57.38 62.16 66.94 71.72 | 76.50 86.06 95.63 105.19 | 107.10 108.38 109.65 110.93 112.20 113.48 114.75 116.03 117.41 118.79 120.17 121.55 122.39 124.31 124.95 126.44 127.39 129.41 130.90 132.39 133.88 133.88 135.47 137.06 138.66 140.25 141.84 148.44 | 153.00 |
| | 2214 | 9.46 11.82 14.18 16.55 | 18.91 23.64 28.37 33.10 | 37.83 42.55 47.28 52.01 | 56.74 61.47 66.19 70.92 | 75.65 85.11 94.56 | 113.48 122.93 132.39 141.8 | 151.30 160.76 0170.2 |
| | 22 | 9.35 11.69 14.03 16.36 | 18.70 23.38 28.05 32.73 | 37.40 42.08 46.75 51.43 | 56.10 60.78 65.45 70.13 | 74.80 9 84.15 93.50 8 102.85 | 3 112.20 7 121.55 1 130.90 6 140.25 | 0 149.60 4 158.99 9 168.3 |
| | 2134 | 9.24 11.55 13.87 16.18 | 18.49 23.11 27.73 32.35 | 36.98 41.60 46.22 50.84 | 55.46 60.08 64.71 8 69.33 | 73.95 4 83.19 8 92.44 1 101.68 | 5 110.95 9 120.17 3 129.4 6 138.66 | .30 136.00 137.70 139.40 141.10 142.80 144.50 146.20 147.90 149.60 151. 69 144.50 146.31 148.11 149.92 151.73 153.53 155.34 157.14 158.95 160. 69 153.30 154.91 156.83 158.74 160.65 162.56 164.48 166.39 168.30 170 |
| | 2132 | 9.14 11.42 13.71 15.99 | 18.28 22.84 27.41 31.98 | 36.55 41.12 45.69 7 50.26 | 54.83 59.39 63.96 8 68.53 | 73.10 8 82.24 1 91.38 4 100.51 | 8 109.63 1 118.73 4 127.93 7 137.0 | 0 146.2 3 155.3 6 164.4 |
| | 211/4 | 9.03 11.29 13.55 15.80 | 18.06 22.58 27.09 31.61 | 36.13 40.64 45.16 9 49.67 | 54.19 1 58.70 8 63.22 4 67.73 | 3 81.28 5 90.31 8 99.34 | 0 108.3 3 117.4 5 126.4 8 135.4 | 0 144.5 3 153.5 5 162.5 |
| CHES | 21 | 8.93 11.16 13.39 15.62 | 4 17.85 5 22.31 6 26.78 7 31.24 | 8 40.16 9 44.63 0 49.09 | 1 53.55 2 58.01 3 62.48 4 66.94 | 5 71.40 7 80.33 9 89.25 11 98.18 | 3 107.1 4 116.0 6 124.9 8 133.8 | 0 142.8 2 151.7 4 160.6 |
| WIDTH, INCHES | 2034 | 9 11.02 7 13.23 5 15.43 | 3 17.64 8 22.05 4 26.46 9 30.87 | 5 35.28 1 39.68 6 44.09 2 48.50 | 28 52.91 63 57.32 99 61.73 34 66.14 | 70 70.55 41 79.37 13 88.19 84 97.01 | 28 104.55 105.83 10 28 113.26 114.64 11 19 121.98 123.46 12 29 130.69 132.28 13 | 10 141.1 11 149.5 33 158.7 |
| WID | 20% | 1 8.71 6 10.89 1 13.07 6 15.25 | 21 17.43 52 21.78 82 26.14 .12 30.49 | .43 34.85 .73 39.21 .03 43.56 .33 47.92 | 55.0 | 95 87 89 | 103.28 104.5 111.88 113.2 120.49 121.9 129.09 130.6 | 70 139. 31 148. 91 156. |
| | 2014 | 8.61 3 10.76 5 12.91 8 15.06 | 25 25 30 30 | 38 43 47 47 | 5.69 | 00 68.85 50 77.46 00 86.06 50 94.67 | .00 103.28 .50 111.88 .00 120.49 .50 129.09 | 50 146. 50 146. |
| | 20 | 9 8.50 9 10.63 9 12.75 9 14.88 | 9 17.00 8 21.25 8 25.50 8 29.75 | 38.25 7 38.25 97 42.50 17 46.75 | 36 51.00 56 55.25 76 59.50 35 63.75 | 88 88 88 | 102 110 119 127 | 30 136. 69 144. 09 153. |
| | 2 1934 | 8.39 8.39 8.31 12.59 14.69 | 20.98 20.98 36 25.18 36 25.18 | 15 33.58 29 37.77 44 41.97 58 46.17 | 73 50.36 87 54.56 01 58.76 16 62.95 | 9283 | 117 125 125 | 2.60 134. 0.89 142. 9.18 151. |
| | 191 | 8.29 23 10.36 27 12.43 32 14.50 | 36 16.58 45 20.72 54 24.86 53 29.01 | 73 33.15 82 37.29 91 41.44 00 45.58 | 27 58.01 36 62.16 | .45 66.30 .63 74.59 .81 82.88 .99 91.16 | 99 107 116 124 | .90 132. .08 140. .26 149. |
| | 1914 | 98 8.18 99 10.23 11 12.27 13 14.32 | 15 16.36 19 20.45 23 24.54 26 28.63 | 30 32.73 34 36.82 38 40.91 41 45.00 | 48.45 49.09 52.49 53.18 56.53 57.27 60.56 61.36 | 64.60 65. 72.68 73. 80.75 81. 88.83 89. | .90 98.18 .98 106.36 .05 114.54 .13 122.72 | .20 130. .28 139. .35 147. |
| | 4 19 | 97 8.08 96 10.09 95 12.11 95 14.13 | .94 16.15 .92 20.19 .91 24.23 .89 28.26 | 31.88 32.30 35.86 36.34 39.84 40.38 43.83 44.41 | 51.80 52. 55.78 56. 59.77 60. | 63.75 64. 71.72 72. 79.69 80. 87.66 88. | 63 96 59 104 56 113 53 121 | 50 129 47 137 44 145 |
| | 2 183 | 86 7.97 83 9.96 79 11.95 76 13.95 | 73 15 66 19 59 23 52 27 | 31.45 31.88 35.38 35.86 39.31 39.84 43.24 43.83 | 47.18 47. 51.11 51. 55.04 55. 58.97 59. | 62.90 63. 70.76 71. 78.63 79. 86.49 87. | 35 95. 21 103 08 111 94 119 | 385 |
| | 181 | 7.76 7.86 9.70 9.83 11.63 11.79 13.57 13.76 | 51 15 39 19 27 23 15 27 | 31.03 31. 34.90 35. 38.78 39. 42.66 43. | 254 239 17 | 32 81 32 | 94 83 102 59 110 34 117 | 10 125.80 1 86 133.66 1 61 141.53 |
| | 3 1874 | 7.65 7. 9.56 9. 11.48 11. 13.39 13. | 15.30 15. 19.13 19. 22.95 23. 26.78 27. | 30.60 31. 34.43 34. 38.25 38. 42.08 42. | 45.90 46. 49.73 50. 53.55 54. 57.38 58. | 61.20 62. 68.85 69. 76.50 77. 84.15 85. | 91.80 93.0 99.45100.1 107.10108. | 40 124 05 131 70 138 |
| 937 | ∞ | 1 | | | | | 10,000 | 130 |
| 1 | Thio ness Inch | 2000年出 | **** | X4%# | 7 1 × 2 | - 72.74.72 | 11/20/14/20 | 222 |

| Thick- | 野事事 | 计% 非 | 针灸非外 | 14 m/2 mm | 767476 | 763 700 74 700 | 278 |
|-----------------------|--|----------------------------------|----------------------------------|----------------------------------|--------------------------------------|--|---|
| 2334 | 10.09 12.62 15.14 17.66 | 20.19 25.23 30.28 35.33 | 40.38 45.42 50.47 55.52 | 60.56 65.61 70.66 75.70 | 80.75 90.84 100.94 111.03 | 121.13 131.22 141.31 151.41 | 171.59 |
| 24 | 10.20 12.75 15.30 17.85 | 20.40 25.50 30.60 35.70 | 40.80 45.90 51.00 56.10 | 61.20 66.30 71.40 76.50 | 81.60 91.80 102.00 112.20 | 122.40 123.68 124.95 126.23 127.50 128.78 130.05 131.33 132.60 133.88 135.15 136.43 137.70 138.98 135.01 138.30 135.50 135.51 136.73 137.70 138.30 135.50 135.36 136.74 138.13 139.51 140.89 142.27 143.85 145.03 146.41 147.79 149.18 1160.56 142.80 144.29 145.78 147.26 148.75 150.24 151.73 153.21 154.70 156.19 157.68 159.16 160.65 162.14 133.00 154.59 136.19 157.78 159.38 150.37 156.56 164.16 165.75 167.34 168.54 170.33 172.13 173.72 | 163.20 164.90 166.60 168.30 170.00 171.70 173.40 175.10 176.80 178.50 180.20 181.50 183.20 188.50 188.60 188.30 187.00 188.70 190.40 192.10 193.80 195.50 197.20 198.177.01 178.82 180.63 180.63 182.41 186.04 187.85 189.86 191.46 193.27 195.08 196.88 198.69 200.49 202.30 204.11 205.91 207.77 209.53 211.177.01 178.82 180.64 187.85 189.85 189.86 191.46 193.27 195.08 196.88 198.69 200.49 202.30 204.11 205.91 207.77 209.53 211.177.01 |
| 2414 | 10.31 12.88 15.46 18.04 | 20.61 25.77 30.92 36.07 | 41.23 46.38 51.53 56.68 | 61.84 66.99 72.14 77.30 | 82.45 92.76 103.06 113.37 | 23.68 33.98 44.29 54.59 | 64.90 |
| 241/2 | 10.41 13.02 15.62 18.22 | 20.83 26.03 31.24 36.44 | 41.65 46.86 52.06 57.27 | 62.48 67.68 72.89 78.09 | 83.30 93.71 104.13 | 124.95 135.36 145.78 156.19 | 166.60 |
| 2434 | 10.52 13.15 15.78 18.41 | 21.04 26.30 31.56 36.82 | 42.08 47.33 52.59 57.85 | 63.11 68.37 73.63 78.89 | 84.15 94.67 105.19 115.71 | 126.23 136.74 147.26 157.78 | 168.30 |
| 25 | 10.63 13.28 15.94 18.59 | 21.25 26.56 31.88 37.19 | 42.50 47.81 53.13 58.44 | 63.75 69.06 74.38 79.69 | 85.00 95.63 06.25 16.88 | 127.50 138.13 148.75 159.38 | 170.00 |
| 251/4 | 10.73 13.41 16.10 18.78 | 21.46 26.83 32.19 37.56 | 42.93 48.29 53.66 59.02 | 64.39 69.75 75.12 80.48 | 85.85 96.58 107.31 118.04 | 128.78 139.51 150.24 160.97 | 171.70 |
| 251/2 | 10.84 13.55 16.26 18.97 | 21.68 27.09 32.51 37.93 | 43.35 48.77 54.19 59.61 | 65.03 70.44 75.86 81.28 | 86.70 97.54 08.38 19.21 | 130.05 140.89 151.73 162.56 | 173.40 |
| 25% | 10.94 13.68 16.42 19.15 | 21.89 27.36 32.83 38.30 | 43.78 49.25 54.72 60.19 | 65.66 71.13 76.61 82.08 | 87.55 98.49 09.44 20.38 | 131.33 142.27 153.21 164.16 | 175.10 |
| 26 | 11.05 13.81 16.58 19.34 | 22.10 27.63 33.15 38.68 | 44.20 49.73 55.25 60.78 | 66.30 71.83 77.35 82.88 | 88.40 99.45 110.50 | 132.60 143.65 154.70 165.75 | 176.80 |
| WIDT 2614 | 11.16 13.95 16.73 19.52 | 22.31 27.89 33.47 39.05 | 44.63 50.20 55.78 61.36 | 66.94 72.52 78.09 83.67 | 89.28 00.41 11.56 22.72 | 133.88 145.03 156.19 167.34 | 178.50 |
| WIDTH, INCHES 26% 26% | 11.26 14.08 16.89 19.71 | 22.53 28.16 33.79 39.42 | 45.05 50.68 56.31 61.94 | 67.58 73.21 78.84 84.47 | 90.10 101.36 112.63 123.89 | 135.15 146.41 157.68 168.94 | 180.20 |
| CHES 2634 | 11.37 14.21 17.05 19.90 | 22.74 28.42 34.11 39.79 | 45.48 51.16 56.84 62.53 | 68.21 73.90 79.58 85.27 | 90.95 102.32 113.69 25.06 | 136.43 147.79 159.16 170.53 | 181.90 |
| 27 | 11.48 14.34 17.21 20.08 | 22.95 28.69 34.43 40.16 | 45.90 51.64 57.38 63.11 | 68.85 74.59 80.33 86.06 | 91.80 03.28 14.75 26.23 | 137.70 149.18 160.65 | 183.60 |
| 271/4 | 11.58 14.48 17.37 20.27 | 23.16 28.95 34.74 40.53 | 46.33 52.12 57.91 63.70 | 69.49 75.28 81.07 86.86 | 92.65 104.23 15.81 27.39 | 138.98 150.56 162.14 173.72 | 185.30 |
| 2772 | 11.69 14.61 17.53 20.45 | 23.38 29.22 35.06 40.91 | 46.75 52.59 58.44 64.28 | 70.13 75.97 81.81 87.66 | 93.50 105.19 116.88 128.56 | 140.25 151.94 163.63 175.31 | 198.69 |
| 2734 | 11.79 14.74 17.69 20.64 | 23.59 29.48 35.38 41.28 | 47.18 53.07 58.97 64.87 | 70.76 76.66 82.56 88.45 | 94.35 106.14 17.94 29.73 | 141.53 153.32 165.11 176.91 | 188.70 |
| 28 | 11.90 14.88 17.85 20.83 | 23.80 29.75 35.70 41.65 | 47.60 53.55 59.50 65.45 | 71.40 77.35 83.30 89.25 | 95.20 107.10 19.00 | 142.80 144.08 154.70 156.08 166.60 168.09 178.50 180.09 | 90.40 |
| 281/4 | 12.01 15.01 18.01 21.01 | 24.01 30.02 36.02 42.02 | 48.03 54.03 60.03 66.03 | 72.04 78.04 84.04 90.05 | 96.05 108.06 120.06 132.07 | 144.08 156.08 168.09 180.09 | 92.101 |
| 281/2 | 12.11 15.14 18.17 21.20 | 24.23 30.28 36.34 42.39 | 48.45 54.51 60.56 66.62 | 72.68 78.73 84.79 90.84 | 96.90 109.01 121.13 133,24 | 45.35 57.46 69.58 81.69 | 93.80 |
| 2834 | 12.22 15.27 18.33 21.38 | 24.44 30.55 36.66 42.77 | 48.88 54.98 61.09 67.20 | 73.31 79.42 85.53 91.64 | 97.75 109.97 122.19 134.41 | 146.63 158.84 171.06 183.28 | 195.50 |
| 29 | 12.33 15.41 18.49 21.57 | 24.65 30.81 36.98 43.14 | 49.30 55.46 61.63 67.79 | 73.95 80.11 86.28 92.44 | 98.60 110.93 123.25 135.58 | 147.90 160.23 172.55 184.88 | 197.20 |
| 29% | 12.4 3 15.5 4 18.65 21.75 | 24.86 31.08 37.29 43.51 | 49.73 55.94 62.16 68.37 | 74.59 80.80 87.02 93.23 | 99.45 1111.88 124.31 136.74 | .90 149.18 .23 161.61 .55 174.04 .88 186.47 | 198.90 |

| | 35 | 14.88 18.59 22.31 26.03 | 29.75 37.19 44.63 52.06 | 59.50 66.94 74.38 81.81 | 89.25 96.69 104.13 111.56 | 119.00 133.88 148.75 163.63 | 178.50 193.38 208.25 223.13 | 238.00 252.88 267.75 |
|---------------|------------------------|----------------------------------|----------------------------------|---|------------------------------------|--|---|--|
| | 3434 | 14.77 18.46 22.15 25.85 | 29.54 36.92 44.31 51.69 | 59.08 66.46 73.84 81.23 | 88.61 96.00 103.38 110.77 | 118.15 132.92 147.69 162.46 | 177.23 191.99 206.76 221.53 | 251.07 251.07 265.84 |
| | 341/2 | 14.66 18.33 24.39 25.66 | 29.33 36.66 43.99 51.32 | 58.65 65.98 73.31 80.64 | 87.98 95.31 102.64 109.97 | 117.30 131.96 146.63 161.29 | 175.95 190.61 205.28 219.94 | 232.30 234.60 247.46 249.26 262.01 263.93 |
| | 341/4 | 14.56 18.20 21.83 25.47 | 29.11 36.39 43.67 50.95 | 58.23 65.50 72.78 80.06 | 87.34 94.62 101.89 109.17 | 16.45 31.01 45.56 60.12 | 167.03 168.30 169.58 170.85 172.13 173.40 174.68 175.95 180.61 180.29 182.33 183.71 185.09 186.47 187.85 189.23 190.61 194.86 196.35 197.84 199.33 200.81 202.30 203.79 205.28 208.78 210.97 213.56 215.16 216.75 218.34 219.94 | 232.90 247.46 262.01 |
| | 34 | 14.45 18.06 21.68 25.29 | 28.90 36.13 43.35 50.58 | 57.80 65.03 72.25 79.48 | 86.70 93.93 101.15 108.38 | .75 115.60 1 .09 130.05 1 .44 144.50 1 .78 158.95 1 | 173.40 187.85 202.30 216.75 | 231.20 245.65 260.10 |
| | 3334 | 14.34 17.93 21.52 25.10 | 28.69 35.86 43.03 50.20 | 57.38 64.55 71.72 78.89 | 86.06 93.23 100.41 107.58 | 113.90 114.75 128.14 129.09 142.38 143.44 156.61 157.78 | 172.13 186.47 200.81 215.16 | 229.50 243.84 3258.19 |
| | 331/2 | 14.24 17.80 21.36 24.92 | 28.48 35.59 42.71 49.83 | 56.95 64.07 71.19 78.31 | 85.43 92.54 99.66 106.78 | 113.90 128.14 142.38 156.61 | 170.85 185.09 199.33 213.56 | 222.70 224.40 226.10 227.80 236.62 238.43 240.23 242.04 250.54 252.45 254.36 256.28 |
| | 331/4 | 14.13 17.66 21.20 24.73 | 28.26 35.33 42.39 49.46 | 56.53 63.59 70.66 77.72 | 84.79 91.85 98.92 105.98 | 113.05 127.18 141.31 155.44 | 169.58 183.71 197.84 211.97 | 226.10 3240.23 254.36 |
| | 33 | 14.03 17.53 21.04 24.54 | 28.05 35.06 42.08 49.09 | 56.10 63.11 70.13 77.14 | 84.15 91.16 98.18 105.19 | 112.20 126.23 140.25 154.28 | 168.30 1182.33 196.35 3210.38 | 224.40 238.43 252.45 |
| | 323/4 | 13.92 17.40 20.88 24.36 | 27.84 34.80 41.76 48.72 | 55.68 62.63 69.59 76.55 | 83.51 90.47 97.43 104.39 | 111.35 125.27 139.19 | 167.03 1 180.94 1 194.86 1 9.208.78 2 | 222.70 236.62 3 250.54 |
| CHES | 321/2 | 13.81 17.27 20.72 24.17 | 27.63 34.53 41.44 48.34 | 55.25 62.16 69.06 75.97 | 82.88 89.78 96.69 103.59 | 110.50 1 124.31 1 138.13 1 151.94 1 | 165.75 1 179.56 1 193.38 1 207.192 | 219.30 221.00 233.01 234.81 246.71 248.63 |
| WIDTH, INCHES | 3214 | 13.71 17.13 20.56 23.99 | 27.41 34.27 41.12 47.97 | 54.83 61.68 68.53 75.38 | 82.24 89.09 95.94 102.80 | 109.65 1 123.36 137.06 150.77 | 159.38 160.65 161.93 163.20 164.48 165.75 172.66 174.04 175.42 176.80 178.18 179.56 185.94 187.43 188.91 190.40 191.89 193.38 199.22 200.81 202.41 204.00 205.59 207.19 | .60 219.30 .20 233.01 .80 246.71 |
| WIDT | 32 | 13.60 17.00 20.40 23.80 | 27.20 34.00 40.80 47.60 | 54.40 61.20 68.00 74.80 | 81.60 88.40 95.20 102.00 | 108.80 122.40 136.00 149.60 | 163.20 176.80 1190.40 | 214.20 215.90 217.60 227.59 229.39 231.20 240.98 242.89 244.80 |
| | 3134 | 13.49 16.87 20.24 23.61 | 26.99 33.73 40.48 47.23 | 53.98 60.72 67.47 74.22 | 80.96 87.71 94.46 101.20 | 107.95 121.44 8134.94 8148.43 | 161.90 175.42 188.91 202.4 | 229.3 229.3 3 242.8 |
| | 311/2 | 13.39 16.73 20.08 23.43 | 26.78 33.47 40.16 46.86 | 53.55 60.24 66.94 73.63 | 80.33 87.02 93.71 100.41 | 107.10 120.49 133.88 147.26 | 160.6 174.0 187.4 200.8 | 214.20 3 227.55 5 240.90 |
| | 311/4 | 13.28 16.60 19.92 23.24 | 26.56 33.20 39.84 46.48 | 53.13 59.77 66.41 73.05 | 79.69 86.33 92.97 99.61 | 106.25 1 119.53 1 132.81 1 146.09 1 | 156.83 158.10 159.38 160.65 169.89 171.28 172.66 174.04 182.96 184.45 185.94 187.43 196.03 197.63 199.22 200.81 | 212.50 8 225.78 5 239.06 |
| | 31 | 13.18 16.47 19.76 23.06 | 26.35 32.94 39.53 46.11 | 52.70 59.29 65.88 72.46 | 79.05 85.64 92.23 98.81 | 103.70 104.55 105.40 116.66 117.62 118.58 1129.63 130.69 131.75 142.59 143.76 144.93 | 158.10 159.3 171.28 172.6 184.45 185.8 197.63 199.2 | 204,00 205.70 207.40 209.10 210.80 216.75 218.56 220.36 222.17 223.98 929.50 231.41 233.33 235.24 237.15 |
| | 3034 | 13.07 16.34 19.60 22.87 | 26.14 32.67 39.21 45.74 | 52.28 58.81 65.34 71.88 | 78.41 84.95 91.48 98.02 | 102.00 102.85 103.70 104.55 1 114.75 115.71 116.66 117.62 1 127.50 128.56 129.63 130.69 1 140.25 141.42 142.59 143.76 | 3.55 156.83 1 3.51 169.89 1 1.48 182.96 1 1.44 196.03 1 | 209.10 5222.1 3235.2 |
| | 301/2 | 12.96 16.20 19.44 22.68 | 25.93 32.41 38.89 45.37 | 51.85 58.33 64.81 71.29 | 77.78 84.26 90.74 97.22 | 103.70 116.66 129.63 142.59 | 25 155.25 155.55 156. 25 179.39 181.48 182. 25 192.84 194.44 196. | 0207.4 6220.3 1233.3 |
| | 3014 | 12.86 16.07 19.28 22.50 | 25.71 32.14 38.57 45.00 | 51.43 57.85 64.28 70.71 | 77.14 83.57 89.99 96.42 | 102.85 115.71 128.56 141.42 | 154.28 155. 167.13 168. 179.99 181. 192.84 194. | 205.7 5 218.5 0 231.4 |
| | 30 | 12.75 15.94 19.13 22.31 | 25.50 31.88 38.25 44.63 | 51.00 57.38 63.75 70.13 | 76.50 82.88 89.25 95.63 | 5 102.00 9 114.75 4 127.50 8 140.25 | 153 165 178 191 | 210.20 204.00 205.70 207.40 209.10 210.80 212.50 214.20 215.90 217.21 4.94 216.75 218.56 220.36 222.17 223.38 225.78 227.59 227.59 223.39 224.89 229.50 221. |
| | 2934 | 12.64 15.80 18.97 22.13 | 25.29 31.61 37.93 44.25 | 50.58 56.90 63.22 69.54 | 75.86 82.18 88.51 94.83 | 101.15 113.79 1136.44 1139.08 | 5 151.73 9 164.37 3 177.01 6 189.66 | 0202.30 4.214.94 8.227.59 |
| | 291/2 | 12.54 15.67 18.81 21.94 | 25.08 31.34 37.61 43.88 | 50.15 56.42 62.69 68.96 | 75.23 81.49 87.76 94.03 | 100.30 112.84 125.38 137.91 | 150.45 162.99 175.53 188.06 | 200.60 213.14 225.68 |
| H | Thich ness, Inch | My leg leg leg | 74 45 % 45 | % # % # % | 14 who 700 mile | | 76176 7476 | 288 |

103.91 112.57 121.23 129.89 138.55 155.87 173.19 190.51 179.78 181.05 182.33 183.60 194.88 186.15 187.43 188.70 189.98 191.25 192.53 193.80 195.08 196.35 197.63 198.90 200.18 201.45 [202.73 204.00 | 205.28 | 206.55 | 207.53 205.51 |
194.76 196.14 197.52 198.90 200.28 | 201.66 | 203.04 | 204.43 205.51 | 207.19 | 208.57 | 203.05 | 201.27 | 214.09 | 215.48 | 215.77 | 214.09 | 217.18 | 218.66 | 220.15 | 223.46 | 224.61 | 225.10 | 227.59 | 229.08 | 230.56 | 230.56 | 233.54 | 238.00 | 239.49 | 240.98 | 239.47 |
209.74 | 227.51 | 227.50 | 239.50 | 231.08 | 234.28 | 238.58 | 237.77 | 239.06 | 240.66 | 242.25 | 248.44 | 247.03 | 248.63 | 250.22 | 251.31 | 233.41 | 255.00 | 256.59 | 256.19 | 239.58 | 239.78 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 | 239.58 17.32 21.65 25.98 30.31 34.64 43.30 51.96 60.62 69.28 77.93 86.59 95.25 70 241.40 243.10 244.80 [246.50 | 246.50 | 249.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.50 | 251.5 4034 5102.00 102.64 103.28 11 1110.50 111.19 111.88 11 5119.00 119.74 120.49 12 127.50 128.30 129.09 13 34.43 43.03 51.64 60.24 154.91 172.13 189.34 68.85 77.46 86.06 94.67 17.21 21.52 25.82 30.12 239.70|241.40|243.10|244.80|246.50|249.50|251.50|253.30|255.70|256.70|256.70|258.40|260.10|241.40|243.50|245.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|246.50|24 6 189. 17.11 21.38 25.66 29.94 42.77 51.32 59.87 68.43 76.98 85.53 94.08 136.85 153.96 171.06 188.17 126.65 127.50 128.35 129.20 130.05 130.90 131.75 132.60 133.45 134.30 135.15 136.00 136.8 114.30 141.439 145.35 145.35 145.25 145.31 147.26 148.25 145.31 151.03 151.03 152.00 153.8 118.33 153.38 163.44 161.55 161.55 161.55 165.31 167.35 165.31 167.45 167.50 171.8 177.41 177.51 177.65 178.82 177.99 181.16 183.33 183.45 164.65 185.83 187.00 171.8 \$ 17.00 21.25 25.50 29.75 34.00 42.50 51.00 68.00 76.50 85.00 93.50 96.26 96.90 97.54 98.18 98.81 99.45 100.09 100.73 101.36 1 104.28 104.98 104.59 105.65 510.07 74 108.43 109.12 109.81 111.23 113.05 113.79 114.54 115.28 116.03 116.77 118.25 113.79 114.54 115.28 116.03 116.77 118.25 113 16.89 21.12 25.34 29.56 33.79 42.23 50.68 59.13 67.58 76.02 84.47 92.92 393 16.79 20.98 25.18 29.38 33.58 41.97 50.36 58.76 67.15 75.54 83.94 92.33 (0) 391 16.68 20.85 25.02 29.19 33.36 41.70 50.04 58.38 66.73 75.07 83.41 91.75 39 16.58 20.72 24.86 29.01 33.15 41.44 49.73 58.01 66.30 74.59 82.88 91.16 33 16.47 20.59 24.70 28.82 32.94 74.11 82.34 90.58 49.41 383 16.36 20.45 24.54 28.63 65.45 73.63 81.81 89.99 32.73 40.91 49.09 57.27 381/2 16.26 20.32 24.38 28.45 32.51 40.64 48.77 56.90 65.03 73.15 81.28 89.41 3814 VIDTH, INCHES 16.15 20.19 24.23 28.26 32.30 40.38 48.45 56.53 64.60 72.68 80.75 88.83 38 16.04 20.05 24.07 28.08 32.09 40.11 48.13 56.15 64.18 72.20 80.22 88.24 3734 95.63 103.591 111.561 119.531 15.94 19.92 23.91 27.89 31.88 39.84 47.81 55.78 63.75 71.72 79.69 87.66 101 37 94.99 102.90 110.82 118.73 15.83 19.79 23.75 27.70 31.66 39.58 47.49 55.41 79.16 63.33 71.24 14 5 124.10 124.95 125.80 126.65 6 139.61 140.57 141.53 142.46 6 155.13 156.19 157.25 158.31 7 170.64 171.81 172.98 174.14 37 15.73 19.66 23.59 27.52 31.45 39.31 47.18 55.04 62.90 94.35 110.08 1 78.63 37 6 91.80 92.44 93.08 93.71 9 6 99.45 100.14 100.83 101.52 10 6 107.10 107.84 108.59 109.33 11 5 114.75 115.55 116.34 117.14 11 31.24 39.05 46.86 54.67 62.48 70.28 78.09 85.90 15.62 19.52 23.43 27.33 36 15.51 19.39 23.27 27.15 31.03 38.78 46.54 54.29 62.05 69.81 77.56 85.32 101 361 15.41 19.26 23.11 26.96 123.25 1. 138.66 1. 154.06 1 169.47 1 30.81 38.52 46.22 53.92 61.63 69.33 77.03 84.73 119.85 120.70 121.55 122.40 123.25 134.88 135.79 136.74 137.70 138.66 149.81 150.88 151.94 153.00 154.06 164.79 165.96 167.13 168.30 169.47 36 15.30 19.13 22.95 26.78 30.60 38.25 45.90 53.55 61.20 68.85 76.50 84.15 36 91.16 98.76 106.36 113.95 15.19 18.99 22.79 26.59 30.39 37.98 45.58 53.18 60.78 68.37 75.97 83.57 3534 30.18 37.72 45.26 52.81 90.53 98.07 105.61 113.161 60.35 67.89 75.44 82.98 15.09 18.86 22.63 26.40 101 35 14.98 18.73 22.47 26.22 29.96 37.45 44.94 52.43 59.93 67.42 74.91 82.40 89.89 97.38 104.87 112.36 35 Inches 100 mg 100 mg なるがるよ るよるは 1 mo /0 00 707476 12 10 14/0 22% 'ธรอนิ Thick-

| 1 | 461/3 | 19.76 | 29.64 34.58 | 39.53 49.41 59.29 69.17 | 79.05 88.93 98.81 | 18.58 28.46 38.34 18.22 | 158.10 177.8 6 197.6 3 217.3 9 | 237.15 256.91 276.68 296.44 | 316.20 335.96 355.73 |
|---------------|----------------------|----------|-------------------------|--|--|--|--|--|--|
| - 1 | 461/4 4 | | 29.48 34.40 3 | 39.31 49.14 49.14 58.97 58.80 68.80 | 78.63 88.45 98.28 91.11 | 7.94 11 7.77 12 7.59 13 7.42 14 | 7.25 18 6.91 17 6.56 19 6.22 2 | 234.60 225.88 237.15 254.15 225.53 256.91 273.70 275.19 276.68 293.25 294.84 296.44 | 4.503 4.163 3.813 |
| | - | | 29.33 29 | 39.10 39 48.88 49 58.65 58 68.43 69 | 78.20 87.98 97.75 107.53 | .30 11 .08 12 .85 13 .63 14 | 3.40 15 3.95 17 3.50 19 5.05 21 | 234.60 235.88 254.15 255.53 273.70 275.19 293.25 294.84 | 2.80 31 2.35 33 1.90 35 |
| | 46 | | | | | 66 117 38 127 11 136 83 146 | 55 156 99 175 44 195 88 215 | 233.33 23, 252.77 25, 272.21 27, 291.66 29; | .10 31 .54 33 .99 35 |
| | 4534 | 7 24.30 | 1 29.17 | 28 38.89 11 48.61 58.33 88 68.05 | 77.78 32 87.50 39 97.22 36 106.94 | 33 116. 39 126. 36 136. 33 145. | 70 155 24 174 38 194 71 213 | 05 233 39 252 73 272 06 291 | 40 311 74 330 08 349 |
| | 451/2 | | | 38.68 48.34 58.01 67.68 | 3 77.35 4 87.02 6 96.69 7 106.36 | 9116.0 0125.6 2135.3 3145.0 | 5 154.7 8 174.0 1 193.4 4 212.7 | 8 232. 11 251. 14 270. 7 290. | 0309. 3328. 6348. |
| | 4514 | 19.23 | | 38.46 48.08 57.69 67.31 | 76.93 86.54 96.16 105.77 | 115.3 125.0 134.6 144.2 | 153.8 173.0 192.3 211.5 | 230.7 250.0 269.2 3288.4 | 3326.9 |
| | 45 | 19.13 | 28.69 | 38.25 47.81 57.38 66.94 | 76.50 86.06 95.63 105.19 | 114.75 124.31 133.88 143.44 | 153.00 172.13 191.25 210.38 | 229.56 248.65 267.75 286.86 | 306.0 325.1 |
| | 4434 | 19.02 | 28.53 | 38.04 47.55 57.06 66.57 | 76.08 85.58 95.09 | 114.11 123.62 133.13 142.64 | 152.15 171.17 190.19 209.21 | 228.23 247.24 266.26 285.28 | 304.30 323.32 |
| | 441/2 | 18.91 | 28.37 | 37.83 47.28 56.74 66.19 | 75.65 85.11 94.56 | 113.48 122.93 132.39 141.84 | 151.30 170.21 189.13 208.04 | 226.95 245.86 264.78 283.69 | 302.60 |
| | 441/4 | 18.81 | 28.21 | 37.61 47.02 56.42 65.82 | 75.23 84.63 94.03 103.43 | 110.29 110.59 111.56 112.20 112.84 113.48 114.11 114.75 115.39 116.03 116.66117.30 117.94 118.58 119.48 120.77 120.86121.55 122.24 122.59 123.62 124.31 125.00 125.69 126.38 127.08 127.77 128.46 128.67 129.41 130.16 130.90 131.64 132.39 133.88 134.62 135.36 136.31 136.85 137.59 133.34 137.86 138.66 139.45 140.25 141.05 141.05 141.84 142.64 143.44 144.23 145.03 145.03 146.23 146.62 147.42 148.22 | 150.45 169.26 188.06 206.87 | 220.58 221.85 223.13 224.40 225.68 226.55 228.23 222.50 230.78 222.05 233.33 234.60 235.88 238.596 240.34 241.72 243.10 244.48 245.88 247.24 248.63 250.01 251.39 252.77 254.15 255.53 257.34 258.83 260.31 261.80 263.29 264.78 266.26 267.75 269.24 270.73 272.21 273.70 275.19 275.23 273.20 273.2 | 294.10 295.80 297.50 299.20 300.90 302.60 304.30 306.00 307.70 309.40 311.10 312.80 314.50 312.48 314.28 316.09 317.90 319.71 821.51 323.25 25.13 326.93 323.74 330.54 332.25 334.16 320 520 320 520 520 320 520 520 520 520 520 520 520 520 520 5 |
| IES | 44 | | 28.05 | 37.40 46.75 56.10 65.45 | 74.80 84.15 93.50 | 12.20 21.55 30.90 40.25 | 49.60 68.30 87.00 | 24.40 243.10 261.80 280.50 | 317.90 |
| WIDTH, INCHES | 4334 | 18.59 | | 37.19 46.48 55.78 65.08 | 74.38 83.67 92.97 102.27 | 11.561 20.861 30.161 39.45 | 48.75 67.34 85.94 04.53 | 23.13 41.72 60.31 78.91 | 16.09 |
| IDTH | 431/2 4 | 18.49 | | 36.98 46.22 55.46 64.71 | 73.95 83.19 92.44 101.68 | 20.17 20.17 29.41 38.66 | 47.90 1 56.39 1 84.88 1 03.36 2 | 21.85 40.34 58.83 77.31 | 95.80 |
| W | 431/4 4 | 18.38 | | 36.76 45.95 55.14 64.33 | 73.53 7 82.72 8 91.91 9 | 0.29 9.48 8.67 7.86 | 5.43 5.43 3.81 2.19 2 | 220.58 2 238.96 2 257.34 2 275.72 | 94.102 |
| | 43 43 | | 27.41 27.41 31.98 | 36.55 45.69 45.69 54.83 56.39 63.96 | 73.10 7 82.24 8 91.38 9 100.51 10 | 9.65 11 8.79 11 7.93 12 7.06 13 | 6.20 14 4.48 16 2.75 18 | 219.30 22 237.58 22 255.85 22 274.13 22 | 0.683 |
| | _ | 18.17 18 | | 36.34 30 45.42 40 54.51 50 63.59 6 | 72.68 77 81.76 8 90.84 9 99.93 10 | 3.10 11 3.10 11 7.18 12 5.27 13 | 3.52 16 3.52 16 1.69 18 9.86 20 | 218.03 21 236.19 23 254.36 25 272.53 27 | 8.87 31 |
| | 2 4234 | 18.06 18 | | 36.13 36 45.16 45 54.19 54 63.22 63 | 72.25 81.28 90.31 99.34 | .41 112 .47 130 | .50 14 .56 16 .63 18 .69 19 | 215.48 216.75 218.03 233.43 234.81 236.19 251.39 252.88 254.36 269.34 270.94 272.53 | 000 29 |
| | 421/2 | 1 | | | | 74 108 72 117 69 126 67 135 | 65 144 61 162 56 180 52 198 | 48 216 43 234 39 252 34 270 | 30 289 |
| | 421/4 | 5 17.96 | | | 71.83 33 80.80 25 89.78 18 98.76 | 10 107. 33 116. 35 125. 38 134. | 80 143. 65 161. 50 179. 35 197. | 20 215 05 233 90 251 75 269 | 60 287 45 305 |
| | 42 | 17.85 | | | 8 71.40 5 80.33 2 89.25 9 98.18 | 6 107 13 116.0 11 124.5 133.8 | 141.10 141.95 142.80 143.65 144.50 145.35 146.20 147.05 148.75 149.60 150.45 151.30 152.15 153.00 153.85 154.70 155.55 156.40 157.25 156.40 157.25 156.40 157.25 156.40 157.25 156.40 157.35 156.39 157.34 168.30 169.26 170.21 171.17 172.13 173.08 174.04 174.99 175.35 176.31 175.35 177.44 178.50 177.56 120.63 181.69 182.75 183.81 184.88 185.59 187.00 188.06 189.13 190.19 191.25 192.31 193.38 194.44 195.50 196.55 196.40 179.18 196.35 197.52 198.69 199.86 201.03 202.13 203.56 70 206.87 208.04 209.21 210.38 211.54 212.71 213.88 215.05 216.22 | 211.65 212.99 214.20 215.48 216.75 218.03 219.30 220.58 223.13 224.40/225.68 226.55/228.23 229.50/230.78 222.05 233.33 224.60/235.88 229.29 230.65 232.34 430.255.88 229.50/230.25 43.10/244.48 245.86 247.24 248.63 250.01 251.39 252.77 254.15 255.53 246.53 248.41 249.50/251.39 252.28 254.56 257.34 258.83 562.31/261.80/265.32 264.79 265.26 267.75 269.24 270.73 272.21/273.70/275.19 264.56 266.57 75 269.34 270.25 277.27 277.25 277 | 90 285. |
| | 4134 | 1 | 26.62 | | 70.98 7 79.85 9 88.72 1 97.59 | 3 106.4 4 115.3 6 124.2 3 133.0 | 0 141.5 4 159.6 8 177.4 1 195.1 | 5212.5 9230.6 3248.4 6266.1 | 4 301.6 |
| | 411/2 | 17.64 | | | 70.55 79.37 88.19 97.01 | 105.8 114.6 123.4 132.2 | 141.1 158.7 176.3 194.0 | 3211.65 1229.29 1246.93 7264.56 | 280.50 282.20 283.90 285.60 287.30 289.00 290.70 292.40 294.10 295.80 297.50 299.20 300.90 302.60 304.30 306.00 307.70 309.40 311.10 312.80 314.50 316.20 315.20 316.20 317.70 309.40 310.50 312.50 316.50 312.40 314.20 316.00 317.50 319.71 321.51 323.32 323.23 328.23 328.74 330.54 330.54 332.54 16 335.50 317.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 319.70 317.70 319.70 317.70 319.70 317.70 317.70 319.70 317.70 319.70 317.70 319.70 317.70 |
| | 411/4 | | 26.30 | | 70.13 78.89 87.66 96.42 | $ \begin{array}{c} 104.55 \ 105.19 \ 105.63 \ 105.64 \ 107.10 \ 107.77 \ 108.28 \ 109.01 \ 109.65 \ 110.29 \ 110.29 \ 110.29 \ 110.29 \ 110.29 \ 112.29 \ 112.48 \ 114.77 \ 115.39 \ 115.39 \ 115.39 \ 116.09 \ 117.49 \ 118.10 \ 118.79 \ 119.48 \ 120.17 \ 120.19 \ 120.29 \ 122.29 \ 122.29 \ 123.$ | 139.40 140.25 141.10 141.95 142.80 143.65 144.50 145.53 146.20 147.05 147.90 148.75 149.60 150.45 151.30 152.15 153.80 153.85 154.70 155.55 156.40 157.25 156.40 157.25 156.81 177.85 158.74 159.69 160.65 161.61 162.56 163.55 164.48 165.43 167.34 168.30 169.26 177.21 177.17 172.31 173.08 174.04 174.49 175.59 176.91 177.51 177.53 177.31 177.31 177.31 173.08 174.04 174.50 175.31 173.58 124.44 125.50 126.55 176.91 177.31 177.31 177.31 177.31 173.38 124.44 125.50 126.55 177.31 17 | 210.38 227.91 245.44 262.97 | 778.80/280.50/282.20/283.90/285.60/287.30/289.00/290.70/292.40/294.10/295.50/297.50/299.20/300.90/302.60/304.30/306.00/307.70/303.40/301.20/312.80/314.50/316.20/31 |
| | 14 | 17.43 | 26.14 | 34.85 43.56 52.28 60.99 | 69.70 78.41 87.13 95.84 | 104.55 113.26 121.98 130.69 | 139.40 156.83 174.25 | 226.53 243.95 261.38 | 278.80 |
| ies i | Thic ness Inch | - | 10 mm z 10 | | 700 0 10 00 100 100 100 100 100 100 100 | | | | 21/8 |

| | 5214 | 22.21 27.76 33.31 38.86 | 44.41 55.52 66.62 77.72 | 88.83 99.93 111.03 122.13 | 133.24 144.34 155.44 166.55 | 77.65 99.86 22.06 14.27 | 266.48 288.68 310.89 333.09 | 355.30 377.51 399.71 |
|---------------|---------------------|--|---|---|--|--|--|--|
| | 52 | 22.10 27.63 33.15 38.68 | 55.25 66.30 77.35 | 88.40 99.45 110.50 121.55 | 132.60 143.65 154.70 165.75 | 162.35 163.20 164.05 164.90 165.75 166.60 167.45 168.30 169.15 170.00 170.85 171.70 172.55 173.40 174.25 175.10 175.95 176.80 177.69 196.03 199.99 199.90 199.86 202.94 204.00 205.06 206.13 207.19 208.25 209.31 210.38 211.44 212.55 123.56 214.63 215.65 216.75 217.81 218.89 219.94 221.00 222.06 224.95 224.40 225.57 226.72 27 225.74 227.91 223.02 224.42 1231.41 222.58 233.75 234.92 236.09 237.26 238.43 239.59 240.76 241.38 241.39 242.10 241.75 | 265.20 26 287.30 28 309.40 31 331.50 33 | 353.6035 375.7037 397.8039 |
| | 5134 | 21.99 27.49 32.99 38.49 | 43.99 54.98 65.98 76.98 | 87.98 98.97 09.97 20.97 | 131.96 142.96 153.96 164.95 | 164.90 165.75 166.60 167.45 168.30 169.15 170.00 170.85 171.70 172.55 173.40 174.25 175.10 175.56 176.80 185.51 186.47 187.42 188.38 189.34 190.29 191.25 192.21 193.46 194.12 195.08 196.03 196.59 197.94 198.90 206.13 207.19 208.25 209.31 210.38 211.44 212.50 213.56 214.65 215.69 216.75 217.81 218.88 219.94 221.00 226.74 227.95 239.83 239 | 9998 | 351.90 3 373.89 3 395.89 3 |
| | 511/2 | 21.89 27.36 32.83 38.30 | 43.78 54.72 65.66 76.61 | 87.55 98.49 109.44 120.38 | 1.69 131.33 131 1.58 142.27 142 1.47 153.21 153 1.36 164.16 164 | 175.10 196.99 118.88 240.76 | 261.38 262.65 263. 283.16 284.54 285. 304.94 306.43 307. 326.72 328.31 329. | 350.203 372.093 393.983 |
| | 211/2 | 21.78 27.23 32.67 38.12 | 43.56 54.45 65.34 76.23 | 87.13 98.02 108.91 119.80 | 130.69 141.58 152.47 163.36 | 174.25 196.03 217.81 239.59 | 261.38 283.16 304.94 326.72 | 341.70 343.40 345.10 346.80 348.50 350.20 363.06 364.86 366.67 368.48 370.28 372.09 384.41 386.33 388.24 (390.15 392.06 393.98 |
| | 19 | 21.68 27.09 32.51 37.93 | 43.35 54.19 65.03 75.86 | 86.70 97.54 108.38 | 130.05 140.89 151.73 162.56 | 173.40 195.08 216.75 238.43 | 260.10 281.78 303.45 325.13 | 346.80 368.48 390.15 |
| | 50% | 21.57 26.96 32.35 37.75 | 43.14 53.92 64.71 75.49 | 86.28 97.06 107.84 118.63 | 129.41 140.20 150.98 161.77 | 172.55 194.12 215.69 237.26 | 258.833 280.39 301.96 323.53 | 345.10 366.67 388.24 |
| | 501/2 | 21.46 26.83 32.19 37.56 | 42.93 53.66 64.39 75.12 | 82.45 82.88 83.30 83.73 84.15 84.58 85.00 85.43 85.85 86.28 86.70 87.13 92.76 93.23 93.71 94.19 94.67 95.15 95.63 96.10 96.58 97.06 97.54 98.02 103.06.103.59104.13 104.66105.19 105.72 106.25 106.78 107.31 107.84 108.38 108.91 113.37 113.55 114.54 115.12 115.72 116.29 116.88 117.46 118.04 118.63 119.21 119.80 | 128.78 139.51 150.24 160.97 | 171.70 193.16 214.63 236.09 | 79.01 79.01 700.48 71.94 | 341.70 343.40 345.10 346.80 348.50 363.06 364.86 366.67 368.48 370.28 384.41 386.33 388.24 390.15 392.06 |
| | 5034 | 21.36 26.70 32.03 37.37 | 42.71 53.39 64.07 74.75 | 85.43 96.10 106.78 117.46 | 128.14 138.82 149.49 160.17 | 170.85 192.21 213.56 234.92 | 256.28 277.63 298.99 320.34 | 341.70 363.06 384.41 |
| 100 | 20 | 21.25 26.56 31.88 37.19 | 42.50 53.13 63.75 74.38 | 85.00 95.63 106.25 116.88 | 127.50 138.13 148.75 159.38 | 170.00 191.25 212.50 233.75 | 255.00 276.25 297.50 318.75 | 340.00 361.25 382.50 |
| WIDTH, INCHES | 4934 | 21.14 26.43 31.72 37.00 | 42.29 52.86 63.43 74.00 | 84.58 95.15 105.72 116.29 | 126.86 137.43 148.01 158.58 | 169.15 190.29 211.44 232.58 | 253.7. 274.87 296.0 317.10 | 338.30 359.44 380.59 |
| WIDTH, INCHI | 491/2 | 21.04 26.30 31.56 36.82 | 42.08 52.59 63.11 73.63 | 84.15 94.67 105.19 115.71 | 126.23 136.74 147.26 157.78 | 168.30 189.34 210.38 231.41 | 252.45 273.49 294.53 315.56 | 336.60 357.64 378.68 |
| WIL | 4914 | 3 20.93 26.16 4 31.40 4 36.63 | 41.86 52.33 62.79 73.26 | 94.19 104.66 115.12 | 125.55 136.05 146.52 156.98 | 167.45 188.38 209.31 230.24 | 251.18 272.11 293.04 313.97 | 334.90 355.83 376.76 |
| | 49 | 2 20.83 26.03 31.24 5 36.44 | 41.65 52.06 62.48 72.89 | 83.30 93.71 9104.13 | 124.95 7135.36 8145.78 156.19 | 166.60 187.43 208.25 229.08 | 249.90 270.73 291.55 312.36 | 333.20 354.03 374.85 |
| | 4834 | 1 20.72 7 25.90 2 31.08 7 36.26 | 3 41.44 3 51.80 4 62.16 4 72.52 | 82.88 6 93.23 6 103.59 7 113.95 | 8 124.31 8 134.67 9 145.00 9 155.30 | 165.75 186.47 227.19 | 248.63 269.34 290.06 310.78 | 331.50 352.22 372.94 |
| | 481/2 | 3 25.77 6 30.92 9 36.07 | 1 41.23 7 51.53 2 61.84 7 72.14 | 3 82.45 8 92.76 3 103.06 1 13.37 | 4 123.6 9 133.9 4 144.2 0 154.5 | 164.90 185.51 5 206.13 7 226.74 | 247.35 267.96 288.58 309.19 | 329.80 350.41 371.03 |
| | 4814 | 20.51 25.63 30.76 35.89 | 0 41.01 0 51.27 0 61.52 0 71.77 | 0 82.03 0 92.28 0 102.53 1 0 112.78 1 | 0 123.0 0 133.2 0 143.5 0 153.8 | 164.0 184.5 205.0 225.5 | 244.80 246.08 265.20 266.58 285.60 287.09 306.00 307.59 | 328.10 348.61 369.11 |
| | 48 | 29 20.40 37 25.50 44 30.60 51 35.70 | 59 40.80 73 51.00 38 61.20 33 71.40 | 8 81.60 22 91.80 7 102.00 | 121.13 121.76 122.40 123.04 123.68 124.31 124.95 125.59 126.23 126.86 127.50 128.14 128.77 120.41 130.05 130.69 131.33 131.22 131.39 132.20 133.39 133.29 133.38 134.57 135.39 134.35 136.05 13 | 161.50 162.35 163.20 164.05 181.69 182.64 183.60 184.56 201.88 202.94 204.00 205.06 222.06 223.23 224.40 225.57 | 3 244.8 2 265.2 1 285.6 1 306.0 | 819.60 321.30 323.00 324.70 326.40 328.10 329.80 331.50 333.20 334.50 336.60 338.30 340.00 339.58 341.38 343.19 344.99 346.80 348.61 350.41 352.22 354.03 355.88 357.64 359.44 361.25 359.55 361.46 363.38 365.29 367.20 369.11 371.03 372.34 374.85 376,76 378.68 380.59 382.50 |
| | 2 4734 | 19 20.29 23 25.37 28 30.44 33 35.51 | \$8 40.59 47 50.73 56 60.88 56 71.03 | 5 81.18 34 91.32 4 101.47 33 111.62 | 3 121.7 2 131.9 11 142.0 1 152.2 | 0 162.3 9 182.6 8 202.9 6 223.2 | 5 243.53 4 263.82 3 284.11 1 304.41 | 0 324.7 9 344.9 8 365.2 |
| | 471/2 | 20.19 10 25.23 12 30.28 14 35.33 | 16 40.38 20 50.47 24 60.56 28 70.66 | 83 80.75 87 90.84 H 100.94 H5 111.03 | .49 121.1 53 131.2 57 141.3 61 151.4 | | 8 242.25 6 262.44 4 282.63 2 302.81 | 8 343.1 6 363.3 |
| | 4714 | 38 20.08 37 25.10 36 30.12 36 35.14 | 95 40.16 94 50.20 93 60.24 91 70.28 | .90 80.33 .89 90.37 .88 100.41 .86 110.45 | 130 | 20 160.65 78 180.73 75 200.81 73 220.89 | 70 240.98 68 261.06 65 281.14 63 301.22 | 0 321.3 8 341.3 5 361.4 |
| | 4 47 | 87 19.98 84 24.97 80 29.96 77 34.96 | 74 39.95 67 49.94 61 59.93 54 69.91 | 5888 | 21 119.85 15 129.84 08 139.83 02 149.81 | 95 159.80 1 82 179.78 1 69 199.75 2 56 219.73 2 | 39.33 | 7 339.5 4 359.5 |
| | 4634 | 19.87 24.84 29.80 34.77 | 39.74 49.67 59.61 69.54 | 79.48 89.41 99.34 109.28 | 119.21 129.15 139.08 149.02 | 158.95 178.82 198.69 218.562 | 238.43 258.29 278.16 298.03 | 317.90 337.77 357.64 |
| ck- | Thi ness Incl | 100 mm mm mm | 74 45 % Ho | 12 de 70 de | 4 000 100 min | - 767478 | 12/20/4/20 | 0000 1000 1000 1000 1000 1000 1000 100 |

| | 28 | 24.65 30.81 36.98 43.14 | 49.30 61.63 73.95 86.28 | 98.60 110.93 123.25 135.58 | 147.90 160.23 172.55 184.88 | 197.20 221.85 246.50 271.15 | 295.80 320.45 345.10 369.75 | 394.40 419.05 443.70 |
|---------------|----------|--|--|--|--|--|--|---|
| | 5734 | 24.54 30.68 36.82 42.95 | 49.09 61.36 73.63 85.90 | 98.18 10.45 22.72 134.99 | 147.26 159.53 171.81 184.08 | 196.35 220.89 245.44 269.98 | 294.53 319.07 343.61 368.16 | 392.70 417.24 441.79 |
| | 571/2 | 24.44 30.55 36.66 42.77 | 48.88 61.09 73.31 85.53 | 97.75 109.97 122.19 134.41 | $ \begin{array}{c} 133.8134.51 35.15 135.15 135.79 136.49 137.06 137.70 138.39 139.61 140.25 140.25 140.25 140.25 142.16 142.16 142.16 143.05 144.06 144.06 144.71 147.26 147.26 147.26 147.26 147.70 145.40 147.10 147.70 147.40 149.18 149.18 149.27 150.26 151.25 151.94 153.23 155.40 153.29 156.60 156.77 157.46 158.27 157.20 157.29 157.23 157.14 162.28 153.63 155.21 155.21 155.21 155.20 156.20 157.20 158.20 157.20 157.20 157.20 177.20 177.21 177.20 177.21 177.20 177.21 $ | 180 20 81.05 181.90 82.75 183 60 184.45 185.30 186.15 187.00 187.85 188.70 189.55 190.40 191.25 192.10 192.95 193.80 194.65 195.50 190.27 3203.68 200.57 37 37 37 37 37 37 37 37 37 37 37 37 37 | 775 289.03 (270.30) 271.58 (272.59 (275.40) 276.68 (277.55 (279.22) 280.50) 281.78 (285.65) 286.58 (288.28 (285.85) 285.50) 285.50 (286.28) 28 | 357.00[358.70[358.70[362.10]362.80[365.50[367.20[368.20]370.60[372.30]374.00[375.70[377.40[379.10]380.80]382.50[384.50]385.90[389.30[391.00[392.70]394.40] $379.31[381.12[382.92]384.73[386.54]388.34[380.15[391.96[393.76]395.57[395.38]399.18[402.79[404.60]406.41]408.21[410.02[411.83]413.63[415.44[417.24]413.04]$ $401.63[403.54]405.49[407.36]409.38[411.39]413.10[415.01]416.39[418.24]402.75[422.66[424.58]426.49]428.40[430.31]432.44[44.79]443.70$ |
| | 571/4 | 24.33 30.41 36.50 42.58 | 48.66 60.83 72.99 85.16 | 97.33 109.49 121.66 133.82 | 145.99 158.15 170.32 182.48 | 182.75 183.60 184.45 185.30 186.15 187.00 187.85 188.70 189.55 190.40 191.25 192.10 192.55 193.80 194.65 155.50 205.59 205.55 207.51 208.46 209.42 210.38 211.33 212.29 213.24 214.20 215.16 216.11 217.07 218.03 218.98 219.94 228.44 229.50 255 250.56 231.68 232.55 233.75 234.81 235.88 236.59 (238.00 239.06 240.13 241.19 242.25 243.31 244.38 231.28 232.45 233.65 231.68 235.59 (237.45 235.65 231.68 248.31 244.38 235.25 247.64 265.31 266.48 248.31 248.38 236.59 (237.65 237.65 231.26 248.31 266.48 267.64 268.81 | 291.98 316.31 340.64 364.97 | 389.30 413.63 437.96 |
| | 22 | 24.23 30.28 36.34 42.39 | 48.45 60.56 72.68 84.79 | 96.90 109.01 121.13 | 144.08 144.71 145.35 145. 156.08 156.77 157.46 158. 168.09 168.83 169.58 170. 180.09 180.89 181.69 182. | 193.80 218.03 242.25 266.48 | 3290.70 4314.93 3339.15 363.38 | 387.60 2411.83 1436.05 |
| | 2634 | 24.12 30.15 36.18 42.21 | 48.24 60.30 72.36 1 84.42 | 96.48 108.53 120.59 7 132.65 | 3 156.77 3 156.77 168.83 180.89 | 192.9£ 1217.07 3241.15 4 265.31 | 5 289.4; 6 313.5 ⁴ 8 337.66 9 361.78 | 0385.90 1410.00 3434.14 |
| | 2/99 | 30.02 36.02 36.02 42.02 | 48.03 60.03 72.04 84.04 | 96.05 108.06 120.06 132.07 | 144.08 156.08 1168.09 1180.09 | 5 192.10 6 216.11 6 240.13 7 264.14 | 8 288.18 8 312.16 9 336.18 | 0 384.20 1 408.2 1 432.2 |
| | 5614 | 23.91 29.88 35.86 41.84 | 59.77 59.77 71.72 83.67 | 95.63 0107.58 0119.53 0131.48 | 0 143.44 0 155.39 0 167.34 0 179.30 | 0 191.2 0 215.1 0 239.0 0 262.9 | 0 286.8 0 310.7 0 334.6 0 358.5 | 0 382.5 0 406.4 0 430.3 |
| | 99 | 2 29.75 4 35.70 6 41.65 | 9 47.60 3 59.50 6 71.40 3 83.30 | 8 95.20 2 107.10 7 119.00 2 130.90 | $\begin{array}{c} 88 \ 134.51 \ 135.151 \ 135.79 \ 136.49 \ 137.70 \ 138.34 \ 138.98 \ 139.61 \ 140.251 \ 140.89 \ 141.531 \ 142.80 \ 142.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 143.80 \ 154.70 \ 155.39 \ 156.37 \ 143.80$ | 5 190.4 214.2 14 238.0 3 261.8 | 3285.6 22 309.4 71 333.2 11 357.0 | 10 380.8 79 404.6 19 428.4 |
| | 5534 | 9 23.69 8 29.62 8 35.54 8 41.46 | 8 47.39 7 59.23 6 71.08 6 82.93 | 5 94.78 4 106.62 4 118.47 3 130.32 | 3 142.1 22 154.0 11 165.8 | 70 189.5 29 213.2 38 236.9 6 260.6 | 284.3 34.308.0 33.331.7 31.355.4 | 10 379.1 39 402.7 58 426.4 |
| WIDTH, INCHES | 551/2 | 23.59 29.48 25.38 35.38 41.28 | 6 47.18 0 58.97 14 70.76 8 82.56 | 93.08 93.50 93.33 94.35 94.78 104.71 105.19 105.67 106.14 106.62 116.34 116.88 117.41 117.94 118.47 127.98 128.56 129.15 129.73 130.32 | 39 141.5 33 153.3 37 165.1 11 176.9 | 35 188.7 33 212.2 31 235.8 29 259.4 | 78 283.(26 306.6 74 330.2 22 353.8 | 70 377.4 18 400.5 56 424.5 |
| TH, II | 5514 | 23.48 22.23.48 35.22 31 41.09 | 75 46.96 14 58.70 13 70.44 31 82.18 | 50 93.93 19 105.67 38 117.41 56 129.15 | 25 140.8 94 152.6 63 164.3 31 176.1 | 00 187.8 38 211.3 75 234.8 13 258.2 | 50 281. 88 305. 25 328. 63 352. | 38 399. 75 422. |
| WIL | 1 22 | 23.38 29.22 30.35.06 72.40.91 | 54 46.75 17 58.44 81 70.13 44 81.81 | 28 93.50 71 105.19 34 116.88 98 128.56 | 61 140.2 25 151.9 88 163.6 52 175.3 | 15 187.0 42 210.3 69 233.7 96 257.1 | 23 280. 49 303. 76 327. 03 350. | 30 374. 57 397. 84 420. |
| | 5434 | 16 23.27 35 29.09 74 34.90 53 40.72 | 33 46.54 91 58.17 49 69.81 07 81.44 | 2.65 93.08 2.23 104.71 3.81 116.34 7.39 127.98 | 98 139.1 56 151.2 14 162.8 72 174.5 | 30 186. 46 209. 63 232. 79 255. | 95 279. 11 302. 28 325. 44 349. | 60 372. 76 395. 93 418. |
| | 4 541/2 | 23.16 28.28.95 38.34.74 35.40.53 | 11 46.33 64 57.91 17 69.49 70 81.07 | 23 92.65 75 104.23 28 115.81 81 127.39 | 34 138. 87 150. 39 162. 92 173. | 45 185. 51 208. 56 231. 62 254. | 68 277. 73 301. 79 324. 84 347. | .90 370. .96 393. .01 416. |
| | 541/4 | 95 23.06 69 28.82 43 34.58 16 40.35 | 38 57.64 85 69.17 33 80.70 | 80 92.23 28 103.75 1 75 115.28 1 23 126.81 1 | 70 138. 18 149. 65 161. 13 172. | 60 184. 55 207. 50 230. 45 253. | .40 276. 35 299. 30 322. 25 345. | .20 368. .15 391. .10 415. |
| | 4 | .84 22.95 .55 28.69 .27 34.43 .98 40.16 | 69 45.90 11 57.38 53 68.85 95 80.33 | 91.38 91.80 102.80 103.28 1 114.22 114.75 1 125.64 126.23 | .06 137.70 48 149.18 .91 160.65 .33 172.13 | .75 183. .59 206. .44 229. .28 252. | .13 275. 97 298. 81 321. .66 344. | .50 367 .34 390 .19 413 |
| | 2 53% | 22.74 22.84 28.42 28.55 34.11 34.27 39.79 39.98 | 45.48 45.69 56.84 57.11 68.21 68.53 79.58 79.95 | 90.10 90.53 90.95 91.38 101.36101.84 102.32 102.80 112.63 113.16 113.69 114.22 123.89 124.47 125.06 125.64 | .43 137.06 .79 148.48 .16 159.91 .53 171.33 | .90 182 .64 205 .38 228 .11 251 | 259 296 233 319 206 342 | 3.80 365 3.54 388 3.28 411 |
| | 4 53/2 | 18888 | 45.26 45. 56.58 56. 67.89 68. 79.21 79. | 90.53 90. 101.84 102. 113.16 113. 124.47 125. | 88 134.51 135.15 135.79 136.43 .03 145.72 146.41 147.10 147.79 .19 156.93 157.68 158.42 159.16 .34 168.14 168.94 169.73 170.53 | 50 179.35 180.20 181.05 181.90 .81 201.77 202.73 203.68 204.64 .13 224.19 225.25 226.31 227.38 .44 246.61 247.78 248.34 250.11 | 58 272 1.21 295 3.84 318 1.47 341 | 2.10 363 1.73 386 7.36 409 |
| | 5 531/4 | 22.53 28.16 28.16 28.33.79 39.42 | 45.05 45. 56.31 56. 67.58 67. 78.84 79. | 90.10 101.36 101.63 113.89 124.83 | .15 135 .41 147 .68 158 .94 169 | 2.73 203 2.73 203 2.75 226 2.78 248 | 2.83.294 2.83.294 3.35.316 2.88.339 | 2.93 384 5.45 407 |
| | 34 53 | 12888 | 884 05 26 47 | 89.68 90 100.88 101 112.09 112 123.30 123 | 5.72 146 5.72 146 5.93 157 1.14 168 | 50 179.35 180.20 181.05 81 201.77 202.73 203.68 1.3 224.19 225.25 226.31 44 246.61 247.78 248.94 | 3.28 337 3.28 337 | 8.70 360 1.12 382 3.54 405 |
| | 1/2 5234 | 331 22. 389 288. 39.05 39. | 44.63 44. 55.78 56. 66.94 67. 78.09 78. | 25 41 25 72 | 3.88 134 5.03 145 5.19 156 7.34 168 | 178.50 179.35 180.20 181.05 220.81 201.77 202.73 203.68 223.13 224.19 225.25 226.31 245.44 246.61 247.78 248.94 | 267.75 269 290.06 291 312.38 313 334.69 336 | 7.00358 9.31381 1.63403 |
| 891 | Inch | 33.22 | | #%#% 111.00 122.112.21 | 145 145 145 145 167 | | %%%% %%%% 332. 34. | 2 357 278 379 274 401 |
| 4 | Thic | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14 m/m 10 m/m | m/ min/ min | 60/ rejor (-00) rejor | -7,74% | ha ha ha ha | 222 |

| | | 6334 | 27.09 33.87 40.64 47.41 | 54.19 67.73 81.28 94.83 | 108.38 121.92 135.47 149.02 | 162.56 176.11 189.66 203.20 | 216.75 243.84 270.94 298.03 | 325.13 352.22 379.31 406.41 | 33.50 60.59 87.69 |
|-------------------|--------------------|---------|--|--|---|---|--|---|---|
| | | 63% | 26.99 33.73 40.48 47.23 | 53.98 67.47 80.96 94.46 | 99.08 99.48 100.30 100.77 101.15 101.18 102.20 102.43 102.85 103.28 103.70 104.13 104.55 104.98 105.40 105.83 106.25 106.68 107.10 107.53 107.55 108.95 1111.88 112.36 112.39 113.79 114.27 114.75 115.23 115.71 116.18 116.66 117.41 17.62 118.10 118.58 119.65 119.65 119.65 120.01 120.49 120.57 121.44 121.95 123.78 124.84 125.38 125.91 126.44 126.57 127.50 128.03 128.56 129.09 129.63 130.69 131.22 131.25 132.28 132.28 133.28 133.34 133.38 134.41 134.94 135.47 136.79 137.33 137.91 138.50 139.08 139.67 140.25 140.28 141.42 142.00 142.59 143.77 143.76 144.34 145.35 145.09 146.68 147.26 147.85 148.43 149.02 | | | 323.85 350.84 377.83 404.81 | $395.10 \mid 397.80 \mid 399.50 \mid 401.20 \mid 402.20 \mid 404.60 \mid 406.30 \mid 406.30 \mid 409.70 \mid 411.40 \mid 413.10 \mid 414.80 \mid 416.50 \mid 418.20 \mid 419.50 \mid 421.60 \mid 423.30 \mid 425.50 \mid 426.77 \mid 428.20 \mid 426.77 \mid 428.29 \mid 440.77 \mid 428.29 \mid 440.77 \mid 448.29 \mid 446.14 \mid 447.59 \mid 449.79 \mid 449.37 \mid 428.20 \mid 426.78 \mid 428.79 \mid 460.39 \mid 428.79 \mid 460.39 \mid 428.79 \mid 429.70 \mid 429.79 \mid 4$ |
| | | 631/4 | 26.88 33.60 40.32 47.04 | 53.76 67.20 80.64 94.08 | 107.53 120.97 134.41 147.85 | 150.45 151.09 151.73 152.36 153.00 153.64 154.28 154.59 155.55 156.19 156.83 157.46 158.10 158.74 159.38 160.01 160.65 161.29 161.93 162.69 164.37 165.06 165.75 166.44 167.13 167.82 168.51 169.20 169.89 170.58 171.97 172.66 173.35 174.04 174.73 175.42 175.42 175.42 177.01 177.76 178.50 179.24 179.99 180.73 181.48 182.22 182.96 183.71 184.45 185.59 185.59 186.58 187.43 188.17 188.91 186.65 189.65 190.45 191.25 192.26 192.84 193.44 195.23 196.03 196.83 197.63 198.42 199.22 200.63 200.81 201.61 202.41 | 209.10 209.55 210.80 211.65 212.50 213.51 214.20 215.05 215.90 235.24 20 215.05 215.90 235.24 20 215.05 245.90 235.24 20 235.215 238.11 239.06 240.02 240.98 241.39 242.89 241.39 262.44 263.50 264.56 265.63 266.69 267.75 268.81 269.88 227.51 288.69 235.29 235.29 235.29 235.69 236.86 | 322.58 349.46 376.34 403.22 | 430.10 456.98 483.86 |
| | | 63 | 26.78 33.47 40.16 46.86 | 53.55 66.94 80.33 93.71 | 107.10 120.49 133.88 147.26 | 160.65 174.04 187.43 200.81 | 214.20 240.98 267.75 294.53 | 320.03 321.30 346.69 348.08 373.36 374.85 400.03 401.63 | 428.40 455.18 481.95 |
| | | 6234 | 26.67 33.34 40.00 46.67 | 53.34 66.67 80.01 93.34 | 106.68 120.01 133.34 146.68 | 160.01 173.35 186.68 200.02 | 213.35 240.02 266.69 293.36 | 320.03 346.69 373.36 400.03 | 426.70 453.37 480.04 |
| | | 621/2 | 26.56 33.20 39.84 46.48 | 53.13 66.41 79.69 92.97 | 106.25 119.53 132.81 146.09 | 159.38 172.66 185.94 199.22 | 212.50 239.06 265.63 292.19 | 399.83 311.10 312.39 313.55 314.39 316.20 317.49 318.75 335.64 337.03 338.41 339.79 341.17 342.55 343.99 345.31 361.46 362.25 364.44 365.38 387.41 368.90 370.39 371.88 387.28 388.88 330.47 326.08 333.66 335.25 396.84 338.84 | 425.00 451.56 478.13 |
| | | 621/4 | 26.46 33.07 39.68 46.30 | 52.91 66.14 79.37 92.60 | 105.83 119.05 132.28 145.51 | 3.10 158.74 1.28 171.97 1.45 185.19 7.63 198.42 | 211.65 238.11 264.56 291.02 | 343.93 343.93 370.39 396.84 | 423.30 449.76 476.21 |
| | | 62 | 26.35 32.94 39.53 46.11 | 52.70 65.88 79.05 92.23 | 105.40 118.58 131.75 144.93 | 158.10 171.28 171.28 1184.45 197.63 | 237.15 237.15 289.85 | 3316.20 342.55 368.90 395.25 | 447.95 |
| | | 613/ | 26.24 32.80 39.37 45.93 | 52.49 65.61 78.73 91.85 | 104.96 118.10 131.22 144.34 | 157.46 170.58 183.71 196.83 | 209.95 236.19 3262.44 1288.66 | 314.95 341.17 3367.41 3333.66 | 419.90 446.14 472.39 |
| | | 611/2 | 32.67 32.67 39.21 45.74 | 52.28 65.34 78.41 91.48 | 3 104.55 117.62 5 130.66 | 156.83 169.86 182.96 196.03 | 209.10 235.24 261.38 1 261.38 | 3313.65 1339.79 1365.93 7392.06 | 418.20 8 444.34 5 470.48 |
| nen | WIDTH, INCHES | 611/4 | 32.54 32.54 39.05 7 45.55 | 5 52.06 65.08 78.09 4 91.11 | 104.13 5117.14 8130.16 | 156.19 1169.20 8182.22 4 195.23 | 202.30 203.15 204.00 204.85 205.70 206.55 207.40 208.25 227.59 228.54 229.50 230.46 231.41 232.37 233.33 234.28 252.83 253.94 255.00 256.06 257.13 238.19 259.25 260.31 278.16 279.33 280.50 281.67 282.84 284.01 285.18 286.34 | 312.38 338.41 364.44 390.47 | 416.50 3 442.50 5 468.50 |
| ABLE IV Collumbed | TH, II | 9 | 25.93 7 32.41 3 38.89 8 45.37 | 6 51.85 5 64.81 6 77.78 7 90.74 | 8 116.6 8 116.6 9 129.6 0 142.5 | 2 168.5 2 168.5 3 181.4 4 194.4 | 207.40 233.3 9259.2 1285.1 | 3311.10 4337.03 6362.95 8388.88 | 2 440.7; 4 466.6; |
| A | WID | 6034 | 1 25.82 4 32.27 7 38.73 0 45.18 | 3 51.64 8 64.55 4 77.46 9 90.37 | 5 103.2 1 116.1 6 129.0 2 142.0 | 8 154.9 3 167.8 9 180.7 4 193.6 | 0206.51 232.3 3 258.1 4 284.0 | 5 309.83 6 335.64 8 361.46 9 387.28 | 0 413.1 1 438.9 3 464.7 |
| ON I | | 601/2 | 25.71 32.14 38.57 45.00 | 1 51.43 2 64.28 2 77.14 2 89.99 | 3 102.8 3 115.7 3 128.5 3 141.4 | 4 154.2 4 167.1 4 179.9 5 192.8 | 5 205.7 6 231.4 6 257.1 7 282.8 | 8 338.55 8 334.26 9 359.98 9 385.69 | 0 411.4 1 437.1 1 462.8 |
| | | 601/4 | 0 25.61 8 32.01 5 38.41 3 44.81 | 5 64.02 5 64.02 76.82 5 89.62 | 0 102.4 5 115.2 0 128.0 5 140.8 | 0 153.6 5 166.4 0 179.2 5 192.0 | 0 204.8 0 230.4 0 256.0 0 281.6 | 303,45 304,73 306,00 307,28 308,55 309,83 328,74 330,12 331,50 332,88 334,26 335,64 354,03 355,51 357,00 358,49 359,98 361,46 379,31 380,91 382,50 384,09 385,69 387,28 | 0 409.7 0 435.3 0 460.9 |
| | | 9 | 9 25.50 4 31.88 9 38.25 4 44.63 | .79 51.00 .48 63.75 .18 76.50 .88 89.25 | 8 102.0 77 114.7 77 127.5 77 140.2 | 151.73 152.36 153.00 164.37 165.06 165.75 177.01 177.76 178.50 189.66 190.45 191.25 | 5 204.0 4 229.5 4 255.0 3 280.5 | 303.45 304.73 306.00 328.74 330.12 331.50 354.03 355.51 357.00 379.31 380.91 382.50 | 10 408.0 19 433.5 19 459.0 |
| | | 5934 | 3 25.39 3 38.09 5 44.44 | 8288 | 5 101.5 9 114.2 4 126.9 8 139.6 | 3 152.3 77 165.0 11 177.7 66 190.4 | 0 203.1 9 228.5 8 253.9 6 279.3 | 5 304.7 4 330.1 3 355.5 11 380.9 | 0 406.3 9 431.6 8 457.0 |
| | | 591/2 | 18 25.29 18 31.61 77 37.93 77 44.25 | 36 50.58 35 63.22 34 75.86 13 88.51 | 73 101.1 32 113.7 31 126.4 50 139.0 | 38 164.3 27 177.0 36 189.6 | 5 202.3 3 227.5 31 252.8 99 278.1 | 300.90 302.18 303.45 325.98 327.36 328.74 351.05 352.54 354.03 376.13 377.72 379.31 | 90 404.6 08 429.8 26 455.1 |
| | | 5914 | 31.48 31.48 31.37.77 38 44.07 | 15 50.36 39 62.95 33 75.54 76 88.13 | 30 100.7 34 113.3 38 125.9 31 138.5 | 150.45 151.09 162.99 163.68 175.53 176.27 188.06 188.86 | 50 201.4 58 226.6 75 251.8 33 276.9 | 300.90 302.18 325.98 327.36 351.05 352.54 376.13 377.72 | 20 402.9 28 428.0 35 453.2 |
| Del Control | | 1 29 | 97 25.08 21 31.34 45 37.61 70 43.88 | 94 50.15 42 62.69 91 75.23 89 87.76 | 38 100.3 36 112.8 34 125.3 33 137.8 | 31 150.4 30 162.9 78 175.5 27 188.0 | 75 200.6 72 225.6 59 250.7 56 275.8 | 53 300.90 59 325.98 56 351.05 53 376.13 | 50 401.3 47 426.3 44 451.3 |
| | | 5 5834 | 36 24.97 38 31.21 29 37.45 51 43.70 | 73 49.94 16 62.42 59 74.91 02 87.39 | 45 99.8 88 112.5 31 124.8 74 137.3 | 18 149.8 51 162.3 34 174.7 47 187.2 | 198.90 199.75 200.60 201.45 202.30 203.15 204.00 204.85 205.70 206.55 207.40 208.25 209.10 209.55 210.80 211.65 212.50 213.214.20 215.05 215.05 215.05 222.40 20 223.50 220 40 223.10 223.00 226.00 22 | 298.35 299.63 323.21 324.59 348.08 349.56 372.94 374.53 | 80 399.8 66 424.4 53 449.4 |
| | | 4 581/2 | 76 24.86 95 31.08 13 37.29 32 43.51 | 51 49.73 89 62.16 27 74.59 65 87.02 | 03 99.48 105.40 105.82 100.73 101.15 101.15 101.15 101.28 102.28 102.28 103.70 104.13 104.55 104.98 105.40 105.83 106.25 106.68 107.10 107.53 107.53 107.55 | 148.54 149.18 149.81 160.92 161.61 162.30 173.29 174.04 174.78 185.67 186.47 187.27 | 3.05 198.90 199.75 200.60 201.45 202.30 203.15 204.00 204.85 205.70 206.55 207.40 208.25 209.10 209.55 210.30 211.65 212.50 713.35 214.20 215.05 215.99 28 120.25 20 20.25 | .08 298.35 .83 323.21 .59 348.08 .34 372.94 | 10 397.8 86 422.6 61 447.5 |
| | | 5814 | 24.76 30.95 37.13 43.32 | 49.51 61.89 74.27 85.65 | 99.(1111.4 123.7 136.1 | 148. 160. 173. 185. | 222 222 247 272 | 3,48,29 | |
| | ick- sa sado | nes | 100 m m m m m m m m m m m m m m m m m m | 74 30 % 10 | 700 1 % H | 24 who / 00 mho | 18148 | 70 70 54 70 | 27.8% |

| | 691/2 | 29.54 36.92 44.31 51.69 | 59.08 73.84 88.61 103.38 | 118.15 132.92 147.69 162.46 | 177.23 191.99 206.76 221.53 | 236.30 265.84 295.38 324.91 | 354.45 383.99 413.53 443.06 | 472.60 502.14 531.68 |
|---------------|----------------------|--|--|--|--|--|--|--|
| | 1,69 | 29.43 36.79 44.15 51.50 | 58.86 73.58 88.29 103.01 | 108.20 109.23 109.65 110.06 110.50 110.93 111.35 111.78 112.63 113.05 113.90 114.33 114.75 115.18 115.60 116.05 116.45 116.88 117.30 117.73 118.15 1122.89 122.35 1123.35 1124.31 124.79 125.27 126.23 126.70 127.18 1127.66 128.14 128.62 129.09 129.57 130.05 130.53 131.01 131.48 131.96 132.44 132.92 136.00 136.53 137.06 137.59 138.66 139.19 139.72 140.25 140.78 141.31 141.84 142.38 142.30 143.44 143.37 144.50 145.05 145.05 146.09 146.63 147.16 147.69 140.29 146.0 | 163.20 163.84 164.48 1165.11 165.75 166.39 167.03 167.66 168.39 168.94 169.58 170.21 170.85 171.49 172.13 172.76 174.04 174.04 174.68 175.31 175.95 176.59 177.53 177.53 177.59 176.59 177.59 176.59 177.59 177.59 177.59 177.59 177.59 177.50 188.54 189.23 189.22 189.22 190.61 191.30 1 | 235.45 264.88 294.31 323.74 | 353.18 382.61 412.04 441.47 | 470.90 500.33 529.76 |
| | 69 | 29.33 36.66 43.99 51.32 | 58.65 73.31 87.98 102.64 | 117.30 131.96 146.63 161.29 | 175.95 190.61 205.28 219.94 | 221.85 222.70 223.55 224.40 225.25 226.10 226.95 227.80 228.65 229.50 230.35 231.20 232.90 233.75 234.60 239.58 239 | 351.90 381.23 410.55 439.88 | 469.20 498.53 527.85 |
| | 6834 | 29.22 36.52 43.83 51.13 | 58.44 73.05 87.66 | 116.88 131.48 146.09 160.70 | 170.85 [171.49] 172.13 [172.76] 173.40 [174.06] 174.68 [175.31] 185.09] 185.78 [186.47] 187.16 [187.85] 189.92 199.33 [200.07] 200.81 [201.56] 202.30 [203.04] 203.79 [204.53] 213.56 [214.36] 215.16 [215.95] 218.55 [218.34] 219.14 | 233.75 1262.97 3 292.19 4 321.41 | 5379.84 8 409.06 9 438.28 | 467.50 1 496.72 3 525.94 |
| | 681/2 | 29.11 36.39 43.67 50.95 | 58.23 72.78 87.34 101.89 | 116.45 131.01 145.56 160.12 | 174.68 189.23 1203.79 5218.34 | 229.50 230.35 231.20 232.05 232.90 258.19 259.14 260.10 261.06 262.01 286.88 287.94 289.00 290.06 291.13 315.56 316.73 317.90 319.07 320.24 | 349.3° 378.46 407.56 436.60 | 465.80 1 494.97 1 524.00 |
| | 681/4 | 29.01 36.26 43.51 50.76 | 58.01 72.52 87.02 101.52 | 116.09 130.50 145.00 159.50 | 174.04 188.54 203.04 217.55 | 232.09 261.06 290.00 319.07 | 348.00 377.00 406.00 435.00 | 0 464.10 0 493.1 0 522.1 |
| | 89 | 28.90 36.13 43.35 50.58 | 57.80 72.25 86.70 | 115.60 130.05 144.50 158.95 | 173.40 187.8 202.30 216.7 | 231.20 4 260.10 4 289.00 3 317.90 | 346.80 375.70 404.60 1 433.50 | 462.4 9491.3 9520.2 |
| | 6734 | 28.79 35.99 43.19 50.39 | 57.59 71.98 86.38 | 115.18 129.57 1143.97 158.37 | 172.76 187.16 1201.56 5215.95 | 230.3 9 259.1 8 287.9 5 316.7 | 345.5 4 374.3 8 403.1 1 431.9 | 9 489.49 8 518.2 |
| | 671/2 | 28.69 35.86 43.03 50.20 | 57.38 71.72 86.06 100.41 | 114.75 129.09 1143.44 157.78 | 172.13 186.47 200.83 | 229.50 3.258.19 1.286.80 9.315.50 | 344.2 372.9 4 401.6 4 30.3 | 9 459.00 8 487.6 6 516.3 |
| | 6734 | 28.58 35.73 42.87 50.02 | 57.16 71.45 85.74 100.03 | 114.33 1128.62 3142.91 157.20 | 171.45 185.78 3200.07 5214.36 | 223.55 [224.40] 225.55 [226.10] 226.95 [227.80] 228.65 [251.49] 252.45 [253.41] 254.36 [255.32] 256.28 [257.23 [279.44] 280.50 [281.56] 282.63 [283.69] 284.75 [285.81] 307.38 [308.55] 309.72 [310.89] 312.06 [313.23] 314.39 | 342.96 371.56 400.1 | 8 485.88 5 514.4 |
| WIDTH, INCHES | 29 | 28.48 35.59 42.71 49.83 | 56.95 71.19 85.43 99.66 | 113.90 128.14 142.38 156.61 | 170.85 1185.09 1185.09 1199.33 | 227.80 2256.28 9284.7 | 341.70 370.18 398.63 8 427.13 | 455.60 484.00 4512.50 |
| rH, IN | 6634 | 28.37 35.46 42.55 49.65 | 56.74 70.92 85.11 99.29 | 113.46 3.127.66 1.141.84 1.156.03 | 170.21 184.40 198.58 7212.77 | 226.96 5255.3 3283.6 9312.0 | 340.4 1 368.7 8 397.1 4 425.5 | 0 453.9 6 482.2 3 510.6 |
| WID | 661/2 | 28.26 35.33 42.39 49.46 | 56.53 70.66 84.79 98.92 | 112.63 113.05 126.70 127.18 140.78 141.31 154.86 155.44 | 168.94 169.58 183.02 183.71 197.09 197.84 211.17 211.97 | 5 226.10 1 254.30 6 282.6 2 310.8 | 8 339.1 3 367.4 9 395.6 4 423.9 | 0 452.2 6 480.4 1 508.7 |
| | 7/99 | 28.16 35.20 42.23 49.27 | 56.31 70.39 84.47 8 98.55 | 112.6 3 126.7 5 140.7 8 154.8 | 3 168.9 3 183.0 5 197.0 8 211.1 | 0 225.2 5 253.4 0 281.5 5 309.7 | 0.337.8 5.366.0 0.394.1 5.422.3 | 0 450.5 5 478.6 0 506.8 |
| | 99 | 28.05 35.06 42.08 49.09 | 56.10 70.13 84.15 98.18 | 111.78 112.20 125.75 126.23 139.72 140.25 153.69 154.28 | 6 168.30 3 182.33 1 196.35 8 210.38 | 5 224.4 9 252.4 4 280.5 8 308.5 | 3336.6 7364.6 1392.7 6420.7 | 0 448.8 4 476.8 9 504.9 |
| | 6534 | 27.94 34.93 41.92 48.90 | 55.89 69.86 83.83 97.80 | 111.78 125.73 139.73 153.6 | 3 167.66 4 181.63 6 195.61 8 209.58 | 221.85 222.70 223.55 249.58 250.54 251.49 277.31 278.38 279.44 305.04 306.21 307.38 | 5 335.3 9 363.2 3 391.2 6 419.1 | 0 447.1 4 475.0 8 502.9 |
| | 651/2 | 27.84 34.80 41.76 8 48.72 | 55.68 69.59 83.51 97.43 | 110.93 111.35 124.79 125.27 138.66 139.19 152.52 153.11 | 5 180.94 2 194.86 8 208.78 | 221.85 222.70 249.58 250.54 277.31 278.38 305.04 306.21 | 8 334.0 1 361.8 4 389.7 7 417.5 | 0445.4 3473.2 6501.0 |
| | 6514 | 3 27.73 3 34.66 4 41.60 4 48.53 | 5 55.46 6 69.33 8 83.19 9 97.06 | 110.9 1 124.7 3 138.6 4 152.5 | 5 166.39 6 180.25 8 194.12 9 207.98 | 218.45 219.30 220.15 221.00 221.85 222.70 245.76 246.71 247.67 248.63 249.58 250.54 273.06 274.13 275.19 276.25 277.31 278.38 300.37 301.54 302.71 303.88 305.04 306.21 | 327.68 328 95 330.23 331 5.0 332.78 334.05 332.33 336.60 337.88 339.15 340.43 341.70 342.98 344.25 345.53 346.80 348.38 335.05.63 334.38 345.38 346.80 348.38 346.80 348.38 346.80 348.38 346.80 348.38 346.80 348.38 346.80 348.38 346.38 346.80 348.38 346.38 346.80 348.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 346.38 347.38 348.38 347.38 347.38 347.38 348.38 347.38 348.38 347.38 348.38 347.38 348.38 347.38 348.38 347.38 348.38 347.38 347.38 347.38 348.38 347.38 348.38 347.38 348.38 348.38 347.38 348.38 347.3 | 3 471.4 5 499.1 |
| | 65 | 2 27.63 34.53 8 41.44 6 48.34 | 4 55.25 0 69.06 82.88 2 96.69 | .08 110.50 .83 124.31 .59 138.13 .35 151.94 | 1165.75 7179.56 3193.38 9207.19 | 218.45,219.30 220.15,221.00 245,76,246,71 247.67 248.63 273.06,274.13,275.19,276.25 300.37 301.54,302.71 303.88 | 3331.5 4359.1 6386.7 8 414.3 | 22 469.6 24 497.2 |
| | 6434 | 27.52 7 34.40 2 41.28 7 48.16 | 3 55.04 3 68.80 4 82.56 4 96.32 | 5 110.0 6 123.8 6 137.5 7 151.3 | 8 165.11 8 178.87 9 192.63 9 206.39 | 0 220.15 1 247.67 3 275.19 4 302.71 | 5 330.2 6 357.7 8 385.2 9 412.7 | 00 440.3 11 467.8 3 495.3 |
| | 641/2 | 3 34.27 8 41.12 9 47.97 | 1 54.83 7 68.53 2 82.24 7 95.94 | 3 109.6 8 123.3 3 137.0 8 150.7 | 4 164.48 9 178.18 4 191.89 0 205.59 | 218.45 219.30 245.76 246.71 273.06 274.13 300.37 301.54 | 8 328.95 8 356.36 9 383.78 9 411.19 | 0 438.6 1 466.0 1 493.4 |
| | 6434 | 27.31 34.13 40.96 47.79 | 0 54.61 0 68.27 0 81.92 0 95.57 | 108.80 109.23 109.65 110.08 110.50 112.240 112.28 1123.36 1123.83 124.31 136.00 136.53 137.06 137.59 138.13 149.60 150.18 150.77 151.35 151.94 | 20163.84 164.48 165.11 165.75 166.39 167.03 167.66 168.39 169.58 170.21 170.85 171.49 172.13 172.76 173.40 174.04 174.04 175.51 175.35 185.04 175.31 175.35 187.35 | 218.45 0245.76 0273.06 0300.37 | .40 327.68 .60 354.98 .80 382.29 .00 409.59 | 355.20 (456.50) (438.60) (440.30) (442.70) (443.70) (448.80) (450.50) (450.50) (452.50) (455.60) (455.60) (457.50) (455.60) (450.70) (452.40) (464.10) (456.80) (457.50) (459.40) (457.50) (459.20) (459. |
| | 64 | 27.20 34.00 40.80 47.60 | 54.40 68.00 81.60 95.20 | 108.80 122.40 136.00 149.60 | 163.20 176.80 190.40 204.00 | 217.60 244.80 272.00 299.20 | 326.40 353.60 380.80 408.00 | 435.2 |
|) () () | Thio ress Inch | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 74 % % La | % of % in | 00 44 7 44 4 6/0 /00 el/o | - 1, 14 % | 12/8/4/8 | 221% |

| f | 7514 | 31.98 39.98 47.97 55.97 | 63.96 79.95 95.94 | 127.93 143.92 159.91 175.90 | 207.88 223.87 233.86 | 255.85 287.83 319.81 351.79 | 385.78 415.76 447.74 479.72 | 3.68 5.66 |
|--------|----------------------|--|---|--|--|--|---|--|
| | 75 78 | 31.88 39.84 39.84 47.81 47.81 47.81 | 63.75 6 79.69 79 95.63 99 11.56 11 | 33 44 33 | 13 19 06 06 | 255.00 25 286.88 28 318.75 31 350.63 35 | 381.23 382.50 385.78 412.99 414.38 415.76 444.76 446.25 447.74 476.53 473.13 479.72 | 510.00 511.70 541.88 543.68 573.75 575.66 |
| | _ | | 63.54 63 79.42 73 95.31 95 | 08 127 96 143 84 155 73 175 | | 254.15 255.00 285.92 286.88 317.69 318.75 349.46 350.63 | 381.23 382.50 412.99 414.38 444.76 446.25 476.53 473.13 | 30 510 07 54 84 57 |
| | 7434 | | | 55 127. 8 142. 11 158. 4 174. | .98 190.61 .81 206.50 .64 222.38 .47 238.27 | 00254.15 66285.92 33 317.69 39 349.46 | 381.23 31 412.99 88 444.76 94 476.53 | 50 508.30 26 540.07 33 571.84 |
| | 741/2 | 31.66 39.58 47.49 55.41 | 63.33 79.16 94.99 | 126.6 142.4 158.3 174.1 | .34 189.98 190.61 .12 205.81 206.50 .89 221.64 222.38 .67 237.47 238.27 | 253.30 284.96 316.63 348.29 | 379.95 3411.61 443.28 474.94 | 506.6 |
| | 741/4 | 31.56 39.45 47.33 55.22 | 63.11 78.89 94.67 110.45 | 126.23 142.00 157.78 173.56 | 189.34 205.12 220.89 236.67 | 252.45 253.30 284.01 284.96 315.56 316.63 347.12 348.29 | 378.68 410.23 441.79 473.34 | 504.90 536.46 568.01 |
| | 74 | 31.45 39.31 47.18 55.04 | 62.90 78.63 94.35 110.08 | 125.80 141.53 157.25 172.98 | 2204.43 220.15 235.88 | 251.60 283.05 314.50 345.95 | 377.40 408.85 440.30 471.75 | 503.20 534.65 56 6.1 0 |
| | 73% | 31.34 39.18 47.02 54.85 | 62.69 78.36 94.03 109.70 | 125.38 125.80 126.53 126.65 127.08 127.50 141.25 142.06 142.81 142.95 143.44 156.72 157.26 158.31 158.84 159.38 173.56 174.14 174.73 175.31 | 188.06 203.73 219.41 235.08 | 250.75 282.09 313.44 344.78 | 376.13 377.40 378.68 407.47 408.85 410.23 438.81 440.30 441.79 470.16 471.75 473.34 | 501.50 503.20 504.90 506.60 508.30 532.84 534.65 536.46 538.26 540.07 564.19 566.10 568.01 569.33 571.84 |
| | 731/2 | 31.24 39.05 46.86 54.67 | 62.48 78.09 93.71 109.33 | 24.95 1 40.57 1 56.19 1 71.81 | 187.43 1 203.04 2 218.66 2 234.28 2 | 249.902 281.14 312.38 343.61 | 374.85 406.09 437.33 468.56 | 499.80 531.04 562.28 |
| | 7314 | 31.13 38.91 46.70 54.48 | 62.26 77.83 93.39 108.96 | 121.99 122.40 122.83 123.25 123.46 124.10 124.53 124.95 125.30 126.23 126.65 127.08 127.13 137.22 137.70 138.18 138.66 139.13 139.61 140.09 140.57 141.05 141.25 142.00 142.49 142.26 143.15 147.25 157.70 153.23 154.06 154.59 155.13 155.66 156.19 156.72 157.72 157.78 158.31 158.84 159.10 177.25 177.23 177.23 177.23 177.24 174.73 175.24 175.24 174.73 175.24 175.24 174.73 175.24 175.24 174.73 175.24 175.24 174.73 175.24 175 | 86 178.50 179.14 779.76 180.41 181.05 181.63 182.36 183.50 184.24 184.88 185.51 186.15 186.75 187.45 188.06 188.70 189.34 168.88 183.38 194.07 194.76 195.45 196.14 196.89 197.52 198.21 198.50 199.59 200.28 200.37 201.65 202.35 203.04 203.73 204.43 205.12 150.208.25 208.99 209.74 210.48 211.27 211.97 212.71 213.46 214.20 214.94 215.69 216.43 217.18 217.92 218.66 219.41 220.15 220.89 236.83 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.13 223.14 20.15 2 | 249.05 280.18 311.31 342.44 | 369.75 371.03 372.30 373.56 374.85 376.13 377.40 378.68 379.35 400.56 400.94 403.33 404.71 406.09 407.47 408.65 410.23 411.61 431.38 432.86 434.35 435.84 437.33 438.81 440.30 441.79 443.28 465.38 465.38 466.57 488.56 470.16 471.75 473.34 474.94 | 476.00 477.70 479.40 481.10 482.80 484.50 486.20 487.50 489.60 491.30 493.00 494.70 496.40 498.10 499.80 505.75 507.56 509.36 511.17 512.39 514.78 516.59 518.39 520.20 522.01 523.81 525.62 527.43 529.23 531.04 535.50 537.41 539.33 541.24 543.15 545.06 546.39 548.89 550.80 522.71 554.83 556.54 558.45 560.36 562.28 |
| | 73 | 31.03 38.78 46.54 54.29 | 62.05 77.56 93.08 108.59 | 124.10 139.61 155.13 170.64 | 186.15 201.66 217.18 232.69 | 248.20 279.23 310.25 341.28 | 371.03 372.30 373.58 401.94 403.33 404.71 432.86 434.35 435.84 463.78 465.38 466.97 | 494.70 496.40 498.10 525.62 527.43 529.23 556.54 558.45 560.36 |
| INCHES | 7234 | 30.92 38.65 46.38 54.11 | 61.84 77.30 92.76 108.22 | 123.68 139.13 154.59 170.05 | 200.97 200.97 216.43 231.89 | 244.80 245.65 246.50 247.35 248.20 275.40 276.36 277.31 278.27 279.23 306.00 307.06 308.13 309.19 310.25 336.60 337.77 338.94 340.11 341.28 | 371.03 401.94 432.86 463.78 | 494.70 525.62 556.54 |
| | 721/2 | 30.81 33.52 46.22 53.92 | 61.63 77.03 92.44 107.84 | 123.25 138.66 154.06 169.47 | 184.88 200.28 215.69 231.09 | 246.50 277.31 308.13 338.94 | 369.75 400.56 431.38 462.19 | 493.00 523.81 554.63 |
| WIDTH, | 721/4 | 30.71 38.38 46.06 53.74 | 61.41 76.77 92.12 107.47 | 122.83 138.18 153.53 168.88 | 184.24 199.59 214.94 230.30 | 245.65 276.36 307.06 337.77 | 367.20 368.48 397.80 399.18 428.40 429.89 459.00 460.59 | 489.60 491.30 520.20 522.01 550.80 552.71 |
| | 72 | 30.60 38.25 45.90 53.55 | 61.20 76.50 91.80 107.10 | 122.40 137.70 153.00 168.30 | 183.60 198.90 214.20 229.50 | 244.80 275.40 306.00 336.60 | 367.20 397.80 428.40 459.00 | 489.60 520.20 550.80 |
| | 7134 | 30.49 38.12 45.74 53.36 | 60.99 76.23 91.48 106.73 | 121.98 137.22 152.47 167.72 | 182.96 198.21 213.46 228.70 | 240,55 241,40 242,25 243,10 243,95 244,80 245,65 246,50 270,62 271,58 272,53 273,49 274,44 275,40 276,36 277,31 300,69 301,75 302,81 303,88 304,54 306,00 307,06 308,13 330,76 331,39 333,09 334,26 335,43 336,00 3777 338,94 | 362.10 363.38 364.65 365.93 367.20 368 48 392.28 393.46 (395.04 396.42) 397.80 399.18 422.45 423.94 425.43 426.91 428.40 429.89 452.63 454.81 457.41 459.00 460.59 | 487.90 518.39 548.89 |
| | 711/2 | 30.39 37.98 45.58 53.18 | 60.78 75.97 91.16 106.36 | 121.55 136.74 151.94 167.13 | 182.33 197.52 212.71 227.91 | 243.10 273.49 303.88 334.26 | 364.65 395.04 425.43 455.81 | 486.20 516.59 546.98 |
| | 711/4 | 30.28 37.85 45.42 52.99 | 60.56 75.70 90.84 105.98 | 21.13 36.27 51.41 66.55 | 81.69 96.83 111.97 27.11 | 242.25 272.53 302.81 333.09 | 363.38 393.66 423.94 454.22 | 84.50 14.78 45.06 |
| | 11 | 30.18 37.72 45.26 52.81 | 60.35 75.44 90.53 105.61 | 120.70 121.13 121.55 135.79 136.27 136.74 150.88 151.41 151.94 165.96 166.55 167.13 | 181.05 181 196.14 196 211.23 211 226.31 227 | 241.40 271.58 301.75 331.93 | 362.10 363.38 392.28 393.66 422.45 423.94 452.63 454.22 | 82.80 4 12.98 5 43.15 5 |
| | 7934 | 30.07 37.59 45.10 52.62 | 60.14 75.17 90.21 105.24 | 20.28 35.31 50.34 65.38 | 180.41 195.45 210.48 225.52 | 240.55 241.40 242.25 270.62 271.58 272.53 300.69 301.75 302.81 330.76 331.93 333.09 | 360.83 390.89 420.96 451.03 | 81.10 4 11.17 5 41.24 5 |
| | 701/2 | 29.96 37.45 44.94 52.43 | 59.93 74.91 89.89 104.87 | 119.43 119.85 120.28 134.35 134.83 135.31 149.28 149.81 150.34 164.21 164.79 165.38 | 179.78 29.41 181.05 181.69 182.33 122.96 183.60 184.24 194.76 195.45 196.14 196.88 197.52 198.20 199.59 209.74 210.48 211.23 211.97 212.77 213.46 214.20 214.94 224.72 225.52 226.31 227.11 227.11 228.70 229.50 230.30 229.70 229.50 230.30 230. | 239.70 269.66 299.63 329.59 | 359.55 389.51 419.48 449.44 | 479.40 481.10 482.80 484.50 486.20 487.90 509.36 511.17 512.98 514.78 516.59 518.39 539.33 541.24 543.15 545.06 546.38 548.89 |
| | 7014 | 29.86 37.32 44.78 52.25 | 59.71 74.64 89.57 104.50 | 19.43 34.35 49.28 64.21 | 179.14 1 194.07 1 208.99 2 223.92 2 | .00 238.85 239.70 .75 268.71 269.66 .50 298.56 299.63 | 358.28 388.13 417.99 447.84 | 77.70 07.56 37.41 |
| | 02 | 29.75 37.19 44.63 52.06 | 59.50 74.38 89.25 104.13 1 | 58 119.00 119.43 119.85 120.28 120.70 121.13 121.55 121.98 122.84 122.83 123.75 123.68 124.10 40.133.88 134.35 134.83 135.73 136.74 137.22 137.70 138.18 138.66 139.13 139.61 132.148.75 149.28 149.81 150.34 150.88 151.41 151.94 152.47 153.00 153.53 154.06 154.59 155.13 104.65 136.61 156.47 170.05 170.64 | 178.50 179.14 193.38 194.07 208.25 208.99 223.13 223.92 | 238.00 267.75 297.50 327.25 | 397.00 (358.28 (399.55) (360.83 (362.10) (363.38 (364.65) (365.93 (366.75) (388.13 (389.51) (390.89) (392.28 (393.66) (395.04) (396.42 416.50) (417.99) (419.48 (420.96) (422.45) (423.94) (425.43) (426.91) (446.25) (447.84) (451.03) (452.63) (454.22) (455.81) (457.41) | 476.00 477.70 505.75 507.56 535.50 537.41 |
| | 6934 | 29.64 37.05 44.47 51.88 | 59.29 74.11 88.93 103.75 1 | 118.58 119.00 119.43 119.85 120.28 120.70 121.13 121.25 121.98 122.40 122.55 123.58 124.40 124.53 124.95 125.38 125.53 126.65 127.08 127.10 138.18 138.65 139.61 140.00 140.57 141.05 141.53 142.00 142.86 143.26 148.25 148.25 149.28 149 | 177.86 178.50 179.14 179.78 180.41 181.05 181.69 182.33 182.96 183.60 184.24 184.88 185.51 186.15 186.15 187.43 188.06 188.70 188.34 189.38 190.61 193.28 196.14 196.88 197.52 198.20 198.50 199.59 200.38 200.38 200.35 203.04 203.73 204.43 205.12 205.81 206.50 207.51 208.55 208.99 209.74 201.23 211.23 211.97 213.46 214.20 214.43 216.43 217.18 217.85 216.43 217.18 217.85 216.43 217.18 217.85 216.43 217.18 217.85 216.43 217.18 217.85 216.43 217.85 217 | 237.15 266.79 296.44 326.08 | 355.73 357.00 385.37 386.75 415.01 416.50 444.66 446.25 | 474.30 476.00 477.70 479.40 481.10 482.80 484.50 489.60 489.60 491.30 496.70 496.40 499.10 499.80 501.50 503.80 503.80 506.80 508 |
| - 11 | oidT sesa donI | 1 1 2 2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 | 74.2% | % % % Ti | % 4 4 4 1 1 1 2 2 2 2 2 2 2 2 3 4 1 1 1 2 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7%74% | 1,70,00 4 70 0,00 4 4 | 21/8 |

| 50 | 34.43 43.03 51.64 60.24 | 68.85 86.06 103.28 120.49 | 137.28 137.70 154.43 154.91 171.59 172.13 188.75 189.34 | 202.73 203.36 204.00 204.64 205.28 205.91 206.55 219.62 220.31 221.00 221.69 222.38 223.07 233.76 233.76 223.78 223.07 223.49 240.23 240.38 223.41 254.20 255.00 255.00 255.59 255.39 257.39 258.19 | 275.40 309.83 344.25 378.68 | 385.05 3886.33 387.60 388.88 390.15 391.43 392.70 393.98 395.25 396.53 397.80 399.08 400.25 401.63 405.90 404.18 405.45 406.73 408.00 409.28 410.55 411.83 413.10 417.14 418.52 419.50 421.28 422.66 424.04 425.43 428.19 428.19 428.24 440.62 442.00 443.38 444.76 446.11 447.78 449.23 450.71 452.20 453.64 475.18 456.66 458.15 459.64 461.13 462.61 464.10 465.59 467.08 468.56 470.05 471.54 473.03 474.51 476.00 477.49 478.89 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.28 490.88 450.24 475.64 488.84 500.44 502.03 503.83 503.22 506.81 508.41 510.00 511.59 513.79 514.78 516.38 | 549.10 550.80 583.42 585.23 617.74 619.65 |
|--------------------|----------------------------------|--|--|--|--|---|--|
| 8034 | 34.32 42.90 51.48 60.06 | 68.64 85.80 102.96 1 120.12 1 | 137.28 154.43 171.59 188.75 | 205.91 223.07 240.23 257.39 | 264.35 265.20 266.05 266.50 267.75 268.60 269.45 270.30 271.50 272.50 272.85 273.70 274.55 227.39 239.31 300.26 301.22 302.18 303.13 304.09 305.04 306.00 306.96 307.31 308.87 330.44 331.50 322.56 333.63 335.75 336.81 337.88 338.94 301.00 341.06 372.17 376.34 377.51 377 | 5 411.83 446.14 8 480.46 9 514.78 | 544.00 545.70 547.40 549.10 578.00 579.81 581.61 583.42 612.00 613.91 615.83 617.74 |
| 801/2 | 34.21 42.77 51.32 59.87 | 68.43 85.53 102.64 119.74 | 129.20 129.63 130.05 130.48 130.30 131.33 131.75 132.18 132.60 133.05 133.45 133.88 134.30 134.73 135.15 135.58 136.43 136.85 137.145.53 145.83 146.33 146.33 147.74 148.22 148.70 149.85 150.13 150.03 150.03 151.57 152.04 152.25 153.00 153.49 153.96 159.150 150.03 150.57 152.04 152.25 153.00 153.49 153.96 154.15 150.13 150.23 152.04 152.25 153.00 153.49 153.96 153.40 157.34 157.88 158.41 158.59 153.47 170.00 170.53 171.06 171.17 153.70 177.25 177.25 177.82 177.40 177.20 177.55 177.05 177.25 177. | 205.28 222.38 239.49 256.59 | 260.95 261.80 282.65 263.50 264.35 265.20 266.05 266.50 287.75 268.60 269.45 270.30 271.15 272.00 272.85 273.70 223.57 234.35 235.48 236.44 237.39 298.35 299.31 300.26 301.22 302.18 303.13 304.09 305.04 306.00 306.96 307.91 336.13 337.88 338.31 329.38 25.25 23.85 | 3 444.76 9 478.96 9 513.19 | 547.40 581.61 1615.83 |
| \$6034 | 34.11 42.63 51.16 59.69 | 67.79 68.00 68.21 84.73 85.00 85.27 101.68 102.00 102.32 118.63 119.00 119.37 | 136.43 153.48 170.53 187.58 | 203.36204.00 204.64 220.31221.00 221.69 237.26238.00 238.74 254.20 255.00 255.80 | 272.85 306.96 341.06 375.17 | 443.3 443.3 0 477.4 | 516.80 518.50 520.20 521.30 523 60 525.30 527.00 532.70 533.40 532.10 533.50 537.20 537.20 538.30 540.60 542.30 544.00 545.70 549.40 542.10 550.31 552.71 554.20 556.33 558.13 559.94 561.74 563.55 5565.36 567.16 568.97 570.78 572.58 574.39 576.19 578.00 579.81 558.40 560.35 5 |
| 80 | 34.00 42.50 51.00 59.50 | 67.79 68.00 84.73 85.00 101.68 102.00 118.63 119.00 | 136.00 153.00 170.00 187.00 | 204.00 221.30 238.00 255.00 | 306.00 340.00 374.00 | 2 442.0 4 476.0 1 510.0 | 9578.0 9578.0 9612.0 |
| 7934 | 33.89 42.37 50.84 59.31 | 67.79 84.73 101.68 118.63 | 135.58 152.52 169.47 186.42 | 203.36 220.31 237.26 254.20 | 305.04 338.94 338.94 372.83 | 440.67 4440.63 474.5 1 508.4 | 542.30 9 576.19 8 610.09 |
| 7912 | 33.79 42.23 50.68 59.13 | 67.36 67.58 84.20 84.47 101.04 101.36 117.88 118.26 | 135.15 152.04 168.94 185.83 | 202.73 219.62 236.51 253.41 | 270.30 304.09 337.88 371.66 | 405.45 439.24 473.03 506.8 | 540.60 8574.3 6608.1 |
| 79.4 | 33.68 42.10 50.52 58.94 | 67.36 84.20 101.04 117.88 | 134.30 134.73 151.09 151.57 167.88 168.41 184.66 185.25 | 202.09 218.93 235.77 252.61 | 269.45 303.13 336.81 370.48 | 404.18 437.86 471.54 505.23 | 538.90 8572.51 5 606.21 |
| 79 | 33.58 41.97 50.36 58.76 | 67.15 83.94 100.73 117.51 | 134.30 151.09 167.88 184.66 | 198.90 199.54 200.18 200.81 201.45 202.09 215.48 216.17 216.86 217.55 218.24 218.93 232.05 232.79 233.54 234.28 235.03 235.77 248.63 249.42 250.22 251.02 251.81 252.61 | 268.60 302.18 335.75 335.75 | 402.90 436.48 470.08 503.60 | 537.20 7 570.7 4 604.3 |
| 7834 | 33.47 41.84 50.20 58.57 | 66.94 83.67 100.41 117.14 | 133.45 133.88 150.13 150.61 166.81 167.34 183.49 184.08 | 200.81 217.55 234.28 251.02 | 267.75 301.22 334.69 368.16 | 4435.09 1435.09 1488.56 1502.00 | 535.56 6568.9 3 602.4 |
| 1NCHES 314 7872 | 33.36 41.70 50.04 58.38 | 66.73 83.41 100.09 116.77 | 133.45 150.13 166.81 183.49 | 200.18 216.86 233.54 250.22 | 266.90 300.26 333.63 366.99 | 400.35 433.71 467.00 1 500.4 | 533.8 5567.1 1600.5 |
| H, IN 7874 | 33.26 41.57 49.88 58.20 | 66.51 83.14 99.77 116.40 | 133.03 149.65 166.28 182.91 | 199.54 216.17 232.79 249.42 | 266.05 299.31 332.56 365.82 | 399.08 432.33 465.59 498.84 | 532.1 5555.3 558.6 |
| 78 78 | 33.15 41.44 49.73 58.01 | 66.30 82.88 99.45 116.03 | 20 129.68 130.05 130.48 130.90 131.33 131.75 132.18 132.60 133.08 133.45133.88 135.45 1345.81 146.78 147.74 148.22 148.70 149.18 149.65 150.13 150.06 150.18 150.05 165.25 145.25 146.25 | 194,44 195.08 195,71 196.35 196.39 197.63 198.26 198.30 199.54 200.18 200.81 210.64 211.33 212.02 212.71 213.40 214.09 214.78 215.48 216.17 216.86 217.55 226.84.28 225.28 23.29 08 229.82 220.62 23.31.31 232.05 232.79 233.54 234.28 243.05 243.84 246.23 247.03 247.33 248.63 249.42 252 251.02 | 265.20 298.35 331.50 364.65 | 397.80 7 430.95 1 464.10 6 497.23 | 518.50 820.20 521.30 823.60 823.60 828.70 828.70 830.40 832.10 833.80 835.50 837.20 838.90 840.60 850.01 852.71 854.52 856.33 858.33 859.84 850.31 852.34 856.34 85 |
| 7734 | 33.04 41.30 49.57 57.83 | 66.09 82.61 99.13 115.65 | 132.18 148.70 165.22 181.74 | 198.26 214.78 231.31 247.83 | 263.50 264.35 296.44 297.39 329.38 330.44 362.31 363.48 | 396.55 429.57 3 462.6 5 495.6 | 4 561.7 8 594.7 |
| 773/2 | 32.94 41.17 49.41 57.64 | 65.88 82.34 98.81 115.28 | 131.75 148.22 164.69 181.16 | 197.63 214.09 230.56 247.03 | 263.50 296.44 329.38 362.31 | 395.28 1 428.19 4 461.17 7 494.0 | 0 527.0 3 559.9 6 592.8 |
| 77% | 32.83 41.04 49.25 57.45 | 65.66 82.08 98.49 114.91 | 131.33 147.74 164.16 180.57 | 196.99 213.40 229.82 246.23 | 262.65 3 295.48 3 328.31 3 361.14 | 393.98 3 426.8 5 459.6 8 492.4 | 0 525.3 3 558.1 5 590.9 |
| 77 | 32.73 40.91 49.09 57.27 | 65.24 65.45 81.55 81.81 97.86 98.18 114.17 114.54 | 130.90 147.26 163.63 179.99 | 196.35 212.71 229.08 245.44 | 261.80 234.53 327.25 359.98 | 392.7 425.4; 5458.1 8490.8 | 2 556.3 4 589.0 |
| 7634 | 32.62 40.77 48.93 57.08 | 65.24 81.55 97.86 114.17 | 130.48 146.78 163.09 179.40 | 195.71 212.02 228.33 244.64 | 260.95 293.57 326.19 | 391.4 5 424.0 8 456.6 9 489.2 | 0 521.9 1 554.5 3 587.1 |
| 761/2 | 32.51 40.64 48.77 56.90 | 65.03 81.28 97.54 113.79 | 130.05 146.31 162.56 178.82 | 195.08 211.33 227.59 243.84 | 259,25 260,10 260,95 261.80 262,65 265,50 292,61 293,57 294,53 295,49 296,44 334,06,225,13 326,19 327,25 288,31 329,38 356,47 357,64 358,81 359,98 361,14 362,31 | 8 422.6 8 422.6 9 455.1 9 487.6 | 0 520.2 1 552.7 1 585.2 |
| 761/4 | | 64.81 81.02 97.22 113.42 | 129.63 145.83 162.03 178.23 | 194.44 210.64 226.84 243.05 | 259.25 291.66 324.06 356.47 | 388.89 421.28 453.69 486.09 | 0 518.5 0 550.9 0 583.3 |
| 76 | (0) 4 4 47 | 64.60 80.75 96.90 113.05 | 128.79 129.20 129.63 130.05 130.48 130.30 131.33 131.75 132.18 132.60 134.487 145.35 145.83 146.31 146.78 147.74 148.22 148.70 149.18 160.97 161.50 162.05 162.50 163.63 164.15 164.69 165.22 165.75 177.70 177.65 176.23 176.25 179.40 179.99 180.57 181.16 181.74 182.33 | 193.16 193.80 194.44 195.08 195.71 196.35 196.99 197.63 198.36 198.90 199.54 200.18 200.85 200.95 202.73 203.36 204.00 204.64 209.25 209.95 201.64 211.35 212.02 212.71 213.40 214.78 215.48 216.17 216.86 217.55 218.24 218.93 219.62 220.31 221.00 221.69 225.85 209.95 210.64 211.35 212.07 212.71 213.40 214.78 215.48 216.17 216.86 217.55 218.24 218.93 219.62 220.31 221.00 221.69 225.85 200.95 21.00 221.69 225.85 200.95 21.00 221.69 225.87 200.95 21.00 221.6 | 258.40 4 290.70 4 323.00 8 355.30 | 386.33 387.60 388.83 390.15 391.43 392.70 3393.98 395.25 396.53 397.80 399.08 400.35 400.35 400.418 406.45 406.73 408.00 409.28 410.55 411.83 413.418.52 419.90 421.28 422.66 424.04 425.43 426.81 428.19 429.57 430.95 422.33 433.71 435.09 436.48 437.86 439.24 440.62 442.00 443.38 444.76 446.1447.460.77 452.20 435.69 455.18 456.66 458.15 459.64 461.13 462.61 464.10 465.59 467.08 468.56 470.05 471.54 473.03 474.51 476.00 477.49 478.99 480.64 491.13 462.61 464.10 465.59 467.08 488.56 470.05 471.54 473.03 474.51 476.00 477.49 478.99 480.64 492.47 494.06 495.66 497.65 498.84 500.44 502.03 503.63 505.22 506.81 508.41 510.00 511.59 513.19 514.78 516. | 0516.80 9549.10 9581.40 |
| 753% | | | 128.35 128.78 129.144.39 144.87 145.160.47 161.77.07 177.07 | .53 193.16 193.80 .57 209.26 209.95 .61 225.36 226.10 | 256.70 257.55 288.79 289.74 320.88 321.94 352.96354.13 | 5 386.33 4 418.52 3 450.71 1 482.91 | 49 547.29 |
| 751% | 32.09 40.11 48.13 56.15 | 64.18 80.22 96.26 112.31 | 128.35 144.39 160.44 176.48 | 192.53 203.57 224.61 240.66 | 256.70 288.79 320.88 352.96 | 385.05 417.14 449.23 481.31 | 513.40 |
| перев | [] 200 m/m m/m m/m | 74 45 % H | 100 10 m 10 | 24 m/m / 20 m/m | 7874% | 701/20/4/20 | 2518 |

| | 8634 | 64.52 | 92.17 110.61 129.04 147.48 | 165.91 184.34 202.78 221.21 | 239.65 258.08 276.52 294.95 | 331.82 368.69 405.56 442.43 | 479.29 516.16 553.03 589.90 | 563.64 |
|----------------|---------|---------------------|--|--|--|--|--|--|
| | 861/2 | 64.33 | 91.91 110.29 128.67 147.05 | 165.43 183.81 202.19 220.58 | 224 45 225.14 225.83 226.53 227.227 29 227 99 229 29 229 98 220 67 231.36 232.74 233 43 234.12 234.81 235.50 236.19 236.83 237.53 235.37 238.56 235.27 242.46 242.32 243.55 244.24 246 1246 18 246.53 247.67 248.41 249.16 249.59 250.64 251.39 252.13 252.88 253.58 253.43 255.11 255.58 255.51 255.55 257.34 256.05 258.35 259.34 250.34 | 310.78 311.74 312.69 313.65 314.61 315.56 316.52 317.48 318.43 319.39 320.24 321.26 323.21 324.17 325.13 326.08 327.04 327.99 328.59 328.51 336.55 388.69 327.04 388.50 388.59 387.20 388.59 389.59 38 | 448.91 450.29 451.67 453.05 454.43 455.81 457.19 458.58 459.36 451.34 462.72 454.10 455.48 456.86 468.24 459.65 471.01 472.39 473.77 475.15 475.33 477.31 479.23 483.47 515.65 51.05 51.02 | 587.03 588.84 590.64 592.45 594.26 596.06 597.87 599.68 601.48 603.29 605.09 606.90 608.71 610.51 612.32 614.13 615.93 617.74 619.54 621.35 623.16 624.96 625.73 629.21 655.39 627.30 629.21 637.30 62 |
| | 8614 | 64.15 | 91.64 109.97 128.30 146.63 | 164.95 183.28 201.61 219.94 | 238.27 256.59 274.92 293.25 | 329.91 366.56 403.22 439.88 | 476.53 513.19 549.84 586.50 | 623.16 |
| | 98 | 63.96 | 91.38 109.65 127.93 146.20 | 155.87 156.38 156.83 157.30 157.78 158.26 158.74 159.22 159.69 160.17 160.65 161.13 161.61 162.08 162.56 163.04 163.52 164.00 164.48 173.31 173.72 174.25 174.78 175.34 175.34 175.34 177.37 178.50 179.03 179.56 180.09 180.63 181.16 181.69 182.22 182.75 180.51 191.09 191.68 192.26 192.24 193.43 194.01 194.60 195.18 195.77 196.35 196.35 197.52 198.10 198.69 199.27 199.86 200.44 201.03 207.83 208.46 2009.74 200.33 201.00 121.65 212.29 212.59 213.56 214.20 214.84 215.48 215.13 216.75 217.39 218.03 218.66 219.30 | 237.58 255.85 274.13 292.40 | 3.4, 61, 315, 56, 316, 52, 317, 48, 318, 43, 319, 39, 320, 34, 321, 30, 322, 26, 323, 21, 324, 17, 325, 13, 326, 08, 327, 04, 327, 99, 328, 95, 329, 91, 349, 56, 350, 63, 50, 63, 62, 77, 63, 58, 63, 63, 60, 60, 60, | 475.15 511.70 548.25 584.80 | 621.35 |
| | 8534 | 63.78 | 91.11 109.33 127.55 145.78 | 164.00 182.22 200.44 218.66 | 236.88 255.11 273.33 291.55 | 327.99 364.44 400.88 437.33 | 473.77 510.21 546.66 583.10 | 619.54 |
| | 851/2 | 63.59 | 90.84 109.01 127.18 145.35 | 163.52 181.69 199.86 218.03 | 236.19 254.36 272.53 290.70 | 327.04 363.38 399.71 436.05 | 472.39 508.73 545.06 581.40 | 654.08 |
| | 8514 | 63.40 | 90.58 108.69 126.81 144.93 | 163.04 181.16 199.27 217.39 | 235.50 253.62 271.73 289.85 | 326.08 362.31 398.54 434.78 | 507.24 559.70 579.70 | 652.16 |
| | 83 | 63.22 | 90.31 108.38 126.44 144.50 | 162.56 180.63 198.69 216.75 | 234.81 252.88 270.94 289.00 | 325.13 361.25 397.38 433.50 | 505.75 5541.88 578.00 | 614.13 |
| | 8434 | 63.03 | 90.05 108.06 126.07 | 162.08 180.09 198.10 3216.11 | 234.12 252.13 252.13 1270.14 288.15 | 324.17 360.19 432.23 | 5468.24 3504.26 3540.28 3576.30 | 612.32 |
| | 841/2 | 62.85 | 89.78 107.74 125.69 143.65 | 161.61 3 179.56 8 197.52 4 215.48 | 233.43 251.39 269.34 287.30 | 323.21 355.13 7395.04 8 430.95 | 3 466.86 502.78 538.69 574.60 | 646.43 |
| WIDTH, INCHES | 841/4 | 8 62.66 | 89.52 107.42 125.32 143.23 | 161.13 179.00 196.90 214.84 | 232.74 250.64 268.55 | 322.26 358.06 393.87 429.68 | 465.46 501.20 537.00 572.90 | 644.5 |
| тн, п | 84 | 9 62.48 | 8 89.25 3 107.10 3 124.95 8 142.80 | 7 160.67 7 178.50 7 196.37 5 214.20 | 232.08 249.90 267.77 285.60 | 4 321.30 4 357.00 8 392.70 8 428.40 | 464.10 1 499.80 1 535.50 0 571.20 | 9642.6 |
| WID | 83% | 62.29 | 88.98 106.78 1124.58 | 160.17 177.97 195.77 3 213.56 | 231.36 1249.16 5266.96 | 320.34 355.94 331.55 427.13 | 462.77 3 498.31 1 533.91 0 569.5(| 605.09 |
| | 831/2 | 2 62.10 6 70.98 | 88.72 4 106.46 3 124.21 3 141.95 | 2 159.6 1 177.4 1 195.18 9 212.9 | 230.67 7 248.4 5 266.1 5 283.9 | 3319.3 1354.8 9390.3 8 425.8 | 6 461.3 4 496.8 2 532.3 5 57.8 | 6 638.7 |
| | 8314 | 3 61.92 5 70.76 | 88.45 3 106.14 6 123.83 1 141.53 | 4 159.2 8 176.9 1 194.6 5 212.2 | 3247.6 3247.6 5265.3 0283.0 | 318.4 353.8 3389.1 0 424.5 | 8 459.9 5 495.3 3 530.7 5 66.1 | 5 636.8 |
| | 83 | 5 61.73 | 2 88.19 1 105.83 1 9 123.46 1 8 141.10 1 | 6 158.7 4 176.3 3 194.0 1 211.6 | 229.2 8 246.9 7 264.5 5 282.2 | 2317.4 9352.7 6388.0 3423.3 | 9 458.5 6 493.8 3 529.1 0 564.4 | 7 599.6 |
| | 8234 | 6 61.55 | 6 87.9 9 105.5 2 123.0 5 140.6 | 8 158.2 1 175.8 4 193.4 8 211.0 | 1 228.6 4 246.1 7 263.7 0 281.3 | 6316.5 3351.6 9386.8 5422.0 | 1 457.1 8 492.3 4 527.5 0 562.7 | 6597.8 |
| | 82% | 7 61.36 1 70.13 | 86.86 87.13 87.39 87.66 87.32 04.23 104.55 104.87 105.19 105.51 121.60 121.98 122.35 122.72 123.09 138.98 139.40 139.83 140.25 140.68 | 0 157.7 8 175.3 6 192.8 4 210.3 | 2 227.9 9 245.4 7 262.9 5 280.5 | 1315.5 6350.6 2385.6 8420.7 | 3 455.8 9 490.8 4 525.9 0 561.0 | 6 596.0 |
| | 8214 | 61.17 0 69.91 | 3 87.3 5 104.8 8 122.3 0 139.8 | 3 157.3 5 174.7 8 192.2 0 209.7 | 3 227.2 5 244.6 8 262.1 0 279.6 | 5 314.6 0 349.5 5 384.5 0 419.4 | 5 454.4 0 489.3 5 524.3 0 559.3 | 5 594.2 |
| | 85 | 60.99 | 8 139.4 | 5 156.8 2 174.2 9 191.6 6 209.1 | 3 226.5 11 243.9 8 261.3 5 278.8 | 312.69 313.65 347.44 348.50 382.18 383.35 416.93 418.20 | 7 453.0 1 487.9 6 522.7 0 557.6 | 4 592.4 9 627.3 |
| | 8134 | 2 60.80 8 69.49 | 9 86.8 1 104.2 3 121.6 5 138.9 | 7 156.3 9 173.7 1 191.0 3 208.4 | 4 225.8 6 243.2 8 260.5 0 277.9 | 4 312.6 8 347.4 1 382.1 5 416.9 | 9 451.6 3 486.4 6 521.1 0 555.9 | 4 590.6 8 625.3 |
| | 1 811/2 | 3 60.62 16 69.28 | 33 86.59 59 103.91 86 121.23 13 138.55 | 155.39 155.87 156.36 156.86 157.20 157.78 158.26 158.74 159.22 159.69 150.17 160.65 161.13 161.61 162.08 162.55 163.04 163.52 164.00 164.48 164.55 177.54 177.54 177.54 177.57 178.55 179.03 179.55 180.09 180.63 181.16 181.69 182.75 182.28 182.75 183.28 189.55 190.51 191.09 191.62 192.26 192.24 193.43 194.01 194.60 195.18 195.77 196.35 196.38 197.52 198.10 198.69 199.27 199.86 200.44 201.03 201.61 207.78 207.85 208.46 209.74 200.38 211.01 211.65 212.29 212.39 212.35 213.42 20 214.48 215.48 216.11 216.77 217.39 218.66 219.30 219.94 | 224.45 225.14 225.83 226.53 227.227 291 228.60 229.29 220.67 231.56 232.75 232.74 233.43 234.12 234.81 235.50 236.19 236.81 237.58 238.27 238.27 238.27 234. | 8 311.74 11 346.38 14 381.01 18 415.65 | 448.91 (50.29) (51.67) (523.05) (554.43) (55.81) (457.19) (488.58) (459.96) (461.34) (462.72) (464.10) (465.48) (466.86) (468.68) (471.01) (472.39) (475.15) (476.35) | 588.8 |
| <u> </u> | 81% | 69.06 | 86.33 103.59 120.86 138.13 | 155.39 172.66 189.92 207.19 | 224.4 241.7 258.9 276.2 | 310.78 345.31 379.84 414.38 | 448.9 483.4 517.9 552.5 | 587.0 |
| ckness, hes | Thi | r 2 4 | # 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | - 10 M - 10 % | who / who | 76748674 | % % 4 7 % | 21/8 |

480.67/482.06 483.44/494.82/496.20/487.58/488.36/490.34/491.73/493.11/494.49/495.87/498.63/500.01/501.39/502.78/504.16/505.54/506.29/508.30/509.68/511.06 517.65/519.14/50.03/522.11/523.09/526.59/526.89/523.04/5231.04/532.53/534.01/535.50/536.99/538.48/539.96/541.45/542.94/544.33/545.31/547.40/548.89/550.38/568.20/596.43/567.37/575.34/576.94/576.34/57 |80.38|632.19|633.99|635.80|637.61|639.41|641.22|643.03|644.83|646.64|646.44|650.25|652.06|653.86|655.67|657.46|659.28|651.09|652.99|664.70|666.51|668.31|668.31|6671.03|672.99|672.99|672.99|672.99|672.79|672.79|672.69|672.76|673.69|672.76|672.69|672.76|672.69|672.76|672.69|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79|672.79166.39 166.87 167.34 167.82 168.30 168.78 169.26 169.73 170.21 170.69 171.17 171.65 172.51 172.50 173.56 174.04 174.52 174.99 175.47 175.55 176.49 176.59 176.49 175.55 174.09 175.51 180.50 188.59 189.51 189.65 190.19 190.72 191.25 191.78 192.31 192.84 193.38 193.31 194.44 194.57 195.50 196.03 196.55 203.35 203.55 204.53 205.12 205.70 206.28 206.87 207.45 208.04 208.62 209.21 209.79 210.38 210.36 211.54 212.13 212.71 213.30 213.88 214.47 215.05 215.63 216.23 21 332.78 333.79 334.69 335.64 336.60 337.56 338.51 339.47 340.43 341.38 342.39 345.39 345.39 345.39 345.39 345.39 385.59 38 98.28 117.94 137.59 157.25 277.31 | 278.11 | 278.31 | 278.370 | 280.50 | 281.30 | 282.08 | 282.80 | 282.48 | 282.28 | 282.69 | 284.48 | 282.28 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 282.48 | 28 92.44 92.70 92.97 93.23 93.50 93.77 94.03 94.50 94.83 95.09 95.56 95.63 95.63 95.63 95.63 96.69 96.59 96.59 97.48 97.75 98.02 110.39111.56111.89112.50112.52112.84113.56113.49113.471114.471114.47114.75115.07115.59115.771116.03116.03116.38116.59117.30117.30117.30117.30117.30117.30117.30117.30117.30117.30117.30117.30113.7311.475115.07115.39132.751133.89135.35133.89135.3513 240.34 '241.03'241.72'242.41|243.10|244.48|245.17|245.86|246.55|247.24|247.39|248.63|249.32|250.01|250.70|251.39|252.08|252.77|253.46|254.15|254.48| 258.83|259.57|260.31|261.06|261.80|262.54|263.29|264.03|264.78|265.52|266.26|287.01|267.75|268.49|269.24|269.38|270.73|271.47|272.21|272.96|273.70|274.44| 68.61 333.72|334.69|335.64|336.60|337.56|338.51|339.47|340.42|341.38|342.34|343.29|344.25|345.21|346.16|347.12|348.08|349.03|349.99|350.94|351.90|352.86| 9214 68.43 92 68.24 9134 911/2 68.05 911/4 67.87 67.68 91 67.50 9034 67.31 76.93 901/2 67.12 106 66.94 76.50 90 66.75 88 66.57 88 66.38 68 66.19 8 66.01 8834 65.82 881/2 65.64 88 65.45 88 65.26 8734 65.08 871/2 74.16 64.89 8734 628.58 665.55 6 73.95 64.71 87 40 % NO 10 14 10 C 22% 76 74 76 7c \$ 10 A 1/2/4 子ろうちん Inches Тріскиева,

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV—Continued

| 1 | | 9814 | 73.07 | 104.39 125.27 146.15 167.03 | 208.78 229.66 250.54 | 271.42 292.29 313.17 334.05 | 375.81 417.56 459.32 501.08 | 542.83 584.59 626.34 668.10 | 709.86 |
|-------------------|-----------------|-------|--------------------|--|--|--|--|--|--|
| | | 86 | 72.89 83.30 | 104.13 124.95 145.78 166.60 | 208.25 229.08 249.90 | 270.73 291.55 312.38 333.20 | 374.85 416.50 458.15 499.80 | 541.45 583.10 524.75 566.40 | 708.05 |
| | | 9734 | 72.70 | 103.86 124.63 145.40 166.18 | 186.95 207.72 228.49 249.26 | 270.03 290.81 311.58 332.35 | 373.89 374.85 415.44 416.50 456.98 458.15 498.53 499.80 | 540.07 541.45 581.61 583.10 623.16 624.75 664.70 666.40 | 706.24 |
| | | 971/2 | 72.52 | 103.59 124.31 145.03 165.75 | 186.47 207.19 227.91 248.63 | 269.34 290.06 310.78 331.50 | 372.94 414.38 455.81 497.25 | 538.69 580.13 521.56 563.00 | 704.44 |
| | | 9714 | 72.33 | 103.33 123.99 144.66 165.33 | 206.66 227.32 247.99 | 268.65 289.32 309.98 330.65 | 371.98 413.31 454.64 495.98 | 537.31 538.69 540.07 541.45 542.83 578.64 580.13 581.05 584.59 619.97 621.56 623.16 624.75 626.34 661.30 663.00 664.70 666.40 688.10 | 702.63 |
| | | 97 | 72.14 | 103.06 123.68 144.29 164.90 | 185.51 206.13 226.74 247.35 | 267.96 288.58 309.19 329.80 | 371.03 412.25 453.48 494.70 | 535.93 577.15 618.38 659.60 | 700.83 |
| | | 9634 | 71.96 | 102.80 123.36 143.92 164.48 | 185.03 205.59 226.15 246.71 | 267.27 287.83 308.39 328.95 | 370.07 411.19 452.31 493.43 | 534.54 575.66 616.78 657.90 | 740.14 |
| | | 961/2 | 71.77 | 102.53 123.04 143.54 164.05 | 184.56 205.06 225.57 246.08 | 266.58 287.09 307.59 328.10 | 369.11 410.13 451.14 492.15 | 533.16 574.18 615.19 656.20 | 697.21 |
| | | 9614 | 71.59 | 102.27 122.72 143.17 163.63 | 184.08 204.53 224.98 245.44 | 265.89 286.34 306.80 327.25 | 368.16 409.06 449.97 490.88 | 531.78 572.69 613.59 654.50 | 695.41 736.31 |
| | | 98 | 71.40 | 98.81 99.08 99.34 99.61 99.88 100.14 100.41 100.67 100.39 101.20 101.47 101.73 102.00 102.27 102.53 102.60 103.05 103.06 103.33 103.59 103.85 103.86 104.13 104.35 103.87 103.87 103.87 103.89 103.89 103.39 104.53 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 103.45 103.89 | 177.86 178.34 178.82 179.30 179.78 180.25 180.73 181.21 181.69 182.17 182.64 183.12 183.60 184.08 184.56 185.56 185.51 185.59 186.47 186.59 187.43 187.90 197.63 198.69 199.22 199.75 200.28 200.81 201.34 201.38 202.41 202.94 203.47 204.58 202.45 202.65 202.48 20 | 265.20 285.60 306.00 326.40 | 355.73 356.68 357.64 358.59 359.55 360.51 361.46 362.42 363.38 364.33 365.29 366.24 367.20 368.16 369.11 370.07 371.03 371.03 371.99 372.94 395.25 396.31 397.38 398.44 399.50 400.56 401.63 402.69 403.70 404.81 405.88 406.89 408.00 409.06 410.13 411.19 412.25 413.31 414.38 434.78 435.71 438.28 439.45 440.62 441.79 442.96 444.13 445.26 444.46 447.63 448.66 499.88 492.15 438.43 494.70 495.98 497.25 | 530.40 571.20 612.00 652.80 | 693.60 |
| nued | CHES | 9534 | 71.21 81.39 | 101.73 122.08 142.43 162.78 | 183.12 203.47 223.82 244.16 | 264.51 284.86 305.20 325.55 | 366.24 406.94 447.63 488.33 | 529.02 569.71 610.41 651.10 | 691.79 |
| ABLE IV—Continued | WIDTH, INCHES | 951/2 | 71.03 | 101.47 121.76 142.06 162.35 | 182.64 202.94 223.23 243.53 | 263.82 284.11 304.41 324.70 | 365.29 405.88 446.46 447.05 | 527.64 568.23 608.81 649.40 | 689.99 |
| - - | WID, | 9514 | 70.84 | 3 121.44 3 121.44 1 141.68 1 161.93 | 182.17 202.41 222.65 242.89 | 263.13 2283.37 303.61 323.85 | 364.33 404.81 445.29 485.78 | 526.26 566.74 607.22 647.70 | 688.18 |
| IABL | | 92 | 70.66 | 100.94 121.15 1141.31 161.50 | 181.69 1201.86 3222.06 1242.25 | 262.44 3282.63 332.81 323.00 | 363.38 403.75 444.13 8 484.50 | 524.88 565.25 605.63 | 686.38 |
| | | 9434 | 8 70.47 8 80.54 | 1100.67 9 120.87 7 140.94 5 161.08 | 3 181.2; 1 201.3 9 221.4; 8 241.6; | \$ 261.77 4 281.86 2 302.00 3 322.15 | 362.4% 3 402.6% 9 442.96 5 483.2% | 523.49 563.76 604.00 | 684.57 |
| | | 941/2 | 70.28 | 7 120.4 7 120.4 0 140.5 3 160.6 | 200.8 220.8 1 220.8 4 240.9 | 261.06 9 281.14 2 301.22 5 321.30 | 361.46 6 401.65 2 441.79 8 481.96 | 3 522.11 9 562.28 4 602.44 0 642.60 | 682.76 |
| | | 9414 | 70.10 | 8 100.17 5 120.17 8 140.20 | 2200.28 2200.28 220.3 | 3260.37 3300.47 | 360.5 440.6 480.6 | 520.77 560.78 600.84 | 680.96 |
| | | 94 | 3 69.91 9 79.90 | 1 99.8 3 119.8 5 139.8 8 159.8 | 2 199.7 4 219.7 6 239.7 | 8 259.6 1 279.6 3 299.6 5 319.6 | 4 399.5 4 399.5 8 439.4 8 479.4 | 7 519.3 1 559.3 5 599.2 6 639.2 | 679.1 |
| | | 9334 | 4 69.73 8 79.69 | 119.5 139.4 159.3 | 2 179.3 9 199.2 6 219.1 3 239.0 | 9 258.9 6 278.9 3 298.8 0 318.7 | 4 358.5 8 398.4 1 438.2 5 478.1 | 517.97 3 557.8 5 597.60 6 337.50 | 677.3 8717.1 |
| | | 931/2 | 5 69.54 6 79.48 | 8 99.3 9 119.2 1 139.0 3 158.9 | 4 178.8 6 198.6 7 218.5 9 238.4 | 258.2 2278.1 3 298.0 5 317.9 | 8 357.6 1 397.3 4 437.1 8 476.8 | 516.5 4 556.3 7 596.0 0 635.8 | 8 675.5 5 715.2 |
| | | 9314 | 7 69.35 5 79.26 | 1 99.0 8 118.8 4 138.7 0 158.5 | 6 178.3 3 198.1 9 217.9 5 237.7 | 1 257.6 8 277.4 4 297.2 0 317.0 | 356.6 5 396.3 8 435.9 0 475.5 | 3 515.2 5 554.8 8 594.4 0 634.1 | 8 673.7 5 713.3 |
| | | 93 | 8 69.17 4 79.05 | 98.55 98.81 99.08 99.34 99.61 99.88 100.14100.41 100.67 100.99 101.20 101.47 101.73 102.00 102.27 102.53 102.80 103.06 103.05 102.85 103.05 10 | 177.38 777.86 177.84 178.82 179.30 179.78 180.25 180.73 180.21 181.69 82.17 182.64 183.12 183.60 184.06 184.56 185.51 185.59 186.54 186.55 184.73 187.73 288.78 187.73 288.78 187.73 288.78 187.73 288.78 187.73 288.78 187.73 288.78 187.78 288.78 287.78 288.78 287.78 288.78 287.78 288.78 287.78 288.78 287.78 288.78 287.78 288.78 287.78 288.48 287.78 288.78 287.78 288.78 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 288.48 287.78 287. | 256.22 (256.31) (257.60) (258.29) (259.89) (259.69) (260.37) (261.26) (262.34) (267.31) (265.20) (265.89) (266.51) (267.96) (267.96) (268.65) (269.34) (270.05) (270.35) (270. | 354.77 355.73 356.68 357.64 328.59 359 55 360.51 361 46 362.42 363.38 365.29 366.24 367.20 368.16 369.11 370.07 371.03 371.03 372.94 373.89 374.85 375.89 374.85 375.89 374.85 375.89 374.85 375.89 374.85 375.89 374.85 375.89 37 | 512.44 513.83 515.21 516.59 517.37 519.35 520.73 522.11 523.49 524.88 526.26 527.64 529.02 530.40 531.78 533.16 534.54 535.35 537.31 538.69 540.07 541.45 542.83 551.28 535.35 534.45 556.33 557.81 559.28 550.79 562.28 563.74 563.23 569.71 571.20 572.69 574.18 575.66 577.15 578.64 560.13 581.05 584.59 551.28 539.47 559.28 534.47 536.06 537.66 539.25 500.24 502.44 504.23 505.81 510.41 512.00 513.59 515.19 516.78 518.38 519.57 521.56 523.16 524.75 526.34 503.70 523.70 535.80 534.47 536.05 535.20 533.00 564.20 564.20 564.20 564.20 564.20 564.70 565.40 563.10 552.80 554.50 565.20 565.20 565.20 565.30 564.70 565.40 563.10 | 670.12 671.195 673.73 675.54 677.34 679.15 680.96 682.76 684.57 686.38 688.18 689.99 691.79 693.60 695.41 697.21 699.02 700.83 704.44 706.24 708.05 709.86 709.54 707.51 695.51 709.55 707.51 7 |
| | | 9234 | 68.98 | 98.55 118.26 137.97 157.68 | 177.38 197.09 216.80 236.51 | 256.2 275.9 295.6 315.3 | 354.77 394.19 433.61 473.03 | 512.4 551.8 591.28 630.70 | 670.12 |
| | рез іскиева, | LIP | 45 74 | 20 % Let 1/2 | | | 70.74% | 2 E C C | 21/8/4 |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV-Continued

| | 104 | 77.35 | 10.50 32.60 54.70 76.80 | 21.00 43.10 35.20 | 287.30 309.40 331.50 353.60 | 97.80 42.00 36.20 30.40 | 74.60 18.80 53.00 77.20 | 51.40 |
|-----------------|----------------------|---------------------------------------|--|--|--|--|---|--|
| | 10334 | 77.16 7 | 104-66 104-92 105.19 105-45 105.72 105.98 106.25 106.52 106.78 107.05 107.31 107.58 107.84 108.11 108.38 108.64 108.31 10.91.7 109.47 109.70 109.97 110.23 110.55 125.50 125.51 126.23 126.54 126.86 127.18 127.50 127.82 128.46 128.78 129.09 129.44 129.73 130.05 130.37 130.69 131.01 131.33 131.64 131.96 132.28 132.60 147.55 147.55 147.55 147.55 149.12 149.49 149.87 150.24 150.51 150.59 151.35 151.73 152.10 152.47 152.84 153.21 153.58 153.96 154.78 147.50 147.58 147.59 147.50 147.25 173.40 173.43 173.40 173.83 174.55 174.69 175.10 175.53 175.59 176.38 176.80 | 188.38 188.86 189.34 189 82 190.29 190.77 191.25 191.73 192.21 192.68 193.16 193.64 60 195.08 195.55 196.03 196.51 196.99 197.47 197.94 198.42 198.90 209.31 209.84 210.38 210.91 211.97 212.50 213.65 213.09 213.65 214.09 214.63 215.16 215.69 216.22 216.75 217.28 217.81 218.34 218.88 219.41 219.94 220.47 220.47 211.97 212.50 213.50 213.56 214.09 214.63 215.50 237.64 237.84 238.43 239.01 229.59 240.18 240.76 241.35 241.35 242.52 243.10 230.48 238.43 239.01 229.59 255.02 235.60 | 272.11 272.80 273.49 274.18 274.87 275.56 276.25 276.25 278.32 279.01 279.570 280.39 281.08 281.78 282.47 283.45 283.85 284.54 285.23 285.52 286.61 287.70 283.45 285.27 285.27 283.45 285.27 283.45 285.27 283.47 283.45 285.27 285.47 283.45 285.27 285.47 283.47 28 | 376.76 377.72 378.68 379.63 380.59 381.54 382.50 383.46 384.41 385.37 386.33 387.28 388.24 389.15 390.15 391.11 392.06 339.03 393.98 394.33 395.89 396.84 397.80 418.63 419.69 420.75 421.81 472.88 423.94 425.00 426.06 447.13 428.19 423.25 450.31 471.83 422.44 473.50 494.56 435.66 476.69 477.18 471.01 472.18 473.69 477.68 476.85 476.89 476.81 479.88 473.50 488.86 485.03 487.60 488.86 485.03 487.80 487.80 487.80 471.01 472.18 477.83 477.51 475.68 476.85 479.19 480.36 481.53 482.69 483.86 485.03 487.80 48 | 544.21 545.39 546.38 548.36 549.74 551.12 552.50 553.88 555.26 556.64 558.03 559.41 560.79 562.17 563.55 564.33 566.31 567.69 569.08 570.46 571.84 573.22 574.60 586.08 587.50 589.05 54592.03 593.51 595.00 596.49 597.39 599.46 600.39 602.44 603.39 605.41 605.90 608.39 609.88 511.35 612.55 614.34 613.83 617.31 618.80 677.34 623.75 639.09 640.89 642.28 643.89 645.47 647.06 648.66 550.25 631.84 655.03 656.68 658.22 659.81 661.41 663.00 687.30 678.30 680.00 681.70 683.40 685.10 686.30 680.20 691.20 683.80 675.20 675.30 675.20 677.30 678.20 678.30 675.30 677.30 | 711.66 713.47 715.28 717.08 718.28 720.69 722.50 726.11 727.92 729.73 731.33 733.34 735.14 736.95 738.76 740.56 742.37 744.18 745.38 747.59 749.39 749.59 7 |
| | 31/2 1 | 76.98 87.98 | 3.96 13 3.96 15 5.95 17 | 7.94 19 9.94 22 1.93 24 3.93 26 | 5.92 28 7.91 30 9.91 33 1.90 35 | 3.88 44 3.86 48 7.85 52 | 1.84 57 5.83 61 9.81 66 3.80 70 | 7879 |
| | 10314 10312 | 76.79 76 | .70 106 .64 131 .58 155 .53 177 | 47 197 41 218 35 24 1 29 263 | 23 285 17 307 11 329 05 351 | 93 395 81 439 69 483 58 527 | 46 571 34 615 22 659 10 703 | 98 747 |
| | 1- | 61 76 | 44 109 33 131 21 153 10 175 | 99 197 88 219 76 241 65 263 | 54 285 43 307 31 329 20 351 | 98 394 75 438 53 482 30 526 | 35 614 33 658 40 702 | 18 745 |
| | 4 103 | .2 76.61 14 87.55 | 7 109. 11 131. 14 153. 18 175. | 1 196. 4 218. 8 240. 1 262. | 5 284. 2 328. 5 350. | 2 393. 9 437. 6 481. 3 525. | 9 569.(6 612.8 3 656.0 0 700.4 | 7744. |
| | 1021/4 1021/2 1023/4 | 3 76.42 8 87.34 | 109.1 131.0 7 152.8 5 174.6 | 196.5 240.1 3262.0 | 283.8 305.6 327.5 349.3 | 393.0 436.6 480.3 524.0 | 567.6 611.3 655.0 698.7 | 742.3 |
| | 1021 | 76.23 | 108.9 130.6 152.4 174.2 | 196.03 217.8. 239.55 261.38 | 283.16 304.94 326.77 348.50 | 392.06 435.63 479.15 522.75 | 566.31 609.88 653.44 697.00 | 740.56 |
| | 1021/4 | 76.05 | 108.64 130.37 152.10 173.83 | 195.55 217.28 239.01 260.74 | 282.47 304.19 325.92 347.65 | 391.11 434.56 478.02 521.48 | 564.93 608.39 651.84 695.30 | 738.76 |
| | 102 | 75.86 | 108.38 130.05 151.73 173.40 | 189.34 189.82 190.29 190.77 191.25 191.73 192.21 192.68 193.16 193.64 194.12 194.60 195.08 195.55 196.03 196.39 197.47 197.94 210.38 210.31 211.44 211.97 212.56 213.03 213.56 214.09 214.65 215.16 215.69 216.22 216.77 217.28 177.28 177.81 218.34 218.34 219.44 219.94 231.14 232.00 232.58 233.17 233 | 281.78 303.45 325.13 346.80 | 33.50 76.85 | 63.55 206.90 550.25 593.60 | 36.95 |
| | 10134 | 75.68 | 08.11 29.73 51.35 72.98 | 94.60 16.22 37.84 59.46 | 81.08 02.71 24.33 45.95 | 89.19 32.44 75.68 4 | 62.17 05.41 48.66 91.90 | 35.14 7 |
| HES | 1011/4 1011/2 1013/4 | 75.49 | 29.41 29.41 50.98 72.55 | 94.12 15.69 27.26 28.83 | 30.39 2 31.96 3 33.53 3 5.10 3 | 8.24 3 11.38 4 4.51 4 7.65 5 | 0.79 5 13.93 6 17.06 6 10.20 6 | 6.487 |
| WIDTH, INCHES | 11/4 | 75.30 | 7.58 10 9.09 12 0.61 18 2.13 11 | 3.64 19 5.16 2. 6.67 23 8.19 28 | 9.70 28 1.22 30 2.73 33 4.25 34 | 7.28 38 0.31 43 3.34 47 6.38 51 | 9.41 56 2.44 60 5.47 64 8.50 68 | 1.53 73 |
| IDTH | 101 | 75.12 7 85.85 8 | 31 10 3.78 12 3.78 15 0.24 15 1.70 17 | 3.1619 1.6321 5.0923 7.5525 | .01 27 1.48 30 .94 32 1.40 34 | 25 43 25 43 18 47 10 51 | 88 64 88 64 88 68 | .73 73 |
| W | | 74.93 78 85.64 88 | .05 107 46 128 87 150 28 171 | 68 193 09 214 50 236 91 257 | 32 279 73 300 14 321 55 343 | 37 386 19 429 01 472 83 515 | 64 558 46 600 28 643 10 686 | 92 729 |
| | 1001/2 10034 | 75 74 | 78 107. 14 128. 19 149. 35 171. | 21 192 56 214. 32 235. 28 256. | 33 278. 39 299. 34 321. 70 342. | 11 385. 13 428. 34 471. 55 513. | 26 556. 88 599. 39 642. 40 685. | 1 727. |
| | 4 100 | 6 74.75 | 2 128. 2 128. 2 149. | 3 192.3 3 213.5 3 234.5 4 256.2 | 4 277.6 4 298.5 5 320.3 5 341.7 | 6384.4 6427.1 7469.8 8512.5 | 8 555.2 9 597.9 9 640.6 0 683.4 | 1726.1 |
| | 10014 | 85.21 85.21 | 106.5 127.8 149.1 170.4 | 191.7 213.0 234.3 255.6 | 276.9 298.2 319.5 340.8 | 383.4 426.0 468.6 511.2 | 553.8 596.4 639.0 681.7 | 724.3 |
| | 100 | 74.38 | 106.28 127.50 148.78 170.00 | 191.25 212.5(233.75 255.00 | 276.25 297.50 318.75 340.00 | 382.50 425.00 467.50 510.00 | 552.50 595.00 637.50 680.00 | 722.50 |
| | 9934 | 74.19 | 105.98 127.18 148.38 169.58 | 190.77 211.97 233.17 254.36 | 275.56 296.76 317.95 339.15 | 381.54 423.94 466.33 508.73 | 551.12 593.51 635.91 678.30 | 720.69 |
| | 991/2 | 74.00 | 105.72 126.86 148.01 169.15 | 190.29 211.44 232.58 253.73 | 274.87 296.01 317.16 | 880.59 122.88 165.16 107.45 | 34.31 576.60 | 18.89 |
| | 9914 | 73.82 | 26.54 47.63 68.73 | 89.82 10.91 32.00 53.09 | 74.18 95.27 16.36 37.45 | 79.63 21.81 63.99 663.99 06.18 | 48.36 90.54 32.72 74.90 | 17.087 |
| | 66 | 73.63 | 26.23 1 47.26 1 58.30 1 | 39.34 1 10.38 2 31.41 2 52.45 2 | 73.49 2 94.53 2 15.56 3 86.60 3 | 78.68 20.75 4.90 52.83 | 6.98 5 3.20 6 | 5.287 |
| | 9834 | 73.45 783.94 | 7.92 11 6.89 14 7.88 16 | 188.86 18 209.84 21 230.83 23 251.81 25 | 272.80 773.49 274.18 774.87 275.56 276.25 276.94 777.63 278.51 279.70 1279.70 280.39 281.08 281.77 283.16 283.85 284.54 285.23 285.59 2866.51 283.77 285.03 285.73 | 7.72 35 9.69 42 1.66 46 3.63 50 | 5.59 54 7.56 56 9.53 65 1.50 67 | 3.47 71 |
| | 981/2 9 | 73.26 7 83.73 8 | 5.59 12 5.59 12 5.52 14 7.45 16 | 188.38 18 209.31 20 230.24 23 251.18 25 | 272.1127 293.0429 313.9731 334.9033 | 376.76 377.72 418.63 419.69 460.49 461.66 502.35 503.63 | | .53 75 |
| | | | | | | | | |
| pea ickness, | LTP. | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | \$ 15 % TE 70 | \$ 10 % A | - 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 14 % Y | 10 14 100 C | 21/8 |

| 1 | 109% | 81.63 93.29 | 116.61 139.93 163.25 186.58 | 209.90 233.22 256.54 279.86 | 303.18 326.51 349.83 373.15 | 419. 79 466.44 513.08 559. 73 | 506.37 653.01 699.66 746.30 | 792.94 839.59 |
|---------------|---------------------|----------------------------|--|--|--|--|---|--|
| | | 93.08 | $111.03 \ 111.30 \ 111.50 \ 111.20 \ 112.30 \ 112.30 \ 112.30 \ 112.30 \ 112.30 \ 112.30 \ 112.30 \ 112.40 \ 112.30 \ 1$ | 209.42 209.90 232.69 233.22 255.96 256.54 279.23 279.86 | 302.49 325.76 349.03 372.30 | 401.63 402.58 403.54 404.49 405.41 406.41 407.36 408.32 409.28 410.23 411.19 412.14 413.10 414.06 415.01 415.97 416.98 417.88 418.84 419.79 446.25 447.31 448.38 449.44 450.50 451.65 422.63 453.69 454.75 455.81 456.88 457.94 459.00 450.06 451.13 452.19 453.25 454.31 455.38 456.44 449.89 490.05 500.23 501.39 502.55 500.37 504.90 505.07 507.24 508.1509.38 510.74 511.91 513.08 535.50 536.78 538.05 539.33 540.60 541.88 543.45 544.43 545.70 546.38 538.25 549.35 500.80 553.35 554.63 555.90 557.18 558.45 559.73 | 577.26[578.74]580.13[581.51]582.89[584.27]585.46[587.03]588.41[589.75]591.18[592.56[593.94]595.52[595.70]599.46[60.0.84]602.23]603.61[604.99]506.37 621.78[623.26[624.75]6.62.24[627.73]6.29.21[60.70]623.19[635.16]636.65[638.14]639.63[41.11]642.60[644.09]645.58[647.06]648.55[650.04]651.53[653.04]6651.53[653 | 8791.14 |
| | 10914 | 92.86 | 116.08 139.29 162.51 185.73 | 208.46 208.94 231.63 232.16 254.79 255.37 277.95 278.59 | 301.80 325.02 348.23 371.45 | 417.88 464.31 557.18 | 650.04 650.04 696.47 742.90 | 3 789.3 |
| | 109 | 81.07 | 115.81 138.98 162.14 185.30 | 231.63 231.63 254.79 277.95 | 324.28 324.28 347.44 370.60 | 416.93 463.25 1509.58 3555.90 | 6 648.58 6 648.58 8 694.80 0 741.20 | 2 787.5 4 833.8 |
| | 10834 | 92.44 | 115.55 138.66 161.77 184.88 | 207.98 231.09 254.20 3277.31 | 323.56 323.56 1346.64 369.76 | 415.97 3 462.19 4 508.4 5 554.6 | 6 600.8 8 647.0 9 693.2 0 739.5 | 1 785.7 3 831.9 |
| | 10814 1081/2 1083/4 | 92.23 | 2 115.28 138.34 161.39 184.45 | 3 230.56 3 253.65 4 276.6 | 4 322.7 5 345.8 5 368.9 | 6 415.0 6 461.1 7 507.2 8 553.3 | 8 599.4 9 645.5 9 691.6 0 737.8 | 1783.9 |
| | | 80.51 | 115.02 138.02 161.02 184.03 | 207.00 230.00 253.00 276.0 | 5 299.0 0 322.0 5 345.0 0 368.0 | 0 414.0 0 460.0 0 506.0 0 552.0 | 0 598.0 6644.0 0 690.0 0 736.1 | 20 828.1 |
| | 108 | 91.80 | 114.7° 8 137.7° 8 160.6° 8 183.6° | 7 229.56 7 252.4 7 252.4 6 275.4 | 6 298.3 6 321.3 5 344.2 5 367.2 | 4 413.1 4 459.0 3 504.9 3 550.8 | 2 596.7 11 642.6 11 688.5 10 734.4 | 9 826.2 |
| | 10734 | 8 91.59 8 91.59 | 6 137.3 6 137.3 1 160.2 5 183.1 | 9 206.0 4 228.9 8 251.8 3 274.7 | 7 297.6 11 320.5 16 343.4 10 366.3 | 19 412.1 88 457.9 86 503.7 25 549.5 | 34 595.3 33 641.1 31 686.9 00 732.7 | 38 824.2 |
| *** | 1071/2 | 7 79.95 | 5 114.2 4 137.0 3 159.9 3 182.7 | 2 205.5 11 228.4 0 251.2 9 274.1 | 296.9 77 319.8 36 342.6 35 365.5 | 33 411.1 31 456.8 39 502.5 38 548.2 | 56 593.9 14 639.6 72 685.3 30 731.0 | 46 822. |
| WIDTH, INCHES | 1071/4 | 8 79.77 5 91.16 | 9 113.9 3 136.7 6 159.5 0 182.3 | 205.1 8 227.9 1 250.7 25 273.4 | 33 319.0 33 319.0 30 341.8 | 28 410.2 75 455.8 23 501.3 70 546.9 | 18 592. 65 638. 13 683. 60 729. | 08 774. 55 820. |
| TH, II | 4 107 | 0 79.58 4 90.95 | 2 113.6 1 136.4 9 159.1 18 181.9 | 16 204.6 34 227.3 33 250.1 21 272.8 | 27 341.0 35 35.5 37 341.0 35 363.8 | 32 409. 69 454. 06 500. 43 545. | 79 591. 16 636. 53 682. 90 727. | 27 773. 64 818. |
| WID | 1061/2 10634 | 79.40 | 113.4 29 136.1 12 158.7 35 181.4 | 31 226.8 31 226.8 34 249.8 38 272.3 | 21 294.8 84 317.3 47 340.1 10 362. | 36 408. 63 453. 89 499. 15 544. | 41 589. 68 635. 94 680. 20 725. | .73 816 |
| | 106 | 79.21 | 39 113.1 47 135.7 55 158.4 53 181.0 | 20 203.6 78 226.3 36 248.9 94 271.8 | 52 294. 09 316. 67 339. 25 362. | 41 407. 56 452. 72 497. 88 543. | .03 588. 19 633. 34 678. 50 724. | .81814 |
| | 10614 | 34 79.02 10 90.31 | 53 112.8 15 135.4 58 158.0 20 180.0 | 73 203. 25 225. 78 248. 30 270. | 83 293. 35 316. 88 338. 40 361. | 45 406. 50 451. 55 496. 60 541. | .75 632 .75 677 .80 722 | .90 812 |
| | 34 106 | 65 78.84 89 90.10 | 36 112. 83 135. 30 157. 78 180. | 25 202. 72 225. 19 247. 66 270. | .13 292. .61 315. .08 337. .55 360. | .49 405 .44 450 .38 495 .33 540 | .27 585 .21 630 .16 675 | 3.99 810 |
| | 1/2 10534 | 78.47 78.65 89.68 89.89 | 09 112. 51 134. 93 157. 35 179. | 77 202. 19 224. 61 247. | .44 292. .86 314. .28 337. .70 359. | .54 404 .38 449 .21 494 .05 539 | .89 584 .73 629 .56 674 .40 719 | .08 808 |
| | 1051/2 1051/2 | 78.28 78.47 89.46 89.68 | 83 112. 19 134. 56 156. 93 179. | .29 201. .02 246 .39 269 | .75 291 .12 313 .48 336 .85 358 | .58 403 .31 448 .04 493 .78 538 | 1.51 582 5.24 627 9.97 672 5.70 717 | 5.16 807 |
| | - | 78.09 78.89.25 | .56 111 .88 134 .19 156 .50 178 | .81 201 .13 223 .44 246 .75 268 | .06 290 .38 313 .69 335 .00 357 | 5.25 447 5.25 447 5.50 536 | 9.38 67 4.00 71 | 8.63 76 |
| | 10434 105 | 77.91 89.04 89. | .30 111 5.56 133 .82 156 .08 178 | 2.59 223 2.59 223 1.85 245 7.11 267 | 9.37 290 1.63 312 3.89 334 3.15 357 | 0.67 40 5.19 446 9.71 490 4.22 53 | 8.74 58 3.26 62 7.78 662 2.30 71 | 6.82 75 |
| | 1041/2 104 | 77.72 77 88.83 89 | 3.24 133 5.44 155 7.65 178 | 199.86 200.33 200.81 201.29 201.77 202.25 202.73 203.20 203.68 204.16 204.54 205.59 206.07 206.55 207.03 207.51 207.58 222.56 222.59 226.07 205.59 206.07 206.55 207.03 207.51 207.98 222.56 223.03 225.50 22 | 8.68 28 0.89 31. 3.09 33. 5.30 356 | 9.71 40 4.13 44 8.54 48 2.95 53 | 7.3657 11.78 62 66.19 66 0.60 71 | 55.01 75 |
| | 1041/4 10 | 77.54 77 88.61 88 | 110.77 111.03 111.30 111.56 111.83 112.09 112.36 112.63 113.16 113.42 113.42 113.85 113.85 114.42 114.43 114.45 115.02 115.28 115.55 115.81 116.08 116.34 116.61 132.29 133.24 133.56 133.86 133.49 134.51 134.83 135.70 135.79 135.11 136.43 136.74 137.06 137.38 137.70 138.02 138.65 138.65 138.65 138.65 138.47 135.79 136.11 136.43 136.74 137.06 137.38 137.70 138.02 138.34 138.65 138.65 138.65 138.65 138.47 135.79 139.15 138.79 139.15 138.79 139.15 138.79 139.15 138.79 139.79 13 | 199.38 199.86 200.33 200.81 201.29 201.77 202.25 202.73 203.20 203.68 204.16 204.64 205.59 206.07 206.55 207.03 207.51 207.98 208.46 208.94 209.49 209.90 221.53 222.06 222.59 222.06 222.59 222.06 222.59 223.07 203.03 22 | 287.99 288.68 289.37 290.06 290.75 291.44 292.13 292.83 293.52 294.21 294.90 285.59 296.59 295.79 297.65 298.35 299.07 297.69 322.79 320.49 303.14 301.89 302.49 303.84 301.60 302.49 303.84 301.60 302.49 303.84 69 335.80 303.85 | 388.76 399.71 400.67 401.63 402.58 403.54 404.49 405.45 406.41 407.36 408.32 405.28 410.23 411.19 412.14 413.10 414.06 415.01 415.97 416.39 417.88 418.84 419.79 443.06 445.19 446.25 447.54 450.50 45 | 575.28 577.38 578.74 580.13 581.51 582.89 584.27 585.65 587.08 588.41 589.79 591.18 592.26 593.94 595.32 596.70 598.08 599.46 600.84 602.23 603.61 604.99 506.37 602.29 602.70 632.19 633.68 635.16 636.65 638.14 639.63 641.11 642.60 644.09 645.58 647.06 648.55 650.04 651.53 653.01 654.39 665.19 667.78 693.38 670.37 672.56 674.16 675.75 677.34 678.94 680.53 662.13 683.72 665.31 686.51 685.50 650.09 691.69 683.88 670.37 672.56 674.16 675.75 677.34 678.94 680.53 662.13 683.72 665.31 686.91 688.50 650.09 691.69 683.88 670.37 677.19.10 720.80 7724.20 7725.30 7724.00 7732.70 7734.40 7732.30 774.20 7725.30 774.60 774.50 | 753.21 755.01 756.82 776.83 776.43 762.24 764.04 765.85 767.66 769.46 771.27 773.08 774.89 776.69 778.49 776.69 778.49 776.69 778.49 776.69 778.49 779.75 7 |
| kness, | Inch | 7.88 | | | 23 33 38 33 38 33 33 33 33 33 33 33 33 33 | 25 24 44 39 55 55 55 55 55 55 55 55 55 55 55 55 55 | 25 24 25 25 25 25 25 25 25 25 25 25 25 25 25 | |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV-Continued

| WIDTH, INCHES | 11134 11135 11134 112 11234 11235 11234 | 82.93 83.11 83.30 83.49 83.67 83.86 94.78 94.99 95.20 95.41 95.63 95.84 | .46 118.73 119.00 119.27 119.83 119.8 .16 142.48 142.80 143.12 143.44 143.5 .86 166.23 166.60 167.34 167.5 .155 189.38 190.40 190.83 191.25 191.65 | 24 213.72 214.20 214.68 215.16 215.6 .94 237 47 228.00 228.53 239.06 239.5 .63 261.22 261.80 262.38 262.97 263.5 .33 284.36 285.60 286.24 286.88 287.5 | .71 332.46 333.20 333.94 334 69 335.4 .71 332.46 333.20 333.94 334 69 335.4 .41 356.20 357.00 357.80 358.59 359.3 .10 379.95 380.80 381.65 382.50 383.3 | 49 427 44 428 40 429.36 430.31 431.2 88 474.94 476.00 477.06 478.13 479.1 26 522.43 523.60 524.77 525.94 527.1 65 569.39 871.20 572.48 573.75 575. | 04 617 42 618.89 620.18 621.56 622.5 43 664.91 666.40 667.89 669.88 670.8 81 712.41 714.00 715.59 717.19 718.7 20 779.50 765.00 766.70 | .59 807.39 809.20 811.01 812.81 814.6 .98 854.89 856.80 858.71 860.63 862.5 |
|------------------|---|--|---|--|--|--|--|--|
| | 110% 110% 111 | 82.00 82.18 82.37 82.56 82.74 82.937 93.71 93.93 94.14 94.35 94.56 94. | 116.28 177.4 117.4 117.5 117.9 118.20 118.47 118.73 119.00 119.27 119.3 119.80 120.05 120.53 120.59 120.59 121.33 121.39 121.6 121.39 122.45 | 210.38 210.85 211.33 211.81 212.29 212.77 213.24 213.72 214.68 215.16 215.63 216.17 216.59 217.07 217.55 218.03 218.50 218.98 219.46 219.94 220.42 220.48 223.31 245,44 31 31 245,44 31 31 31 31 31 31 31 31 31 31 31 31 31 | 303.88 304.57 305.26 305.56 306.64 307.33 308.02 308.71 309.40 310.09 310.78 311.47 312.16 312.85 313.54 314.23 314.93 315.62 316.31 617.00 317.69 318.38 319.07 327.55 327.59 328.74 329.48 330.23 330.97 331.71 332.46 333.20 3333.94 336.51 336.52 337.66 338.41 339.89 340.64 341.38 342.87 345.51 350.04 351.42 352.22 333.02 353.23 335.64 335.41 335.41 355.41 355.20 337.80 358.59 359.39 360.19 360.59 361.79 362.58 363.38 364.17 364.97 365.77 366.56 387.30 37.80 358.59 339.39 360.19 360.59 385.50 386.77 386.50 387.30 397.30 378.50 388.50 388.50 385.70 376.57 387.50 378.55 379.10 379.59 380.50 381.55 388.20 385.50 385.50 385.70 385.70 386.70 388.43 387.50 378.50 387.30 38 | 420.75 421.71 422.66 423.62 424.58 425.53 426.49 428.40 429.36 430.31 431.27 432.28 433.18 434.14 435.09 436.05 437.01 437.96 438.29 439.88 440.83 440 | 607.75 609.13 610.51 611.89 613.28 614.66 616.04 617.42 618.89 620.18 621.56 622.34 624.35 625.71 627.09 628.47 629.85 631.23 622.61 633.99 635.38 636.76 631.29 635.38 636.76 631.23 635.38 636.78 631.23 635.38 636.78 631.23 635.38 636.78 631.23 635.38 636.78 631.23 635.38 636.78 631.23 635.38 636.78 631.28 637.38 636.78 631.28 637.38 636.78 631.28 637.38 63 | 794.75 796.56 798.36 800.17 801.98 803.78 805.59 807.39 809.20 811.01 812.81 814.62 816.43 818.23 820.04 821.84 823.65 825.46 827.26 829.07 830.88 832.68 834.49 847.50 847.50 847.50 847.24 847.24 847.24 847.24 847.24 847.27 847.50 847. |
| ісклева, злев | 110 110% | | 16 116.88 117.14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14 210.38 210.85 2 23.75 234.28 2 257.13 257.71 2 34.28 3 34.28 2 357.13 257.71 2 34.28 2 280.50 281.14 2 34.28 2 34.2 | 303.88 324.57 3 7/8 327.25 327.99 3 350.63 351.42 3 374.00 374.85 3 | 11/8 420.75 421.71 4 11/4 467.50 468.56 4 13/8 514.25 515.42 5 11/3 561.00 562.28 5 | 15% 607.75 609.13 6 13% 654.50 655.99 6 17% 701.25 702.84 77 748.00 749.70 77 | 23/8 794.75 796.56 79 23/4 841.50 843.41 84 |

| WIDTH, INCHES | | 12114 | 90.18 103.0 6 | 128.83 154.59 180.36 206.13 | 231.89 257.66 283.42 309.19 | 334.95 360.72 386.48 412.25 | 462.83 463.78 514.25 515.31 565.68 566.84 617.10 618.38 | 669.91 721.44 772.97 824.50 | 8876.03 |
|--|--------|----------------|-------------------------|---|--|--|--|--|-------------------------|
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 121 | 89.99 | 128.56 154.28 179.99 205.70 | 231.41 231.89 257.13 257.66 282.84 283.42 308.55 309.19 | 334.26 334.95 359.98 360.72 385.69 386.48 411.40 412.25 | 462.83 9514.25 1565.68 3 617.10 | 4 668.53 6 719.95 8 771.38 0 822.80 | 2 874.23 4 925.65 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 12034 | 39.81 102.64 | 128.30 153.96 179.62 205.28 | 230.93 256.59 7 282.25 3 307.91 | 9 333.57 9 359.23 9 384.89 0 410.55 | 1 461.87 3 513.18 4 564.5 5 615.8 | 6 667.1 8 718.4 19 769.7 10 821.1 | 33 923.7 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 1201/2 | 89.62 102.43 | 2 153.64 2 153.64 2 179.24 | 8 230.46 3 256.06 8 281.67 4 307.28 | 9 332.8 4 358.4 10 384.0 15 409.7 | 6 460.9 06 512.1 17 563.3 28 614.5 | 38 665.7 49 716.9 59 768.1 70 819.4 | 91/921.8 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 1201/ | 89.4 | 0 153.3 0 153.3 0 204.4 | 0 229.9 0 255.5 0 281.0 0 306.6 | 00 332.1 00 357.7 00 383.3 00 408.8 | 00 459.9 00 511.0 00 562.1 00 613.2 | 00 715. 00 766. 00 817. | 00 868. |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 1 1 | 9 102.0 | 3 127.5 8 153.0 3 178.5 8 204.0 | 7 229.5 7 255.0 7 280.5 86 306.0 | 31.5 26.357.0 70.382.5 15.408.0 | 24 459.0 94 510.0 83 561.0 73 612.0 | 62 663. 51 714. 41 765. 30 816. | 19 867. 09 918. |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 2 1193 | 88 89.0 | 37 127.2 36 152.6 76 178.1 15 203.5 | 54 229.0 94 254.4 33 279.5 73 305.3 | 12 330.8 51 356.2 91 381.3 30 407. | .09 458. .88 508. .66 559. .45 610. | .24 661. .03 712. .81 763. .60 814. | .18916 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 4 119 | 36 101.5 | 70 126.9 04 152.3 38 177.7 73 203.1 | 07 228.5 41 253.7 75 279.0 09 304.1 | 43 330. 77 355. 11 380. 45 406. | .13 457. .81 507. .49 558. .18 609. | .86 660 .54 711 .22 761 | 2.26/914 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | 51 88.6 | 44 126. 73 152. 01 177. | .59 228. .88 253. .16 278. .45 304. | .03 354 .31 380 .60 405 | 33 557 39 608 | 3.05 709 3.05 709 3.63 760 9.20 810 | 9.78 861 0.35 912 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | S | | .32 88. .94 101. | .17 126 .41 151. .64 177. | 2.34 252 2.34 252 7.58 278 2.81 303 | 3.05 328 3.28 354 3.52 375 3.75 404 | 4.22 455 4.69 506 5.16 556 5.63 606 | 6.09 657 6.56 70 7.03 75 7.50 80 | 7.97 85 8.44 91 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | INCH | 81/2 118 | 3.13 88 | 5.91 126 1.09 151 5.27 176 1.45 201 | 6.63 227 1.81 252 6.99 277 2.18 302 | 7.36 32 2.54 35 7.72 37 72.90 40 | 3.26 45 3.63 50 3.99 55 34.35 60 | 54.71.65 55.08.70 55.44.75 55.80 80 | 56.16 86.53 96.53 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | IDTH, | 11 1/8 | 7.95 86 0.51 100 | 5.64 12 00.77 15 5.90 17 1.03 20 | 26.15 22 51.28 25 76.41 27 71.54 30 | 26.67 32 51.79 35 76.92 37 02.05 40 | 52.31 45 02.56 50 52.82 55 03.08 60 | 53.33 69 703.59 79 53.84 79 | 354.36 804.61 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | M | | 37.76 8 30.30 | 25.38 12 50.45 15 75.53 17 00.60 20 | 25.68 25 50.75 27 75.83 27 00.90 30 | 25.98 3 551.05 3 76.13 3 101.20 4 | 501.35 4 501.50 5 551.65 5 501.80 6 | 551.95 702.10 752.25 7802.40 | 902.70 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | 87.58 | 25.11 12 150.13 11 175.15 12 | 25.20 2 250.22 2 275.24 2 300.26 3 | 325.28 350.31 375.33 400.35 | 450.39 500.44 550.48 600.53 | 700.57 700.61 750.66 800.70 | 850.74 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 1171/2 | 87.39 99.88 | 124.84 149.81 174.78 199.75 | 224.72 249.69 274.66 299.63 | 324.59 349.56 374.53 399.50 | 449.44 499.38 549.31 599.25 | 649.19 699.13 749.06 799.00 | 848.94 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 11714 | 87.20 99.66 | 124.58 149.49 174.41 199.33 | 224.24 249.16 274.07 298.99 | 323.90 348.82 373.73 398.65 | 3 448.48 5 498.31 5 548.14 5 597.98 | 5 697.64 8 747.47 0 797.30 | 3847.13 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | 87.02 | 124.31 149.18 174.04 198.90 | 223.76 248.63 273.49 298.35 | 323.21 3 348.08 4 372.94 5 397.80 | 7 447.5 9 497.2 1 546.9 3 596.7 | 4 646.4 6 696.1 8 745.8 10 795.6 | 52 845.3 14 895.0 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 116% | | 124.05 148.86 173.67 5 198.46 | 1 223.28 6 248.09 2 272.90 8 297.7 | 3 322.5 9 347.3 14 372.1 0 396.9 | 13 496.1 13 496.1 54 545.8 15 595.4 | 56 645.0 18 694.6 59 744.2 20 793.5 | 71 843.5 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 4 116 | 99.0 | 22 123.7, 22 148.5, 22 173.2, 33 198.0 | 33 222.8 33 247.5 73 272.3 44 297.0 | 14 321.8 84 346.5 55 371.3 25 396.1 | 66 445.¢ 06 495.1 47 544.¢ 88 594.1 | 28 643. 69 693. 09 742. 50 792. | .91 841. |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | - | | 25 123.5 90 148.2 55 172.9 20 197.6 | 85 222.5 50 247.0 115 271.1 80 296.4 | 45 321. 10 345. 75 370. 40 395. | .70 444. .00 494. .30 543. .60 592. | .90 642. .20 691. .50 741. | 3.10 839 |
| 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | | 98 123. 58 147. 18 172. 78 197. | .37 221. .97 246. .57 271. .16 295. | 1.76 320 1.36 345 3.95 369 1.55 394 | 2.74 443 1.94 493 1.13 542 3.33 591 | 9.52 640 8.71 690 7.91 739 7.10 788 | 6.29 838 5.49 887 |
| | | | <u> </u> | | | | | | |
| | cness, | AoidT Sdoad | 15 74 | | On my Carmo | adm (m/ sujus | | | 22 |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV—Continued

| | 127 | 94.46 | 134.94 161.93 188.91 215.90 | 242.89 269.88 296.86 323.85 | 350.84 377.83 404.81 431.80 | 485.78 539.75 593.73 647.70 | 701.68 755.65 809.63 863.60 | 17.58 |
|---------------|----------------------|---|--|--|---|--|---|---|
| | 2634 | 94.27 | 34.67 1 51.61 1 88.54 1 15.48 2 | 42.41 2 69.34 2 96.28 2 23.21 3 | 350.15 377.08 404.02 430.95 | 84.82 4 38.69 5 92.56 5 46.43 6 | 00.297 54.167 08.038 61.908 | 15.77 9 |
| | 1261/2 12634 | 94.08 94.27 | 34.41 51.29 188.17 15.05 | 41.93 2 68.81 2 95.69 2 22.58 3 | 49.463 76.343 03.224 | 483.86 484.82 537.63 538.69 591.39 592.56 645.15 646.43 | 98.91 7 52.68 7 06.44 8 60.20 8 | 13.96 |
| | 12614 1 | | 34.14 13 30.97 14 37.80 18 | 58.28 55.11 35.11 21.94 | 18.77 3 75.59 3 72.42 4 29.25 4 | 36.56 5 30.22 5 43.88 6 | 97.53 6 51.19 7 54.84 8 58.50 8 | 55.81 9 |
| | 126 1 | 93.71 | 33.88 13 30.65 16 37.43 18 | 7.75 2 7.75 2 94.53 2 21.30 3 | 18.08 3 74.85 3 11.63 4 | 31.95 4 35.50 5 39.05 5 42.60 6 | 96.15 19.70 13.25 80.80 | 53.90 |
| | | 93.53 | 33.61 30.33 16 37.05 13.78 2. | 70.50 57.22 33.94 20.66 | 74.113 74.113 70.83 4 27.55 4, | 30.99 44 34.44 5 87.88 51 41.33 6 | 94.77 6 48.21 7. 55.10 8 | 51.99 |
| | 251/2 1 | 93.34 | 33.34 10 60.01 16 36.68 18 13.35 21 | 40.02 24 56.69 24 33.36 22 20.03 33 | 73.36.37 70.03 40 | 33.38 5.78 5.71 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5.1 5. | 93.39 6 46.73 7.000 80.06 80 | 06.74 90 |
| | 12514 1251/2 12534 | 93.15 | 33.08 13 59.69 14 86.31 12 | 39.54 2 66.16 20 92.77 23 19.39 33 | 46.00 3 72.62 3 99.23 4 25.85 4 | 79.08 44 32.31 5 85.54 5 88.78 6 | 92.01 6 45.24 7 98.47 8 51.70 8 | 58,169 |
| | 125 1 | 92.97 | 32.81 59.38 85.94 12.50 2 | 39.06 65.63 92.19 18.75 | 71.88 3 98.44 3 25.00 4 | 78.13 4 31.25 5 84.38 5 37.50 6 | 90.63 43.75.7 96.88 | 03.139 |
| | 2434 | 92.78 | 32.55 1 59.06 1 85.57 1 | 38.58 2 65.09 2 91.60 2 | 44.62 3 71.13 3 97.64 3 24.15 4 | 77.17 4 30.19 5 83.21 5 36.23 6 | 89.24 6 42.26 7 95.28 7 48.30 8 | 01.329 |
| HES | 241/2 | 92.60 | 32.28 58.74 85.19 11.65 | 38.112 64.562 91.022 | 43.93 3 70.39 3 96.84 3 23.30 4 | 76.21 4 29.13 5 82.04 5 34.95 6 | 87.86 6 40.78 7 93.69 7 46.60 8 | 99.51 9 |
| I, INC | 12414 12412 12434 | 92.41 | 32.02 58.42 84.82 111.23 | 37.63 64.03 90.43 16.84 | 43.24 69.64 96.05 32.45 | 75.26 4 28.06 5 80.87 5 33.68 6 | 86.48 6 39.29 7 92.09 7 44.90 8 | 97.71 50.51 |
| WIDTH, INCHES | 124 | 92.23 | 131.75 158.10 184.45 10.80 | 237.15 263.50 289.85 316.20 | 342.55 368.90 395.25 395.25 | 74.30 4 27.00 5 779.70 5 32.40 6 | 37.80 7 30.50 7 43.20 8 | 95.908 |
| | 12334 | 92.04 | 131.48 157.78 184.08 210.38 | 222.85 233.83 233.80 234.28 224.76 235.24 235.77 236.19 236.67 237.15 237.63 238.11 238.58 239.06 239.54 240.02 240.50 240.98 241.45 241.93 242.41 242.89 288 286.72 259.25 259.77 260.31 260.64 261.39 261.91 262.44 262.97 263.50 264.03 264.55 255.09 255.63 266.16 266.69 267.72 267.77 268.23 268.13 261.91 226.69 277 259.25 259.77 259.36 259.77 259.36 259.77 259.36 259.77 259.36 259.77 259.36 259.77 259.36 259.77 259.37 2 | 386.33 337.03 337.77 338.41 339.10 339.79 340.48 341.17 341.88 342.55 343.24 343.93 344.62 345.31 346.00 346.69 347.38 348.08 348.77 349.46 382.21 382.59 364.44 385.18 385.39 386.87 387.41 388.50 389.64 370 339 371.13 371.88 372.67 373.87 349.37 85 375.59 376.34 388.38 389.87 390.47 391.27 392.06 392.86 393.45 355.25 396.05 396.84 397.64 398.44 399.23 400.03 400.83 401.63 402.42 403.22 413.59 413.67 3418.20 419.05 419.05 419.05 421.60 422.45 423.30 424.15 425.00 425.85 426.70 427.55 428.40 429.25 430.10 | 465.65 (466.65) (467.61) (468.56) (469.52) (470.48) (471.43) (472.39) (472.30) (475.26) (476.21) (477.17) (478.13) (479.08) (480.04) (480.99) (481.95) (482.91) (483.86) (484.82) (585.86) (585. | 674.05 675.43 676.81 678.19 679.58 680.36 682.34 683.72 685.10 685.48 687.86 689.24 690.65 632.01 693.39 694.77 696.15 637.53 698.91 7705.29 7755.97 7755.97 745.24 746.73 748.21 749.70 751.19 752.69 774.16 777.75 779.34 780.34 780.34 780.34 780.34 780.54 782.57 784.13 785.73 7787.31 785.31 7785.01 7792.09 7795.68 7795.87 7795.87 787.31 785.73 7787.31 785.31 785.31 785.20 7792.09 7795.88 7796.88 7796.87 780.06 801.66 803.25 804.89 806.48 806.03 823.00 833.00 833.70 835.47 805.05 839.00 834.70 835.47 805.05 839.80 844.50 846.60 848.30 850.00 851.70 855.10 856.80 858.50 850.20 861.90 | 394.09 8 |
| | 12314 12312 12334 | 91.85 | 131.22 157.46 183.71 209.95 | 236.19 262.44 288.68 314.93 | 341.17 367.41 393.66 419.90 | 472.39 524.88 577.36 529.85 | 582.34 734.83 787.31 787.31 | 392.29 |
| | 12314 | 91.67 | 130.95 157.14 183.33 209.53 | 235.72 261.91 288.10 314.29 | 340.48 366.67 392.86 419.05 | 471.43 523.81 576.19 628.58 | 680.96 733.34 785.72 838.10 | 390.48 |
| | 123 | 91.48 | 130.69 156.83 182.96 209.10 | 235.24 261.38 287.51 313.65 | 339.79 365.93 392.06 418.20 | 470.48 522.75 575.03 627.30 | 679.58 731.85 784.13 836.40 | 888.68 |
| • | 12234 | 91.30 | 130.42 156.51 182.59 208.68 | 234.76 260.84 286.93 313.01 | 339.10 365.18 391.27 417.35 | 469.52 521.69 573.86 626.03 | 678.19 730.36 782.53 834.70 | 939.04 |
| | 1221/4 1221/2 1223/4 | 91.11 | 130.16 156.19 182.22 208.25 | 234.28 260.31 286.34 312.38 | 338.41 364.44 390.47 416.50 | 467.61 468.56 469.52 519.56 520.63 521.69 571.52 572.69 573.86 623.48 624.75 626.03 | 676.81 728.88 780.94 833.00 | 885.06 937.13 |
| | 1221/4 | 90.92 | 129.89 155.87 181.85 207.83 | 233.80 259.78 285.76 311.74 | 337.72 363.69 389.67 415.65 | 467.61 519.56 571.52 623.48 | 675.43 727.39 779.34 831.30 | 883.26 935.21 |
| | 122 | 90.74 | 129.63 155.55 181.48 207.40 | 233.33 259.25 285.18 311.10 | 337.03 362.95 388.88 414.80 | 466.65 518.50 570.35 622.20 | 674.05 725.90 777.75 829.60 | 881.45 933.30 |
| | 12134 | 90.37 90.55 90.74 90.92 91.11 91.30 91.48 91.67 91.85 92.64 92.23 92.41 92.60 92.78 92.97 93.15 93.34 93.63 93.71 93.90 103.40 103.91 104.31 104.34 104.35 104.76 104.98 105.40 105.61 105.61 105.63 106.04 106.25 106.46 106.68 106.89 107.10 107.31 | 129.09 129.36 129.63 129.89 130.16 130.42 130.69 130.95 131.22 131.48 131.75 132.02 132.55 132.51 132.51 133.61 133.61 133.88 134.14 134.67 134.67 134.67 135.00 135.25 155.55 155.87 156.81 166.83 156.51 156.89 157.74 157.46 157.78 158.10 158.47 159.06 159.38 159.59 150.01 150.33 150.55 150.59 150.57 141.29 151.51 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.59 155.71 158.50 155.71 158.59 15 | 232.37 232.85 233.33 233.80 234.28 234.76 235.24 235.72 236.19 236.67 237.15 237.63 238.11 238.58 239.06 239.54 240.02 240.50 240.98 241.45 241.93 242.41 242.89 258.19 258.19 258.72 259.77 259.27 259.77 258.27 259.77 258.27 259.77 258.27 259.28 258.89 25 | 335.64 335.33 337.03 337.72 338.41 339.10 339.79 340.48 341.17 341.86 342.55 343.24 343.59 344.62 345.31 346.00 346.69 347.38 348.08 348.77 349.46 350.15 350.84 361.46 362.59 363.69 347.38 346.08 346.37 350 347.38 377.06 377.06 377.06 377.06 377.06 377.38 377.06 377.38 377.06 377.38 385.89 389.67 390.47 391.27 392.06 392.86 393.86 394.45 395.55 396.05 396.84 397.64 398.44 399.23 400.03 400.83 401.63 402.42 403.22 404.02 404.81 413.10 413.59 414.80 415.65 416.50 417.35 418.20 419.05 419.05 419.05 421.60 422.45 423.30 424.15 425.00 425.85 426.70 427.55 428.40 429.25 430.10 430.39 431.80 | 465.69 466.65 467.61 468.56 469.52 470.49 470.43 472.39 473.34 474.30 475.26 476.21 477.17 478.13 479.08 480.04 480.99 481.95 482.91 483.86 484.82 485.87 53 538.69 539.75 53.88 59.53 47.33 474.30 475.26 476.21 477.17 478.13 479.08 480.04 480.99 481.95 481.95 483.85 50 536.65 577.63 538.69 559.75 50 517.45 518.60 572.69 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572.60 572 | 572.67 724.41 776.16 327.90 | 877.84 879.64 881.45 883.26 885.06 886.87 888.88 88 890.48 892.29 894.09 895.50 897.71 899.51 901.32 903.13 904.93 906.74 908.54 910.35 912.16 913.96 915.77 917.58 929.48 933.30 933.30 935.21 937.13 939.04 940.95 942.86 944.69 948.60 950.51 952.43 954.34 956.25 958.16 950.08 951.99 953.50 955.81 957.73 959.64 971.55 |
| | 1211/2 | 90.37 | 129.09 154.91 180.73 206.55 | 232.37 258.19 284.01 309.83 | 335.64 361.46 387.28 413.10 | 464.74 516.38 568.01 619.65 | 671.29 722.937 774.567 826.20 | 929.48 |
| іскпева, | LP | 42% | 20 % - 10 / C4 | ₩ % H % | 100 00 00 00 00 00 00 00 00 00 00 00 00 | 78747872 | 20 74 78 20 74 78 | 21/8 |

WEIGHTS OF FLAT ROLLED STEEL, Pounds Per Lineal Foot

TABLE IV—Concluded

| | 13234 | 98.7 112.8 | 141.1 169.3 197.5 225.7 | 253.9 282.1 310.3 338.5 | 366.7 394.9 423.1 451.4 | 507.8 564.2 620.6 677.0 | 733.4 789.9 846.3 902.7 | 959.1 1015. 5 |
|---------------|-------------------|------------------------------|--|--|--|---|--|---|
| | 1321/2 1 | 98.5 | 140.8 168.9 197.1 225.3 | 253.4 281.6 309.7 337.9 | 366.0 394.2 422.3 450.5 | 506.8 563.1 619.4 675.8 | 732.1 788.4 844.7 901.0 | 919.38 921.19 922.99 924.40 926.61 928.41 930.22 932.03 933.83 935.64 937.44 939.25 941.06 942.86 944.7 946.5 948.3 950.1 951.9 953.7 955.5 957.3 959.1 959.2 |
| | 1321/4 | 98.4 | 140.5 168.6 196.7 224.8 | 252.9 281.0 309.1 337.2 | 365.3 393.4 421.6 449.7 | 505.9 562.1 618.3 674.5 | 730.7 786.9 843.1 899.3 | 31011.7 |
| | 132 | 98.2 | 140.3 168.3 196.4 224.4 | 252.5 280.5 308.6 336.6 | 364.7 392.7 420.8 448.8 | 504.9 561.0 617.1 673.2 | 729.3 785.4 841.5 897.6 | 953.7 |
| | 13134 | 98.0 | 140.0 168.0 196.0 224.0 | 252.0 280.0 308.0 336.0 | 364.0 392.0 420.0 448.0 | 503.9 559.9 615.9 671.9 | 727.9 783.9 8839.9 895.9 | 01007. |
| | 1311/2 | 97.8 | 139.7 167.7 195.6 223.6 | 251.5 279.4 307.4 335.3 | 363.3 391.2 419.2 447.1 | 503.0 558.9 614.8 670.7 | 726.5 782.4 838.3 894.2 | 3 950. |
| | 1311/4 | 97.6 111.6 | 139.5 167.3 195.2 223.1 | 251.0 278.9 306.8 334.7 | 362.6 390.5 418.4 446.3 | 502.0 557.8 613.6 669.4 | 725.2 780.9 836.7 892.5 | 2 1004. |
| | 131 | 97.4 | 139.2 167.0 194.9 222.7 | 250.5 278.4 306.2 334.1 | 361.9 389.7 417.6 445.4 | 501.1 556.8 612.4 668.1 | 773.8 779.5 835.1 890.8 | 2 1002. |
| | 13034 | 97.2 | 138.9 166.7 194.5 222.3 | 250.1 277.8 305.6 333.4 | 361.2 389.0 416.8 444.6 | 500.1 555.7 611.3 666.8 | 722.4 778.0 833.5 889.1 | 31000. |
| | 1301/2 | 97.06 | 138.66 166.39 194.12 221.85 | 249.58 277.31 305.04 332.78 | 360.51 388.24 415.97 443.70 | 498.21 499.16 553.56 554.63 608.92 610.09 664.28 665.55 | 721.01 776.48 831.94 887.40 | 942.86 |
| CHES | 1301/4 | 96.87 | 138.13 138.39 138.66 165.75 166.07 166.39 193.38 193.75 194.12 221.00 221.43 221.85 | 249.10 276.78 304.46 332.14 | 359.82 387.49 415.17 442.85 | 497.25 498.21 552.50 553.56 607.75 608.92 663.00 664.28 | 719.63 774.99 830.34 885.70 | 941.06 |
| WIDTH, INCHES | 130 | 96.69 | 138.13 165.75 193.38 221.00 | 248.63 276.25 303.88 331.50 | 359.13 386.75 414.38 442.00 | 494.38 495.34 496.29 497.25 549.31 550.38 551.44 552.50 604.24 605.41 606.58 607.75 659.18 660.45 661.73 663.00 | 7718.25 1773.50 828.77 | 939.2 |
| WIDT | 12934 | 96.32 96.50 110.08 110.29 | 137.86 165.43 193.00 220.58 | 248.15 275.72 303.29 330.86 | 358.43 386.01 413.58 441.15 | 496.29 3551.44 1606.58 661.73 | 9716.87 3772.0 8827.1 882.3 | 4 937.4 |
| | 1291/2 | 96.32 | 137.59 165.11 192.63 220.15 | 247.67 275.19 302.71 330.23 | 357.74 385.26 3412.78 440.30 | 495.34 1 550.38 4 605.41 8 660.48 | 715.4 4 770.5 7 825.5 0 880.6 | 3 935.6 |
| | 12914 | 96.13 109.86 | 136.00 136.27 136.53 136.80 137.06 137.33 137.59 137.86 157.20 165.11 165.43 190.77 191.14 191.52 191.89 192.26 192.26 192.63 139.00 217.60 218.03 218.45 218.88 219.30 219.73 220.15 220.58 | 244.32 244.80 245.28 245.76 246.22 246.71 247.19 247.67 248.15 249.83 249.10 249.58 271.47 272.00 272.53 273.06 273.55 274.66 275.19 275.72 276.25 276.78 277.31 288.52 299.20 299.78 300.37 300.35 301.54 302.12 302.71 303.29 303.88 304.46 375.04 325.76 326.40 327.04 327.69 328.31 328.35 329.59 330.23 330.88 331.30 332.14 332.76 | 353.60 354.29 354.49 355.67 356.36 357.05 357.74 358.43 359.82 380.51 380.80 381.54 382.29 383.03 383.77 384.52 385.20 386.01 386.75 387.49 388.24 408.00 408.80 409.59 410.39 411.19 411.98 412.78 413.58 414.38 415.17 415.57 435.20 436.05 436.30 437.75 438.60 439.45 440.30 441.15 442.00 442.85 443.70 | 492.47 493.43 494.38 495.34 496.29 497.25 498.21 1547.19 548.25 1593.1 550.38 551.44 152.20 1533.56 1501.91 603.08 604.24 605.41 606.58 607.75 608.92 656.63 (577.75 608.92 | 3 714.1 5 769.0 8 823.9 0 878.9 | 3 933.8 |
| | 129 | 95.94 109.65 | 137.06 164.48 191.89 219.30 | 246.71 274.13 301.54 328.96 | 356.36 383.78 9 411.19 5 438.66 | 7 493.43 9 548.25 1 603.08 3 657.90 | 4 712.7 6 767.5 8 822.3 0 877.2 | 2 932.0 |
| | 12814 12812 12834 | 95.76 | 136.80 164.16 191.52 218.88 | 246.25 273.55 300.95 328.31 | 355.6 383.0 9 410.3 | 488.64 489.60 490.56 491.51 492.47 542.94 554.03 545.06 546.13 547.19 597.23 598.40 599.57 600.74 601.91 651.53 656.63 | 6711.3 8766.0 9820.7 0875.5 | 1 930.2 |
| | 1281/2 | 95.57 | 136.53 163.84 191.14 218.45 | 245.76 273.06 300.37 327.66 | 354.98 1382.23 1409.55 136.90 | 488.64 489.60 490.56 491.51 542.94 544.00 545.06 546.13 597.23 598.40 599.57 600.74 651.53 652.80 654.08 655.35 | 8709.9 9764.5 9819.1 0873.8 | 1 928.4 |
| | 12814 | 95.39 | 136.27 163.52 190.77 218.03 | 245.28 272.53 299.78 327.04 | 354.25 381.54 408.80 436.00 | 490.56 545.0 599.57 654.0 | 708.5 763.0 817.5 872.1 | 0 926.6 |
| | 128 | 95.20 | 136.00 163.20 190.40 217.60 | 244.80 272.00 299.20 326.40 | 353.60 380.80 408.00 435.20 | 489.60 544.60 598.40 652.80 | 707.2 761.6 816.0 870.4 | 9924.8 |
| | 1271/2 12734 | 95.01 | 195.20 135.47 135.73 136.00 136.27 136.53 136.46 137.46 137.33 137.59 137.83 137 | 243.57/ 243.84 244.32 244.43 245.28 245.76 246.71 247.13 247.67 248.15 248.63 249.10 249.58 270.41 270. | 351.58 (352.22 (352.91) 353.60 (354.29) 354.98 (355.67 (356.36) 357.05 (357.74) 358.43 (359.13) 359.82) 360.51 378.53 (380.06) 380.80 (381.54) 382.29 (383.03 383.778) 384.52 (385.20 386.01) 386.77 (388.24) 405.61 (405.41) 407.20 (408.00) 408.80 (409.59) 410.39 (411.39) 411.39 (412.78) 413.58 (414.38) 415.17 (415.97) 443.65 (433.50) 443.56 (433.50) 436.20 (436.20) 436.20 (436.20) 436.20 (437.75) 438.60 (433.47 | 487.69 488.64 489.60 490.56 491.51 492.47 493.43 494.38 495.34 496.29 541.88 542.24 544.03 545.06 546.13 547.19 548.25 549.31 550.38 551.44 556.06 587.23 589.40 589.57 (600.74 601.91 603.08 604.24 605.41 606.58 650.25 651.33 652.80 654.08 655.35 (656.65) 657.29 (657.13 652.36) | 703.06 704.44 705.82 707.20 708.58 709.96 711.34 712.73 714.11 715.49 716.87 718.25 719.63 721.01 757.44 705.63 707.01 705.64 707.65 707.01 705.64 705.64 707.01 705.64 70 | 9 922.9 |
| | | 94.83 | 135.47 162.56 189.66 216.75 | 243.84 270.94 298.03 325.13 | 352.22 379.31 406.41 433.50 | 486.73 487.69 540.81 541.88 594.89 596.06 648.98 650.25 | 704.4 758.6 812.8 867.00 | 8 921.13 6 975.3 |
| | 1271/4 | 94.64 | 135.20 162.24 189.28 216.33 | 243.37 270.41 297.45 324.49 | 351.53 378.57 405.61 432.65 | 486.73 540.81 594.89 648.98 | 703.067 757.147 811.22 865.30 | 919.3 |
| sa cuesa, | loidT edoal | 128 17 | %.4-%.4× | #1% H.% | ************************************** | 78747674 | 22720 | 27% |

TABLE V-Thickness from No. 12 Gage to 1 Inch. Diameters from 16 Inches to 134 Inches WEIGHTS OF FLAT ROLLED STEEL—CIRCLES—Pounds Each

| | 27 | | | 00000000 |
|------------------|-------|--|-------|---|
| | 261/2 | 1132881888888888888 | | 2257.2 280.6 280.6 280.6 280.6 280.6 |
| | 26 | 1 | ' | |
| | 251/2 | 1 | | 8 84 50 50 50 50 50 50 50 50 50 50 50 50 50 |
| | 25 | | | |
| | 243/2 | 1222324884688688686 | 1 | |
| | 24 | | | |
| | 231/2 | | | 777770 |
| | 23 | 21.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1. | 341/2 | 28.0 335.2 355.2 3 |
| SB | 221/2 | 21.13.13.13.13.13.13.13.13.13.13.13.13.13 | 34 | |
| DIAMETER, INCHES | 22 | 11. 12. 12. 13. 14. 14. 14. 14. 14. 14. 14. 14. 14. 14 | 331/2 | |
| TER, | 211/2 | 11111111111111111111111111111111111111 | B | |
| OIAME | 21 | 101 101 101 101 101 101 101 101 101 101 | 321/2 | 25.55 28.55 |
| П | 201/2 | 2011 2012 2012 2012 2012 2012 2012 2012 | 32 | 827.28 827.28 82.00 82.00 82.00 82.00 82.00 83.00 80 80 80 80 80 80 80 80 80 80 80 80 8 |
| | 20 | 10.77 10.77 11.19 | 311/2 | 24.12 2.65.22 2.65.22 2.65.22 2.65.22 2.65.23 |
| | 191/2 | 10.00 10.00 11.2.5.1 10.00 10. | 31 | 23.3 28.5 28.5 28.5 28.5 28.5 28.5 28.5 28.5 |
| | 19 | 88 101 101 101 101 101 101 101 101 101 1 | 301/2 | 22.6.6.2.2.4.6.6.6.6.6.6.6.6.6.6.6.6.6.6 |
| | 181/2 | 8.3 10.2 10.2 10.2 10.2 10.2 10.3 10.3 10.3 10.3 10.3 10.3 10.3 10.3 | 30 | 24.08 26.80 |
| | 18 | 7.50011109847577777777777777777777777777777777777 | 291/2 | 21.1.2 28.7.2 28.7.2 32.8.7.2 32.7.2 38.7.2 38.7.2 38.7.2 10.8 96.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10 |
| | 171/2 | 7.8 4.20 4.20 4.20 4.20 4.20 4.20 4.20 4.20 | 29 | 20.22 20.22 20.25 |
| | 11 | 7.0 9.6 10.6 10.6 10.6 10.6 10.6 10.6 10.6 10 | 281/2 | 19.7 24.2 24.2 26.8 22.6 33.9 45.2 56.5 56.5 79.1 101.7 1121.3 135.6 |
| | 16/2 | 6.6 7.3 7.6 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10 | 28 | 19.0 20.9 20.9 20.9 20.9 20.9 20.9 20.9 2 |
| | 16 | 668 668 678 678 678 678 678 678 678 678 | 271/2 | 18.3 20.2 20.2 22.6 22.6 27.8 27.8 42.1 42.1 63.1 63.1 105.2 115.2 |
| hickness, W. G. | | NNXNX 000000 000000 000000 000000 000000 0000 | | NNNN 0.00000000000000000000000000000000 |

WEIGHTS OF FLAT ROLLED STEEL—CIRCLES—Pounds Each

TABLE V-Continued

| | 99 | 102.8 112.8 112.6 126.0 126.0 115.1 1176.3 1 | 88 | 187.8 2255.0 2255.0 2255.0 2255.0 2215.4 323.1 430.8 5538.5 5538.5 5538.5 11047.0 11047.0 |
|------------------|--------------|--|-----|---|
| | 64 | 99.4 1109.4 1172.2 1173.9 1170.9 10.9 10.9 10.9 10.9 10.9 10.9 10.9 1 | 87 | 183.6 202.1 225.7 2249.3 227.9 210.9 315.8 421.1 526.4 631.6 736.9 947.4 1052.7 1158.0 1158.0 |
| | 63 | 96.3 106.0 118.4 118.7 118.7 118.7 118.7 118.7 118.7 118.7 118.4 1 | 98 | 179.4 197.5 220.5 220.5 221.6 20.5 308.6 411.5 514.3 617.2 720.0 925.8 925.8 1131.5 1131.5 |
| | 62 | 93.2 102.6 114.6 114.6 126.6 141.1 106.9 160.9 160.9 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17 | 83 | 175.2 192.9 225.4 228.0 2265.3 201.0 301.5 401.9 602.9 703.4 803.9 1004.9 1105.3 |
| | 61 | 90 90 11110 112255 1136.6 115555 11555 1155 | 84 | 171.1 188.4 230.4 232.4 259.1 196.3 294.4 392.5 490.7 588.8 686.9 883.2 981.4 1079.5 |
| | 09 | 87.3 111.3 1.3 | 83 | 167.1 184.0 225.9 225.9 252.9 191.6 287.4 383.3 383.3 479.1 574.9 670.7 766.5 862.3 1053.9 |
| | 69 | 84.1. 103.88 103.88 1114.6 127.88 126.83 127 | 82 | 163.1 179.6 200.5 221.5 221.5 246.9 187.0 |
| | 28 | 89.88 89.88 100.33 110.88 110.83 123.55 123.55 137.11 137.11 137.11 137.11 137.11 137.11 137.11 137.11 147. | 2 | 159.1 175.2 195.6 195.6 182.5 182.5 182.5 182.5 182.5 182.5 182.5 182.5 183.8 193.8 1003.8 |
| | 22 | 78.8 86.8 86.9 96.9 107.0 119.3 135.6 180.7 225.9 227.1 180.7 227.1 316.3 361.5 406.7 440.7 542.2 | 8 | 155.2 170.9 190.8 210.8 225.0 178.0 267.0 356.0 445.1 534.1 712.1 890.1 979.1 |
| 70 | 99 | 76.1 83.7.7 103.35.7 115.1 115.1 115.1 12.2 12.2 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0 | 79 | 151.4 166.7 1186.1 12205.5 220 |
| DIAMETER, INCHES | 22 | 73.4 80.8 80.8 90.2 10.2 11.1 11.1 11.1 11.1 11.1 11.1 1 | 130 | 147.6 162.5 181.4 200.4 223.4 169.2 338.5 423.1 592.3 676.9 846.2 846.2 846.2 930.8 |
| ER, II | 54 | 70.7 87.0 87.0 107.1 107 | 11 | 143.8 176.8 176.8 176.8 177.7 1217.7 |
| AME | 53 | 68.1 83.8 83.8 83.8 103.1 17.2 117.2 1156.3 | 76 | 140.1 154.2 172.2 190.2 |
| Q | 52 | 657 72.26 880.6 75.26 75.26 75.26 80.6 80.6 80.6 80.6 80.6 80.6 80.6 80. | 76 | 136.4 150.2 167.7 167.7 185.3 120.5 |
| | 21 | 63.1 77.6 77.6 77.6 77.6 77.6 77.6 77.6 77 | 74 | 132.8 146.2 163.3 180.3 180.3 228.5 304.6 380.8 380.8 457.0 685.4 685.4 685.4 913.9 |
| | 20 | 60.6 66.8 82.3 82.3 91.8 69.5 139.1 173.9 208.6 243.4 278.7 312.9 312.9 347.7 417.2 | 22 | 1293 115893 1158933 1158933 116877 116873 11 |
| | 49 | 58.2 64.116 71.6 79.1 88.2 100.2 1133.6 167.0 200.4 233.8 333.9 367.3 400.7 | 72 | 125.7 138.4 154.6 170.7 190.3 |
| | 48 | 55.9 61.59 68.75 75.9 84.6 64.1 128.2 192.3 224.3 226.3 320.4 352.5 384.5 | - | 122.3 134.6 150.3 166.0 185.1 140.2 280.4 450.7 450.7 631.0 771.2 841.3 |
| | 47 | 53.6 59.0 65.9 72.8 81.1 81.1 61.4 92.2 153.6 153.6 154.3 215.1 276.5 338.0 338.0 | 2 | 118.9 130.8 146.1 161.4 176.9 |
| | 46 | 51.3 56.5 69.7 77.7 77.7 77.7 117.7 | 69 | 115.5 127.1 142.0 156.8 174.8 132.4 198.6 264.9 331.1 337.3 437.3 529.7 595.9 662.2 662.2 662.2 662.2 662.2 |
| | 45 | 255.3 | 88 | 112.3.5 123.5.5 137.3.9 169.8 169.8 169.8 192.9 257.2 321.6 385.9 57.8 57.8 57.8 57.8 57.8 57.8 57.8 57.8 |
| | 44 | 57.7.7 57.7 57 57.7 57 57.7 57 57.7 57 57.7 57 57.7 57 57 57 57 57 57 57 57 57 57 57 57 57 | 29 | 1198.9 1198.9 1133.9 1147.8 1164.8 1164.8 1164.9 1164.9 1164.9 1164.9 1164.9 1164.9 1164.9 1164.9 1169.9 11 |
| | 43 | 44.4 45.5 45.5 45.5 45.5 45.5 45.5 45.5 | 99 | 105.7 116.3.7 129.9.3 129.9.3 129.9.3 302.9 30.9 302.9 30.9 30.9 30.9 30.9 30.9 30.9 30.9 30 |
| Inches | Thio B. V | NXNXX | | NNNN 000000 |

WEIGHTS OF FLAT ROLLED STEEL—CIRCLES—Pounds Each

TABLE V-Concluded

| | 11 | 386. 342.7 7 504.9 514.1 6 673.2 685.4 5 100.9 7 1028.2 7 1178.0 1199.5 1146.3 1370.9 1146.3 1370.9 1146.3 1370.9 1146.3 1370.9 1146.3 1713.6 1151.2 1885.0 1151.2 1885.0 1151.2 1885.0 1151.2 1851.2 1852.0 1151.2 1852.0 1152 | 134 | 0 499.5 1 749.2 1 1988.9 1 1248.7 1 1498.4 1 1498.4 1 1997.9 2 2497.3 2 2297.6 2 2297.3 |
|------------------|-----|---|----------------|---|
| | 110 | 336.6 504.9 673.2 841.4 1009.7 1346.3 1514.6 1682.2 2019.5 2356.0 2524.3 2692.6 | 133 | 738. 738. 1230. 1230. 1722. 1722. 1722. 1722. 1722. 1722. 1723. 1724. 1723. 1723. 1724. 1723. 1724. 17 |
| | 109 | 330.5 495.7 661.0 826.2 991.5 1315.7 1487.2 1652.4 1817.7 1982.9 2148.1 2313.4 2478.6 | 132 | 484.7 727.0 969.3 969.3 1211.7 1454.0 1696.3 188.7 188.7 188.7 189.3 180 |
| | 108 | 7 312.5 318.5 324.4 330.5 33.6 32.6 32.6 32.6 32.6 32.6 32.6 32.6 | 131 | 77.4. 16.0 32.1. 32.1. 48.8. 18.8. 18.8. 18.8. 18.8. |
| | 107 | 318.5 477.7 636.9 636.9 796.2 955.4 1114.6 1173.9 1159.3 1159.3 1159.3 1159.3 2229.3 2229.3 2229.3 | 130 | 470.1 705.1 940.2 1175.2 1410.3 1410.3 1410.3 1880.4 22115.4 2215.5 2255.5 2255.5 2255.7 3760.7 |
| | 106 | 312.5 468.8 625.1 781.4 1093.9 1250.2 11719.0 1875.3 2317.5 2344.1 2500.3 | 129 | 462.9 694.3 925.8 1157.2 1157.2 1157.2 120.1 1851.6 2245.9 2777.3 3240.2 3471.7 3703.1 |
| | 105 | 300.9 306.7 451.3 461.0 451.3 461.0 752.1 766.7 902.1 90.0 1053.0 1073.4 11 1203.4 122.6 7 1150.4 1153.4 11 1150.5 61193.4 2 1150.5 61193.4 2 | 128 | 4. 455.7 462.9 470.1 4. 457.3 0115.9 947.2 9.0 1121.6 1139.4 115.7 2117.2 11.6 1139.4 115.7 2117.2 11.6 1139.4 1157.2 117.2 11.6 1139.4 1157.2 117.2 11.6 1139.4 1157.2 117.2 11.6 1139.4 1157.2 117.2 11.6 1139.7 115.7 |
| | 104 | 300.3 451.3 601.7 752.1 1053.0 11053.4 11203.4 | 127 | 448.6 673.0 897.3 1121.6 1345.9 1570.3 1570.3 1794.6 2691.9 2691.9 2691.9 3384.9 3589.2 |
| | 103 | 295.1 4422.7 737.8 885.3 1032.9 1180.4 1475.5 1623.1 1770.6 1770.6 1770.6 2065.7 2365.7 2365.7 2365.7 | 126 | 441.6 662.4 883.2 1104.0 1324.8 1324.8 1545.6 1766.4 1766. |
| 70 | 102 | 2894 295.1 6 474.1 42.7 6 474.1 42.7 723.5 737.8 11012.9 1032.9 1107.6 1138.4 1107.6 1138.4 1107.6 1138.4 1107.6 1138.4 1107.6 1138.4 1107.6 1138.1 1107.6 1138.2 1107.6 1 | 125 | 4.0 420.8 427.7 434.6 441.6 441.6 10.8 10.8 427.7 434.6 141.6 44.8 10.8 11.7 634.8 133.2 89.3 10.8 10.1 10.2 10.6 10.9 10.2 10.8 10.8 10.8 10.8 10.8 10.8 10.8 10.8 |
| NCHE | 101 | 283.8 425.6 567.5 709.4 851.3 993.1 1135.0 1135.0 1256.6 1702.5 1702.5 2270.0 2270.0 | 124 | 427.7 641.6 885.4 1069.3 11283.1 11497.0 1710.8 1924.7 2352.4 2266.2 2352.4 2360.1 2380.1 2380.1 2380.1 2380.1 2380.1 2380.1 2380.1 |
| ER, II | 100 | 278.2 283.8 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 123 | 420.8 631.2 841.7 1052.1 11262.5 1147.3 1183 |
| DIAMETER, INCHES | 66 | 267.1 272.6 54.3 54.3 54.3 54.3 54.3 54.3 54.3 54.3 54.3 54.3 54.0 54.5 54.5 54.5 54.5 54.5 54.5 54.5 54.5 | 122 | 414.0 828.0 1035.0 1049.1 1449.1 1656.1 1865.1 2277.1 2277.1 2289.1 2898.1 3312.1 |
| Q | 98 | 0. 256.4 261.7 267.1 272.6 2 6. 384.5 384.5 40.7 408.9 4.9 6. 40.9 654.3 647.9 681.0 68.9 6. 40.0 654.3 667.9 681.6 67.9 6. 87.2 916.0 935.0 954.0 954.0 17.9 8 8. 87.2 916.0 935.0 954.0 954.0 17.2 17.2 17.2 17.2 17.2 17.2 17.2 17.2 | 121 | F0481000000000048 cocies407cocics344 |
| | 97 | 261.7 392.6 523.4 654.3 785.2 1046.9 1177.8 1308.6 1439.5 1170.2 1170.2 11832.1 11832.1 11832.1 11832.1 11832.1 11832.1 | 120 | 400.6 600.8 801.1 1001.4 1201.7 1401.9 1602.2 1802.5 2203.0 2203.0 2403.3 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 2203.9 |
| | 96 | 256.4 384.5 512.7 640.9 769.1 1025.4 1102.4 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 1109.9 | 113 | 393.9 590.9 787.8 984.8 11181.7 11575.6 1166.5 2363.4 2250.4 2250.4 2250.4 2363.4 2363.4 2363.4 2363.4 2363.4 2363.4 |
| | 95 | 25176 | 118 | 387.3 581.0 774.6 968.3 1161.9 1161.9 1742.9 1742.9 1742.9 2233.9 2217.5 2711.2 2904.8 |
| | 94 | 245.8 368.7 314.6 514.6 514.6 528.3 228.3 228.3 228.3 228.3 228.3 351.8 474.7 366.3 | 117 | 15. 367.9 374.3 380.8 387.3 383.9 400.6 40 2.2 551.8 561.4 571.2 581.0 569.9 600.8 61 3.7 755.7 744.6 761.5 784.0 785.8 811.1 8 3.7 919.7 932.7 951.9 968.3 994.8 1001.4 101 4.5 1108.6 1122.3 111.2 111.7 111.2 111.6 111.7 112.7 5. 127.5 110.0 132.7 135.6 1378.7 1401.9 147.6 167.2 162.2 162.2 162.2 163.2 16 |
| | 93 | 235.4 240.6 255.2 260.9 253.2 360.9 481.2 588.6 601.5 824.0 842.0 105.3 | 116 | 374.3 561.4 748.6 935.7 1122.9 1137.0 1187.2 2058.6 2245.8 2245.8 22620.1 2807.2 |
| | 92 | 235.4 470.9 470.9 470.9 588.6 706.3 841.7 1059.5 1177.5 11 | 115 | 367.9 551.8 735.7 919.7 1103.6 11287.5 1471.5 1655.4 1839.3 2207.2 2391.1 2575.1 2575.1 2575.1 |
| | 91 | 230.230.230.230.230.230.230.230.230.230. | 114 | 89111688024466834683116883468348 |
| | 90 | 225.3 338.0 450.6 450.6 675.9 675.9 1013.9 1126.6 1239.2 1351.9 1464.5 1689.8 | 113 | 355.2 532.8 710.4 888.0 0055.6 243.1 131.1 308.7 486.3 663.9 841.5 |
| | 88 | 220.3 330.53 440.7 440.7 741.0 1101.7 1101.7 1432.0 1542.3 1652.3 1652.3 1762.7 | 112 | 348.9 697.9 1046.8 11046.8 11046.8 11046.8 11044.6 11044.6 11044.6 11044.6 11044.6 11044.6 11044.6 11046.8 208.0 2 |
| скиева, | Thi | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | Thick- ness | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ |

CARNEGIE STEEL COMPANY

| <over+all measure=""></over+all> | 98 | Inches 1/8 | %7=/2"=/2"=/2"=/2"=/2"=/2"=/2"=/2"=/2"=/2" | 11.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4. | 656 658 658 77 709 77 768 77 78 88 88 88 88 88 88 88 88 88 88 88 | \ in \@ \ \o \\ \o \o |
|--|-------------------|------------|--|--|---|---|
| W | | 16 | 281 281 281 281 281 281 281 281 281 281 | .679 .719 .759 .759 .839 .839 .958 | .998 1.038 1.078 1.118 1.157 1.197 1.237 | 1.357 1.357 1.396 1.436 1.516 1.556 1.556 |
| WEIGHIS | | 1/4 | .393 .446 .4496 .552 .712 .712 .765 .765 | .924 .977 1.030 1.084 1.137 1.190 1.243 1.243 | 1.349 1.402 1.455 1.509 1.562 1.668 1.668 1.721 | 1.774 1.827 1.934 1.987 2.040 2.093 2.146 |
| | | 1.6 | .514 .581 .647 .714 .780 .847 .973 .973 | 1.179 1.245 1.311 1.378 1.444 1.511 1.577 1.643 | 1.776 1.843 1.909 1.975 2.042 2.108 | 2.241 2.374 2.374 2.573 2.573 2.639 2.639 |
| OF ROOND | | 88/ | .645 .725 .805 .884 .964 1.123 1.123 1.203 1.362 | 1.442 1.522 1.601 1.681 1.761 1.920 2.000 | 2.080 2.159 2.239 2.339 2.478 2.558 2.637 | 2.717 2.797 2.956 3.036 3.116 3.195 |
| | | 16 | .878 .971 1.064 1.157 1.250 1.343 1.436 1.529 | 1.715 1.808 1.901 1.994 2.087 2.273 2.366 | 2.459 2.552 2.645 2.738 2.924 3.016 3.109 | 33.202 33.295 33.574 33.667 |
| AE FLAIS, E MEASURE | Thic | 1/2 | 1.147 1.253 1.360 1.466 1.572 1.678 1.785 1.785 | 1.997 2.103 2.210 2.316 2.528 2.528 2.635 2.741 | 2.847 2.953 3.060 3.166 3.272 3.378 3.485 3.591 | 3.697 3.803 3.910 4.016 4.228 4.335 4.335 |
| EDGE FLAIS, Pounds Per Lineal Foot FACE MEASURE | Thickness, Inches | 1.6 | 1.498 1.617 1.737 1.856 1.976 2.096 2.215 | 2.335 2.454 2.574 2.693 2.813 2.932 3.052 3.171 | 3.291 3.410 3.530 3.649 3.769 4.008 4.128 | 4.247 4.367 4.606 4.725 6.964 5.084 |
| spuno | ches | 88 | 1.792 1.925 2.058 2.191 2.324 2.456 | 2.589 2.722 2.855 3.120 3.253 3.386 3.519 | 3.652 3.784 3.917 4.050 4.183 4.449 4.581 | 4.714 4.847 4.980 5.113 5.378 5.511 5.511 |
| Per | | 116 | 2.114 2.260 2.406 2.552 2.552 2.698 | 2.844 2.990 3.136 3.282 3.428 3.575 3.721 | 4.013 4.159 4.305 4.7431 4.743 4.743 6.035 | 5.182 5.328 5.474 5.912 6.058 |
| neal F | | 34 | 2.462 2.621 2.781 2.340 | 3.099 3.259 3.418 3.577 3.737 4.056 4.215 | 4.374 4.534 4.693 4.852 5.171 5.331 5.490 | 6.528 6.127 6.127 6.644 6.644 6.644 |
| 00t | | 13 | 2.964 3.136 3.309 | 3.482 3.654 3.827 4.172 4.345 4.518 4.690 | 4.863 5.2036 5.2036 5.351 6.072 | 6.244 6.417 6.590 6.762 6.935 7.108 7.280 |
| | | 1/8 | 3.373 | 3.745 3.931 4.117 4.489 4.675 5.047 | 5.233 5.419 5.605 5.791 6.163 6.348 | 6.720 6.906 7.278 7.464 7.650 7.836 |
| COVER-ALL MEASURE | | 100 | 3.810 | 4.209 4.4009 4.4009 7.209 4.408 7.209 4.404 4.404 | 5.603 5.802 6.002 6.201 6.599 6.998 | 7.197 7.396 7.595 7.795 7.994 8.193 8.392 |
| NRE | | - | | 4.486 4.486 4.698 4.911 5.123 5.336 5.548 5.761 | 5.973 6.186 6.611 6.823 7.036 7.248 | 7.673 7.886 8.098 8.311 8.523 8.736 8.948 |

WEIGHTS OF ROUND EDGE FLATS, Pounds Per Lineal Foot

FACE MEASURE—Concluded

| Face | | | | | | | Thic | Thickness, In | Inches | | | | | | |
|---|-----|--|---|--|---|---|--|---|--|--|---|--|--|---|--|
| Measure, Inches | 1/8 | 18 | 1/4 | 1.6 | % | 16 | 1/2 | 1 6 | 100 | 191 | 8 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 /4 | 19 | 1/80 | 100 | |
| 3,877 %,47% | | 1.715 1.795 1.875 | 2.305 2.412 2.518 | 2.905 3.038 3.171 | 3.514 3.673 3.833 | 4.132 4.318 4.504 | 4.760 4.972 5.185 | 5.442 5.681 5.921 | 6.042 6.308 6.574 | 6.643 6.935 7.227 | 7.243 7.562 7.881 | 7.971 8.316 8.661 | 8.580 8.952 9.323 | 9.189 9.587 9.986 | 9.798 10.223 10.648 |
| wwwwww | | 2.034 2.114 2.193 2.273 2.353 2.353 | 2.624 2.730 2.943 3.155 3.155 3.155 | 3.3.304 3.3.569 3.3.835 3.968 3.968 3.968 | 3.992 4.151 4.470 4.633 4.989 4.989 | 5.690 5.248 5.248 5.620 5.620 5.620 5.620 | 5.397 5.822 6.035 6.460 6.460 | 6.160 6.399 6.638 6.877 7.355 7.355 | 6.839 7.105 7.370 7.902 8.167 8.433 | 7.519 7.811 8.103 8.396 8.980 8.980 9.272 | 8.199 8.518 8.837 9.156 9.793 10.112 | 9.007 9.352 9.697 10.043 10.733 11.073 | 9.695 10.067 10.439 10.811 11.183 11.555 11.555 | 10.384 10.783 11.181 11.579 11.978 12.377 | 11.073 11.923 11.923 12.348 12.773 13.198 |
| 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | | | 3.474 3.580 3.687 3.899 4.005 4.112 4.218 | 4.499 4.499 4.764 4.897 5.030 5.163 | 5.267 5.267 5.745 6.064 6.383 | 6.363 6.363 6.77 6.735 6.921 7.107 7.293 | 7.097 7.522 7.735 7.947 8.160 8.372 8.372 | 8.072 8.311 8.550 8.789 9.028 9.267 9.506 | 8.964 9.230 9.495 10.027 10.292 10.558 | 9.857 10.149 10.743 11.025 11.318 11.610 | 10.431 10.749 11.068 11.387 11.706 12.024 12.343 12.662 | 11.769 12.115 12.460 12.805 13.150 13.496 13.841 14.186 | 12.530 12.670 13.042 13.414 13.786 14.158 14.530 14.530 | 13.17.3 13.57.2 13.97.0 14.767 15.166 15.564 15.962 16.361 | 14.048 14.898 15.323 15.748 16.173 17.023 |
| ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | | | 4.324 4.430 4.743 4.749 4.855 6.068 5.174 | 5.429 5.694 5.867 5.867 5.960 6.225 6.358 6.491 | 6.542 6.701 6.861 7.180 7.339 7.498 7.658 | 7.665 7.851 8.037 8.223 8.595 8.595 9.152 | 8.797 9.010 9.222 9.435 9.647 9.860 10.072 10.285 | 9.985 10.224 10.463 10.702 10.941 11.180 11.419 11.658 11.658 | 11.089 11.355 11.620 11.886 12.152 12.417 12.683 12.949 | 12.194 12.486 12.778 13.363 13.655 13.655 14.239 | 13.299 13.299 13.2937 14.256 14.574 14.893 15.212 15.531 15.849 | 14.532 14.877 15.222 15.568 15.913 16.258 16.604 17.294 | 15.645 16.017 16.389 16.761 17.133 17.505 17.877 18.248 18.248 | 16.759 17.158 17.556 17.955 18.353 18.752 19.150 19.548 | 17.873 18.298 18.723 19.148 19.573 20.423 20.848 20.848 21.273 |

To obtain Over-all Measure for any thickness, add to Face Measure the Increment given below for corresponding thickness.

| | | | | 1 | - | 1 | | | | | | | | | |
|-------------------|----|-------------|-------|----|------|-------|-----|----|-----|----|----|----|-----|-----|---|
| Thickness, Inches | 1% | 16 | 1/4 | | % | 1 6 | 1/2 | 91 | 100 | 11 | 84 | 16 | 1/8 | 1.6 | = |
| Increment, Inches | 16 | 00 01 00 | . 188 | 32 | 16,3 | 1-100 | 1/4 | 16 | 16 | 16 | 16 | % | 188 | 188 | % |

CARNEGIE STEEL COMPANY

| 71 | - | | 2.998 3.211 3.432 3.636 3.848 4.061 4.273 | 4.698 4.911 5.123 5.336 5.548 5.761 5.973 6.186 | 6.398 6.611 6.823 7.036 7.248 7.461 7.673 |
|--------------------------|---|--|--|--|---|
| L MEASURE | N/s | 2.615 | 2.814 3.212 3.212 3.412 4.009 4.209 | 55.005 55.005 55.005 55.005 55.005 55.005 | 6.002 6.201 6.400 6.599 6.598 6.988 7.197 7.396 |
| OVER-ALL MEASURE> | 18 | 2.258 | 22.630 23.002 33.188 33.73 35.559 3.745 3.745 | 44.117 44.489 44.675 50.047 51.233 | 55.605 55.977 66.163 66.348 66.720 |
| | 13 | 1.928 2.100 2.273 | 2.446 2.618 2.518 3.309 3.309 3.482 3.654 | 3.827 4.000 4.172 4.345 4.518 4.690 5.036 | 5.208 5.381 5.554 5.726 6.072 6.244 6.417 |
| | 12% | 1.665 1.824 1.984 2.143 | 2302 2.462 2.462 2.781 3.259 3.259 3.418 | 3.577 3.737 3.896 4.056 4.534 4.693 | 5.500 5.012 5.012 5.331 5.649 5.809 5.968 |
| | 116 | 1.383 1.529 1.675 1.821 1.968 | 2.114 2.260 2.406 2.552 2.698 2.844 2.990 3.136 | 3.282 3.428 3.575 3.721 4.013 4.159 4.305 | 4.451 4.597 4.743 5.035 5.328 5.474 |
| MEASURE Thickness Inches | - % - % | 1.128 1.261 1.394 1.527 1.659 1.792 | 1.925 2.058 2.191 2.324 2.456 2.722 2.722 2.855 | 2.988 3.120 3.253 3.353 3.519 3.652 3.784 | 4.050 4.316 4.5316 4.581 4.581 4.847 4.847 |
| MEASURE | 18 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | .900 1.020 1.139 1.259 1.498 1.617 | 1.737 1.856 1.976 2.096 2.335 2.454 2.574 | 2.693 2.813 3.052 3.1052 3.291 3.410 3.530 | 3.769 3.769 3.888 4.008 4.247 4.367 |
| ALL ME | 1/2 | .722 .828 .935 1.041 1.147 1.253 1.360 1.466 | 1.572 1.678 1.785 1.997 2.210 2.316 | 2.422 2.528 2.635 2.635 2.847 2.953 3.060 3.166 | 3.272 3.378 3.485 3.591 4.016 |
| OVER-ALL | 1-1 | .553 .646 .739 .832 .925 1.018 1.111 1.204 | 1.390 1.483 1.575 1.668 1.761 1.854 1.947 2.040 | 2.133 2.226 2.319 2.512 2.505 2.598 2.691 2.691 | 2.877 2.970 3.1063 3.145 3.442 3.442 3.442 3.442 |
| | 88 | .406 .566 .645 .725 .805 .964 1.124 | 1.203 1.283 1.362 1.442 1.522 1.601 1.681 1.761 | 1.841 1.920 2.000 2.080 2.159 2.339 2.339 2.339 | 2.558 2.558 2.717 2.876 3.036 |
| | 16 | 5447 6614 6614 6614 680 680 680 680 680 680 680 680 680 680 | 1.013 1.079 1.145 1.212 1.278 1.345 1.411 | 1.544 1.610 1.677 1.743 1.809 1.876 1.942 2.009 | 2.075 2.208 2.208 2.374 2.407 2.473 2.540 |
| | 1/4 | 287 3340 3393 346 552 552 6605 7712 765 | .818 .871 .924 .977 1.030 1.137 | 1.243 1.296 1.349 1.455 1.509 1.615 | 1.668 1.721 1.774 1.827 1.934 1.987 2.040 |
| | 3 | 221 261 261 234 234 250 250 250 250 250 | 620 6536 7739 8859 8859 8859 8859 | .938 .978 1.058 1.058 1.137 1.177 | 1.257 1.257 1.337 1.416 1.456 1.496 1.536 |
| SURE | 78 | 151 178 201 201 284 284 284 337 337 390 | .417 .444 .523 .550 .550 .603 | 6529 6536 7739 7736 818 815 | |
| KOVER-ALL MEASURE- | Measure, Inches | 00/1/4-1/0/10/10/4-10/4-1/4-1/4-1/0/10/10/10/10/10/10/10/10/10/0/10/ | | | ひひひひひひひ |

WEIGHTS OF ROUND EDGE FLATS, Pounds Per Lineal Foot OVER-ALL MEASURE—Concluded

| Over-all | | | | | | | Thic | Thickness, Inches | spes | | | | | | |
|-------------------|-----|-------------------------|----------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------------------------|
| Measure, | 13/ | e 0 | 17 | sc 10 | 88 | 16 | 1/2 | 16 | 28/ | 11 | 88 | 100 | 1/8 | 1.5 | Н |
| 23% 23% 27% | | 1.655 | 2.305 | 2.739 | 3.275 | 3.807 3.993 4.179 | 4.335 | 4.845 5.084 5.323 | 5.378 5.644 5.909 | 5.912 6.204 6.496 | 6.446 6.765 7.084 | 6.935 7.280 7.625 | 7.464 7.836 8.208 | 7.994 8.392 8.791 | 8.523 8.948 9.373 |
| mm , 8 | | 1.895 | 2.518 | 3.138 | 3.753 | 4.365 | 5.185 | 5.562 | 6.175 | 6.789 | 7.402 | 7.971 8.316 8.661 | 8.580 8.952 9.323 | 9.189 | 9.798 10.223 10.648 |
| w w w | | 2.054 2.134 2.213 | 2.837 2.943 | 3.536 | 4.231 4.391 | 5.108 | 5.610 | 6.279 | 6.972 | 7.957 | 8.359 | 9.352 | 10.067 | 10.384 | 11.49 |
| 3 3 3 4 V | | 2.293 | 3.049 | 3.802 3.934 4.067 | 4.550 4.709 4.869 | 5.294 | 6.035 6.247 6.460 | 6.996 7.235 | 7.769 | 8.542 8.834 | 9.315 9.634 | 10.043 | 10.811 | 11.580 | 12.34 |
| 8 4 | | | 3.368 | 4.200 | 5.028 | 5.852 | 6.672 | 7.474 | 8.300 | 9.126 | 9.952 | 10.733 | 11.555 | 12.377 | 13.198 |
| \$ 4 4 | | | 3.580 | 4.598 | 5.347 | 6.224 | 7.097 | 7.953 8.192 | 8.831 9.097 | 9.710 | 10.590 | 11.769 | 12.298 | 13.572 | 14.47 |
| 1 4 . | | | 3.793 | 4.731 | 5.666 | 6.596 | 7.522 | 8.431 | 9.363 | 10.295 | 11.227 | 12.115 | 13.042 | 14.369 | 15.32 |
| 4 4 6 00 4 | | | 4.005 | 4.997 | 5.984 | 6.968 | 7.947 | 8.909 | 9.894 | 10.879 | 11.865 | 12.805 | 13.786 | 14.767 | 15.74 |
| 4 u | | | 4.218 | 5.263 | 6.303 | 7.340 | 8.372 | 9.387 | 10.425 | 11.464 | 12.502 | 13.496 | 14.530 | 15.564 | 16.59 |
| 51% | | | 4.324 | 5.395 | 6.462 | 7.525 | 8.585 | 9.626 | 10.691 | 11.756 | 12.821 | 13.841 | 15.273 | 15.362 | 17.04 |
| 20 K | : | | 4.537 | 5.661 | 6.781 | 7.897 | 9.010 | 10.104 | 11.222 | 12.340 | 13.459 | 14.532 | 15.645 | 16.759 | 17.87 |
| 200 | | | 4.643 | 5.794 | 6.941 | 8.083 | 9.222 | 10.343 | 11.488 | 12.632 | 13.777 | 15.222 | 16.389 | 17.158 | 18.723 |
| % % % | | | 4.855 | 6.059 | 7.259 | 8.455 | 9.647 | 10.821 | 12.019 | 13.217 | 14.415 | 15.568 | 16.761 | 17.955 | 19.14 |
| 27.8 | | | 4.962 | 6.192 | 7.419 | 8.641 | 9.860 | 11.060 | 12.284 | 13.801 | 15.052 | 16.258 | 17.505 | 18.752 | 19.99 |

To obtain Face Measure for any thickness, substract from Over-all Measure the Increment given below for corresponding thickness.

| | 88 |
|-------------------|-------------------|
| 1.6 | 88 |
| 148 | % |
| 16 | % |
| 34 | 1.6 |
| 151 | 20 E |
| 88 | 16 |
| 16 | 16 |
| 17/2 | 14 |
| 10 | 3.2 |
| 80 | eo 14 |
| 1.6 | n co |
| 1/2 | 1/8 |
| 1.0 | 888 |
| aches 1/8 13 | 1 6 |
| Thickness, Inches | Increment, Inches |

WEIGHTS OF ROUND BEVEL EDGE Pounds per Lineal Foot







| Width, | Radius, | | | | | | Thick | ness, l | nches | | | | | |
|----------------|------------------|------|------|------|------|-------|-------|---------|--------------------------|-------|-------|------------------|------------|------|
| Inches | Inches | 1 8 | 32 | 18 | 32 | 14 | 32 | 16 | $\frac{1}{3}\frac{1}{2}$ | 3 8 | 13 | 1 ⁷ ē | 1.5 3.2 | 1/2 |
| | 1 to | .296 | .376 | .455 | .535 | .615 | | | | | | | | |
| 3 | 16 | .278 | .350 | .427 | .456 | .586 | | | | | | | | |
| | 1 4 | .265 | .330 | .398 | .470 | -546 | | | | | | | | |
| | 1 8 | .349 | .442 | .535 | -628 | .721 | | | | | | | | |
| 7 8 | 18 | .331 | .417 | .506 | -599 | .692 | | | | | | | | |
| | 1 | .318 | .397 | .478 | .562 | .652 | | | | | | | | |
| | 13g | .384 | .483 | .586 | .692 | .799 | | 1.011 | | | | | | |
| 1 | 1 4 | .371 | .463 | .558 | -656 | .759 | | | | | | | | |
| * | 5 16 | .361 | .448 | .536 | .626 | .719 | .816 | .920 | | | | | | |
| | 38 | .352 | .434 | .517 | .601 | .687 | .776 | .869 | | | | | | |
| | 136 | .437 | .549 | .666 | .785 | .905 | | | | | | | | |
| 1 1/8 | 1 4 | .425 | .529 | .636 | .747 | .865 | | 1.104 | | | | | | |
| 18 | 16 | .415 | .514 | .615 | .718 | .825 | | 1.053 | | | | | | |
| | 38 | .405 | .501 | .597 | -694 | .794 | .896 | 1.002 | | | | | | |
| | 18 | .491 | .616 | .746 | | | | | 1.410 | | | | | |
| 14 | 1 | .478 | .596 | .717 | .842 | | | | 1.370 | | | | | |
| 1.4 | 16 | .467 | .580 | .695 | .812 | | | | 1.318 | | | | | |
| | 38 | .458 | -567 | .676 | .787 | .900 | 1.015 | 1.135 | 1.259 | 1.389 | 1.521 | 1.654 | 1.787 | 1.92 |
| | 16 | .544 | .683 | .825 | | | | | 1.556 | | | | | |
| $1\frac{3}{8}$ | 1/4 | .531 | .663 | .797 | | | | | 1.516 | | | | | |
| 1.8 | 16 | .520 | .647 | .775 | | | | | 1.464 | | | | | |
| | 38 | .510 | -633 | .756 | .880 | 1.006 | 1.135 | 1.268 | 1.405 | 1.548 | 1.694 | 1.840 | 1.986 | 2.13 |
| | 1 ³ 6 | | | | | | | | 1.702 | | | | | |
| 1 1 | 1 4 | | | | | | | | 1.662 | | | | | |
| | 7 6 | 1 | | .854 | | | | | 1.610 | | | | | |
| | 38 | | | .836 | .973 | 1.112 | 1.254 | 1.400 | 1.551 | 1.707 | 1.867 | 2.026 | 2.185 | 2.34 |
| | 14 | | | | | | | | 1.954 | | | | | |
| | 18 | | | | | | | | 1.903 | | | | | |
| 1 1 | 38 | | | | | | | | 1.843 | | | | | |
| | 78 | 1 | | | | | | | 1.792 | | | | | |
| 1 | 1/2 | | | | , | 1.273 | 1.430 | 1.587 | 1.748 | 1.912 | 2.079 | 2.250 | 2.431 | 2.61 |

WEIGHTS OF BEVEL EDGE Pounds per Lineal Foot



| Dim sio | | | | | | | Thic | knes | в В. | W. (| d. an | d In | ches | | | | | |
|------------|--|--------------------------------------|----------------------|--|--|--|--------------------------------------|--------------------------------------|--|--------------------------------------|--------------------------------------|--|------------------------------|------------------------------|---|---|--|---|
| a | b | No. 16 | No. 15 | No. 14 | No. 13 | No. 12 | 3 2 | 1.8 | 532 | 3 | 7 3 2 | 1, 4 | 932 | 18 | 11 | 3,8 | 13 | 1 ⁷ 6 |
| 15(18 | 1 0 3 8 7 1 6 1 | .104 .111 .117 .124 | .122 | .141 | .162 .172 | .174 .185 .197 .209 | .159 | .213 | .266 | .319 | | | | | | | | |
| 11 | 5 16 3 8 7 16 1 2 9 | .111 .117 .124 .131 .138 | .130 .138 .145 | .141 .150 .159 .168 .176 | .172 .182 .192 | .209 | .169 .179 .189 | .226 .239 .252 | .282 .299 .315 | .359 | | | | | | | | |
| 34 | 3 8 7 16 1 2 9 16 5 | | | .159 .168 .176 .185 .194 | .192 .202 .212 | .220 .232 .243 | .189 .199 .209 | .252 .266 .279 | | .379 .398 .418 | .465 .488 | .505 .531 .558 | | | | | | |
| 13 | 38 7 16 12 9 15 5 8 | | | .168 .176 .185 .194 .203 .212 | .202 .212 .222 .232 | .243 .255 .266 | .199 .209 .219 .229 | .266 .279 .292 .305 | .315 .332 .349 .365 .382 .398 | .398 .418 .438 .458 | .511 .535 | .531 .558 .584 .611 | | | | | | |
| 7 8 | 7 16 1 2 9 10 5 8 11 10 3 | | | .185 .194 .203 .212 .220 | .222 .232 .242 .252 | 2 .255 2 .266 2 .278 2 .290 | .229 | .292 .305 .319 | .365 .382 .398 .415 | .438 .458 .478 .498 | .511 .535 .558 .581 | .558 .584 .611 .638 .664 .691 | .657 .687 .717 .747 | .731 .764 .797 .830 | | | | |
| 15 | 7 1 8 1 2 9 1 6 5 8 1 1 1 6 3 4 1 7 8 | | | .194 .203 .213 .224 .233 .244 | 3 .235 2 .245 0 .255 9 .26 8 .27 | 2 .266 2 .278 2 .290 2 .301 3 .313 | .229 .239 .249 .259 | .305 .319 .333 .345 .359 | 2 .365 .382 .398 .415 .432 .448 2 .468 | .458 .478 .498 .518 .538 | .535 .558 .581 .604 | .611 .638 .664 .691 .717 | .777 | .764 .797 .830 .863 | | | | |
| 1 | 12 9 16 5 8 11 16 3 4 | | | .21 .22 .22 .23 .24 .25 | 0 .25 9 .26 8 .27 7 .28 | 2 .290 2 .300 3 .310 | 0 .249 1 .259 3 .269 4 .279 | 33 34 35 37 38 | 2 .415 5 .436 9 .446 2 .465 | 5 .498 2 .518 8 .538 5 .558 | 3 .58: 3 .604 3 .625 3 .65: | 3 .638 1 .664 1 .691 3 .717 1 .744 4 .770 7 .795 | .747 .777 .807 .837 | .830 .863 .896 .930 | 91: 3 .95 6 .98 0 1.02 3 1.05 | 3 .99 0 1.03 6 1.07 3 1.11 9 1.15 | 6 1.03 6 1.07 6 1.12 6 1.16 6 1.20 5 1.25 | 9 1.10 2 1.20 5 1.20 9 1.30 5 2 1.3 |

WEIGHTS OF BEVEL EDGE—Continued Pounds per Lineal Foot



| | men- ons | | | | | Т | hickne | ess, B | . W. C | G. and | l Inch | ies | | | | |
|-----|---|--|--|--|--|--|---|--|---|--|--|--|--|--|---|--------------------------------------|
| a | b | No. 13 | No. 12 | 18 | 32 | 3 16 | 7 32 | 14 | 32 | 5 16 | 112 | 3 8 | 132 | 176 | 15 32 | 1/2 |
| 1 } | 1 3 4 1 3 6 3 4 1 5 6 1 5 1 5 6 1 5 | .273 .283 .293 .303 .313 .323 .333 .343 | .313 .324 .336 .348 .359 .371 .382 .394 | .359 .372 .385 .398 .412 .425 .438 | .448 .465 .481 .498 .515 .531 .548 | .538 .558 .578 .598 .618 .638 .657 | .651 .674 .697 .721 .744 .767 | .717 .744 .770 .797 .823 .850 .877 | .956 | .963 .996 1.029 1.063 1.096 | 1.023 1.059 1.096 1.132 1.169 1.205 | 1.116 1.155 1.195 1.235 1.275 1.315 | 1.165 1.209 1.252 1.295 1.338 1.381 1.424 1.468 | 1.302 1.348 1.395 1.441 1.488 1.534 | | |
| 11 | 58 115 24 126 78 156 1 116 | .303 .313 .323 .333 .343 .353 .363 .373 | .348 .359 .371 .382 .394 .405 .417 .429 | .398 .412 .425 .438 .452 .465 .478 | .498 .515 .531 .548 .564 .581 .598 | .598 .618 .638 .657 .677 .697 .717 | .721 | .930 .956 | -956 | 1.029 1.063 1.096 1.129 1.162 1.195 | 1.132 1.169 1.205 1.242 1.278 1.315 | 1.235 1.275 1.315 1.355 1.395 1.434 | 1.511 1.554 | 1.441 1.488 1.534 1.580 1.627 1.673 | | |
| 1 3 | 10 3 10 7 8 15 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | .333 .343 .353 .363 .373 .384 .394 .404 | .382 .394 .405 .417 .429 .440 .452 | .438 .452 .465 .478 .491 .505 .518 | .548 .564 .581 .598 .614 .631 .647 | .657 .677 .697 .717 .737 .757 .777 | •906 | .930 .956 .983 1.009 1.036 | .986 1.016 1.046 1.076 1.106 1.136 1.165 1.195 | 1.129 1.162 1.195 1.229 1.262 1.295 | 1.242 1.278 1.315 1.351 1.388 1.424 | 1.355 1.395 1.434 1.474 1.514 1.554 | 1.511 1.554 1.597 1.640 1.683 | 1.580 1.627 1.673 1.720 1.766 1.813 | | |
| 1 ½ | 1 1 14 14 | .363 .384 .404 .424 .444 | .417 .440 .463 .486 .510 | .478 .505 .531 .558 .584 | .598 .631 .664 .697 .730 | .717 .757 .797 .837 .877 | -930 | 1.009 1.063 1.116 | 1.076 1.136 1.195 1.255 1.315 | 1.262 1.328 1.395 | 1.388 1.461 1.534 | 1.514 1.594 1.673 | 1.640 1.727 1.813 | 1.766 1.859 1.952 | 1.893 1.992 2.092 | 2.01 2.12 2.23 |
| 1 3 | 78 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | .424 .444 .464 .485 .505 .525 | .486 .510 .533 .356 .579 .602 | .558 .584 .611 .638 .664 .691 | .697 .730 .764 .797 .830 .863 | .916 .956 .997 | .976 1.023 1.069 1.116 1.162 1.209 | 1.169 1.222 1.275 1.328 | 1.375 1.434 1.494 | 1.461 1.527 1.594 1.660 | 1.607 1.680 1.753 1.826 | 1.753 1.833 1.913 1.992 | 1.899 1.986 2.072 2.158 | 2.045 2.138 2.231 2.324 | 2.191 2.291 2.391 2.490 | 2.33 2.44 2.55 2.65 |
| 2 | 1 1 1 3 5 1 2 5 5 5 3 4 5 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | .485 .505 .525 .545 .565 .585 .606 | .556 .579 .602 .625 .649 .672 | .638 .664 .691 .717 .744 .770 | .896 .930 .963 | .996 1.036 1.076 1.116 1.155 | 1.116 1.162 1.209 1.255 1.302 1.348 1.395 | 1.328 1.381 1.434 1.488 1.541 | 1.494 1.554 1.614 1.673 1.733 | 1.660 1.727 1.793 1.859 1.926 | 1.826 1.899 1.972 2.045 2.118 | 1.992 2.072 2.152 2.231 2.311 | 2.158 2.245 2.331 2.417 2.504 | 2.324 2.417 2.510 2.603 2.696 | 2.490 2.590 2.689 2.789 2.889 | 2.65 2.76 2.86 2.97 3.08 |

WEIGHTS OF BEVEL EDGE—Concluded Pounds per Lineal Foot



| Di | men- ons | | | | Thi | ickness, | B. W. G | and I | nches | | | |
|------|----------------|-----------|-----------|-------|-------|----------|---------|-------|-------|------------------|-------|-------|
| a | b | No. 13 | No. 12 | 18 | 352 | 18 | 32 | 1 4 | 2.3 | 1 ⁵ 6 | 1 1 2 | 3 8 |
| | 1 | -525 | .602 | -691 | -863 | 1.036 | 1.209 | 1.381 | 1.554 | 1.727 | 1.899 | 2.07 |
| | 11 | .545 | -625 | .717 | -896 | 1.076 | 1.255 | 1.434 | 1.614 | 1.793 | 1.972 | 2.15 |
| | 114 | .565 | -649 | .744 | -930 | 1.166 | 1.302 | 1.488 | 1.673 | 1.859 | 2.045 | 2.23 |
| 21 | 13 | -585 | -672 | .770 | .963 | 1.155 | 1.348 | 1.541 | 1.733 | 1.926 | 2.118 | 2.31 |
| 21 | 11/2 | .606 | -695 | .797 | .996 | 1.195 | 1.395 | 1.594 | 1.793 | 1.992 | 2.191 | 2.39 |
| | 15 | .626 | .718 | -823 | 1.029 | 1.235 | 1.441 | 1.647 | 1.853 | 2.059 | 2.264 | 2.47 |
| | 13 | .646 | .741 | -850 | 1.063 | 1.275 | 1.488 | 1.700 | 1.913 | 2.125 | 2.338 | 2.55 |
| | 178 | .666 | .764 | .877 | 1.096 | 1.315 | 1.534 | 1.753 | 1.972 | 2.191 | 2.411 | 2.63 |
| | 11 | .585 | .672 | .770 | .963 | 1.155 | 1.348 | 1.541 | 1.733 | 1.926 | 2.118 | 2.31 |
| | 12 | -606 | .695 | .797 | .996 | 1.195 | 1.395 | 1.594 | 1.793 | 1.992 | 2.191 | 2.39 |
| | 13 | .626 | .718 | -823 | 1.029 | 1.235 | 1.441 | 1.647 | 1.853 | 2.059 | 2.264 | 2.470 |
| | 13 | .646 | .741 | .850 | 1.063 | 1.275 | 1.488 | 1.700 | 1.913 | 2.125 | 2.338 | 2.550 |
| 21/2 | 15 | .666 | .764 | .877 | 1.096 | 1.315 | 1.534 | 1.753 | 1.972 | 2.191 | 2.411 | 2.630 |
| | 13 | .686 | .788 | .903 | 1.129 | 1.355 | 1.580 | 1.806 | 2.032 | 2.258 | 2.484 | 2.709 |
| | 17 | .707 | .811 | .930 | 1.162 | 1.395 | 1.627 | 1.859 | 2.092 | 2.324 | 2.557 | 2.789 |
| | 2 | .727 | -834 | .956 | 1.195 | 1.434 | 1.673 | 1.913 | 2.152 | 2.391 | 2.630 | 2.869 |
| | $2\frac{1}{8}$ | .747 | .857 | .983 | 1.229 | 1.474 | 1.720 | 1.966 | 2.211 | 2.457 | 2.703 | 2.948 |
| | 11 | .626 | .718 | -823 | 1.029 | 1.235 | 1.441 | 1.647 | 1.853 | 2.059 | 2.264 | 2.470 |
| | 13 | .646 | .741 | .850 | 1.063 | 1.275 | 1.488 | 1.700 | 1.913 | 2.125 | 2.338 | 2.550 |
| | $1\frac{1}{2}$ | .666 | .764 | .877 | 1.096 | 1.315 | 1.534 | 1.753 | 1.972 | 2.191 | 2.411 | 2.630 |
| | 15 | .686 | .788 | .903 | 1.129 | 1.355 | 1.580 | 1.806 | 2.032 | 2.258 | 2.484 | 2.709 |
| 25 | 13 | .707 | .811 | .930 | 1.162 | 1.395 | 1.627 | 1.859 | 2.032 | 2.324 | 2.557 | 2.789 |
| | 17 | .727 | .834 | .956 | 1.195 | 1.434 | 1.673 | 1.913 | 2.152 | 2.391 | 2.630 | 2.869 |
| | 2 | .747 | .857 | .983 | 1.229 | 1.474 | 1.720 | 1.966 | 2.211 | 2.457 | 2.703 | 2.948 |
| | 218 | .767 | -880 | 1.009 | 1.262 | 1.514 | 1.766 | 2.019 | 2.271 | 2.523 | 2.776 | 3.028 |
| | 21 | .787 | .903 | 1.036 | 1.295 | 1.554 | 1.813 | 2.072 | 2.331 | 2.590 | 2.849 | 3.108 |
| | 11/2 | .727 | -834 | .956 | 1.195 | 1.434 | 1.673 | 1.913 | 2.152 | 2.391 | 2.630 | 2.869 |
| | 15 | .747 | .857 | .983 | 1.229 | 1.474 | 1.720 | 1.966 | 2.211 | 2.457 | 2.703 | 2.948 |
| | 13 | .767 | .880 | 1.009 | 1.262 | 1.514 | 1.766 | 2.019 | 2.271 | 2.523 | 2.776 | 3.028 |
| 1 | 178 | .787 | -903 | 1.036 | 1.295 | 1.554 | 1.813 | 2.072 | 2.331 | 2.590 | 2.849 | 3.108 |
| 3 | 2 | -808 | .927 | 1.063 | 1.328 | 1.594 | 1.859 | 2.125 | 2.391 | 2.656 | 2.922 | 3.188 |
|) | 21 | .828 | -950 | 1.089 | 1.361 | 1.634 | 1.906 | 2.178 | 2.450 | 2.723 | 2.995 | 3.267 |
| | 21 | .848 | .973 | 1.116 | 1.395 | 1.673 | 1.952 | 2.231 | 2.510 | 2.789 | 3.068 | 3.347 |
| | 23 | .868 | .996 | 1.142 | 1.428 | 1.713 | 1.999 | 2.284 | 2.570 | 2.855 | 3.141 | 3.427 |
| | 21 | .888 | 1.019 | 1.169 | 1.461 | 1.753 | 2.045 | 2.338 | 2.630 | 2.922 | 3.214 | 3.506 |
| L | 25 | .908 | 1.042 | 1.195 | 1.494 | 1.793 | 2.092 | 2.391 | 2.689 | 2.988 | 3.287 | 3.586 |

| | V | | Λ | | | | | | 2 | onuc | ls pe | Ē. 5 | VEIGHTS OF OVALS Pounds per Lineal Foot | WEIGH IS OF OVALS Pounds per Lineal Foot | | | | | | V | | | 4 | 1 |
|---|-----------------------|------------------------------|---|---------------------------------|--------------------------------------|--------------------------------------|---------------------------|-------------------|--------------------------|---|-------------------------------|--|---|--|---|---|---|---|--|-------------------------|-------------------------|-------|------------------|-------|
| Width | _ | | | | | | | | | | | Thick | Thickness, Inches | nches | | | | | | | | | | |
| Inches, | w les | r-(=0 | 12 KM | cla H | F (5) | -44 | @(C) | 1.6 | -ics | enjan | -163 63(63 | 16 | 10 01 | P(09) | H(0) | 91 | C: C3 | NO)40 | 103 103 103 103 103 103 103 103 103 103 | -(3) -(3) | C2/C2 | co 4 | no no | e- e0 |
| election meltines | .087 .097 .101. | .109 .117 .126 .135 | .137 .148 .170 | .167 .193 .206 .218 | 198 228 243 257 | 2847 | .338 | 380 | 424 | .470 | | | | | | | | | | | | | | |
| TO DE TO SE TO SE | | .152 | 191 202 213 227 250 250 250 | 257 257 257 258 319 | .272 .387 .317 .348 .348 | .314 .348 .365 .399 .435 | 357 3357 414 492 | 12244 | 608 608 608 608 | 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4 | .729 .729 .729 | .621 .648 .677 .724 | .734 | .792 .857 | .988 | 988 1.056 | | | | | | | | |
| Hariwale Bariwale | | | | .349 | 409 | 9469 5775 574 | 8888 : | | .702 .750 .750 | .719 .822 .873 .977 1.082 | .784 .839 .950 1.062 | .851 .909 .969 .029 1.149 | 918 981 981 365 365 365 | .987 1.054 1.121 1.324 1.461 | 1.058 1.128 1.139 1.413 1.558 | 1.203 1.203 1.278 1.353 1.504 | 1.280 1.358 1.437 1.596 1.756 | 1.358 1.440 1.522 1.688 1.857 | 1.608 1.782 1.958 | 1.697 1.878 2.061 | 1.787 1.975 2.165 | 1.878 | 3 2.275 2.486 | 2.482 |
| 7 | | | V | | | | | _ | /EIG | HT | S OF | - BL | WEIGHTS OF BLUNT OVALS Pounds per Lineal Foot | Foot | ALS | | 1 | | | | | _ | _ | _ |
| | | | | | • | | | Wid | th. | | | Thic | Thickness, Inches | Inche | 80 | | | | | | | | | |
| | | | | | | | | Inches | hes | -4m | 10 Kg | 1 0 m | r-ko les | -4 | a Ka | m) M | | | | | | | | |
| | | | | | | | | who Fr on who are | p m | 125 | 23588789 | 221988 221988 2250 23133333333333333333333333333333333333 | 3252258 322258 3623256 3653256 | 326 3276 376 376 | 376 .423 .716 .469 | | .418 .461 .521 | | | | | | | |

| Thickness, B. | 32,00 | .115 | .149 | .183 | .500 | -217 | .252 | .269 | .287 | | | Thickness, In | 16 32 8 3 | 1,099 1,217 1,337 1,469 1,218 1,337 1,469 1,237 1,469 1,560 1,544 1,700 1,444 1,596 1,397 2,397 |
|--|-------|-------|---|--|------------------|--|---|---|---|------------------|--|---|---|--|
| | | .099 | .128 | .158 | .173 | .188 | | | _ | | | | 325 4 4 329 | 776 .889 .983 .817 .088 1.061 .1008 1.138 .1077 1.216 .1.288 1.452 1.428 1.610 |
| - | | | | | _ | _ | | | | | | | 32 16 32 | 427 -536 -645 -756 -888 -817 - 1766 - |
| and one of the spontage of the | | A 322 | No. 13 No. 12 37 \$ \$ 35 150 170.00 and Induced No. 13 0.099 0.084 0.115 0.150 0.170 0.211 | No. 13 No. 12 3° \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | No. 13 No. 12 3. | No. 13 No. 12 35 5 1 10 10 10 10 10 10 10 10 10 10 10 10 1 | No. 13 No. 12 3.7 1 11 11 12 12 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15 | No. 13 No. 12 3.7 1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1 | No. 13 No. 12 3.7 1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1 | No. 13 No. 12 3. | No. 13 No. 12 33 4 35 10 10 10 10 10 10 10 1 | No. 13 No. 12 3.7 1 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1 | No. 13 No. 12 3.7 1 1.01 mtd Integral 1.0 | 0.14 No. 13 No. 12 3° 4 5 10 10 10 10 10 10 10 10 10 10 10 10 10 |

CARNEGIE STEEL COMPANY

WEIGHTS OF SQUARE BARS Pounds Per Lineal Foot

| Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot |
|--|---|---|--|---|--|--|--------------------------------------|--|----------------------------------|
| 1/8 9 64 5 32 11 64 316 | .0531 .0672 .0830 .1004 .1195 | $\begin{array}{c} \frac{1}{32} \\ \frac{1}{16} \\ \frac{3}{32} \\ \frac{1}{1} \\ \end{array}$ | 3.616 3.838 4.067 4.303 | 235 213 213 227 237 27/8 | 26.300 26.895 27.496 28.103 | 515 558 516 534 | 105.20 107.58 109.98 112.41 | 916 918 914 | 279.2 283.1 287.0 290.9 |
| 13 64 7 32 15 64 14 | .1403 .1627 .1868 .2125 | $1\frac{\frac{5}{3}\frac{3}{2}}{\frac{3}{16}}$ $1\frac{\frac{7}{3}\frac{7}{2}}{\frac{11}{4}}$ | 4.546 4.795 5.050 5.313 | 232 215 231 231 232 | 28.717 29.338 29.966 30.600 | 513 578 516 6 | 114.87 117.35 119.86 122.40 | 916 93/8 916 91/2 | 294.9 298.8 302.8 306.8 |
| 17 64 9 32 19 64 5 | .2399 .2689 .2997 .3320 | 13/2 15/16 11/1 13/2 13/8 | 5.581 5.85 7 6.139 6.428 | 3 1 3 1 6 3 3 2 3 1 8 | 31.241 31.888 32.542 33.203 | 61/8 61/8 61/4 | 124.96 127.55 130.17 132.81 | 9 16 95/8 9116 93/4 | 310.9 315.0 319.1 323.2 |
| 21413334 | .3661 .4018 .4391 .4781 | $\begin{array}{c} 1\frac{13}{32} \\ 1\frac{7}{16} \\ 1\frac{15}{32} \\ 1\frac{1}{2} \end{array}$ | 6.724 7.026 7.335 7.650 | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 33.871 34.545 35.225 35.913 | $\begin{array}{c} 6\frac{5}{16} \\ 6\frac{3}{8} \\ 6\frac{7}{16} \\ 6\frac{1}{2} \end{array}$ | 135.48 138.18 140.90 143.65 | 918 978 915 10 | 327.4 331.6 335.8 340.0 |
| 25 64 13 32 27 64 | .5188 .5611 .6051 | 117 32 9 16 19 32 15/8 | 7.972 8.301 8.636 8.978 | 33/2 31/5 31/5 31/2 33/2 | 36.606 37.307 38.014 38.728 | 616 658 616 634 | 146.43 149.23 152.06 154.91 | 101/8 101/8 103/6 101/4 | 344.3 348.5 352.9 357.2 |
| 16 29 645 28 645 28 64 12 28 64 12 28 14 12 14 14 14 14 14 14 14 14 14 14 14 14 14 | .6981 .7471 .7977 .8500 | 1 21 1 32 1 11 1 16 1 23 1 32 1 3/4 | 9.327 9.682 10.044 10.413 | 313 327 315 315 317 2 | 39.449 40.176 40.910 41.650 | 613 678 615 616 | 157.79 160.70 163.64 166.60 | 10 ⁵ / ₁₆ 10 ³ / ₈ 10 ⁷ / ₁₆ 10 ¹ / ₂ | 361.6 366.0 370.4 374.9 |
| 33 64 17 32 35 64 16 | .9040 .9596 1.0168 1.0758 | 125 332 113 126 37 37 8 | 10.788 11.170 11.558 11.953 | 3 1 1 5 5 8 3 1 1 6 3 3 4 | 43.151 44.678 46.232 47.813 | 7 ¹ / ₁₆ 7 ¹ / ₈ 7 ³ / ₁₆ 7 ¹ / ₄ | 169.59 172.60 175.64 178.71 | 10% 10% 101% 101% | 379.3 383.8 388.4 392.9 |
| 37 64 19 32 39 65 8 | 1.1364 1.1986 1.2625 1.3281 | 1 22 1 32 1 15 1 16 1 31 2 | 12.355 12.763 13.178 13.600 | 318 378 316 4 | 49.420 51.053 52.713 54.400 | $\begin{array}{c} 7\frac{5}{16} \\ 7\frac{3}{8} \\ 7\frac{7}{16} \\ 7\frac{1}{2} \end{array}$ | 181.81 184.93 188.08 191.25 | 1013 1078 1015 1016 | 397.5 402.1 406.7 411.4 |
| 8 44 44 32 43 43 41 16 | 1.3954 1.4643 1.5348 1.6070 | 2 1 2 1 2 1 1 6 2 3 2 1 8 | 14.028 14.463 14.905 15.353 | 416 41/8 436 41/4 | 56.113 57.853 59.620 61.413 | 7.16 7.58 7.16 7.34 | 194.45 197.68 200.93 204.21 | 1116 1118 1126 1114 | 416.1 420.8 425.5 430.3 |
| 16 45 623 327 404 374 | 1.6809 1.7564 1.8336 1.9125 | $\begin{array}{c} 2 & 8 \\ 2 & 3 & 2 \\ 2 & 3 & 1 & 6 \\ 2 & 3 & 1 & 6 \\ 2 & 3 & 2 & 2 \\ 2 & 1 & 4 \end{array}$ | 15.808 16.270 16.738 17.213 | 4 5 6 4 3/8 4 7 1 6 4 1/2 | 63.232 65.078 66.951 68.850 | 713 778 715 715 8 | 207.52 210.85 214.21 217.60 | $\begin{array}{c} 11\frac{5}{16} \\ 11\frac{3}{8} \\ 11\frac{7}{16} \\ 11\frac{1}{2} \end{array}$ | 435.1 439.9 444.8 449.6 |
| 4 45 2 1 4 3 6 1 1 6 1 1 6 1 1 6 1 1 6 1 6 1 1 6 1 6 1 1 6 | 1.9930 2.0752 2.1590 2.2445 | 274 232 256 216 232 238 | 17.694 18.182 18.677 19.178 | 45/8 45/8 41/6 43/4 | 70.776 72.728 74 707 76.713 | 8 1 6 8 1 8 8 3 8 3 8 1 4 | 221.01 224.45 227.92 231.41 | 11 ⁹ / ₁₆ 11 ⁵ / ₈ 11 ¹ / ₁₆ 11 ³ / ₄ | 454.6 459.5 464.4 469.4 |
| 16 5.647 3.547 3.567 8 | 2.3317 2.4205 2.5110 2.6031 | 2 1 3 2 2 1 6 2 1 5 2 1 2 1 2 | 19.686 20.201 20.722 21.250 | 413 478 478 416 5 | 78.745 80.803 82.888 85.000 | 8 ⁵ / ₁₆ 8 ³ / ₈ 8 ⁷ / ₁₆ 8 ¹ / ₂ | 234.93 238.48 242.05 245.65 | 1113 1178 1115 1116 | 474.4 479.5 484.5 |
| 8 7 49 29 45 6 5 62 3 5 6 1 1 6 | 2.6969 2.7924 2.8895 2.9883 | 2 17 2 32 2 9 16 2 19 2 5 8 | 21.785 22.326 22.874 23.428 | 516 518 516 514 | 87.138 89.303 91.495 93.713 | 8 1 1 8 1 6 8 3 4 | 249.28 252.93 256.61 260.31 | | |
| 16 614 333 634 | 3.0887 3.1908 3.2946 3.4000 | 2 %8 2 2 1 2 3 2 2 1 1 6 2 2 3 2 2 3 4 | 23.989 24.557 25.131 25.713 | 5 1 6 5 3 8 5 7 6 5 1 2 | 95.957 98.228 100.526 102.850 | 813 878 878 815 9 | 264.04 267.80 271.59 275.40 | | |

WEIGHTS OF BARS

WEIGHTS OF ROUND BARS Pounds Per Lineal Foot

| Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot | Size, Inches | Pounds per Foot |
|---|---|---|--|---|--------------------------------------|--|--------------------------------------|--|----------------------------------|
| 1/8 64 5 32 16 64 316 | .0417 .0528 .0652 .0789 .0939 | 137 116 132 178 | 2.8399 3.0146 3.1945 3.3797 | 235 2133 2127 237 2778 | 20.656 21.123 21.595 22.072 | 516 558 516 534 | 82.62 84.49 86.38 88.29 | 9 ¹ / ₁₆ 9 ¹ / ₈ 9 ³ / ₁₆ 9 ¹ / ₄ | 219.3 222.4 225.4 228.5 |
| 13 64 7 32 15 64 14 | .1102 .1278 .1467 .1669 | $\begin{array}{c} \frac{5}{32} \\ \frac{3}{16} \\ \frac{7}{32} \\ \frac{1}{4} \end{array}$ | 3.5700 3.7656 3.9664 4.1724 | 232 215 231 231 332 3 | 22.555 23.042 23.535 24.033 | 513 578 515 6 | 90.22 92.17 94.14 96.13 | $9\frac{5}{16}$ $9\frac{3}{8}$ $9\frac{7}{16}$ $9\frac{1}{2}$ | 231.6 234.7 237.8 241.0 |
| 17 64 9 32 10 64 5 | .1884 .2112 .2354 .2608 | $ \begin{array}{c} 1\frac{9}{32} \\ 15 \\ 16 \\ 1\frac{1}{32} \\ 1\frac{3}{2} \end{array} $ | 4.3836 4.6001 4.8218 5.0486 | 316 316 332 318 | 24.537 25.045 25.559 26.078 | 616 618 616 614 | 98.15 100.18 102.24 104.31 | 9 16 9 5/8 9 116 9 3/4 | 244.2 247.4 250.6 253.9 |
| 2461/2346/30 30 30 30 30 30 30 30 30 30 30 30 30 3 | .2875 .3155 .3449 .3755 | $1\frac{13}{32}$ $1\frac{7}{16}$ $1\frac{15}{32}$ $1\frac{1}{2}$ | 5.2807 5.5180 5.7606 6.0083 | 352 316 372 314 | 26.602 27.131 27.666 28.206 | 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 6 1 | 106.41 108.53 110.66 112.82 | 9 ¹³ / ₁₆ 9 ⁷ / ₈ 9 ¹⁵ / ₁₆ | 257.1 260.4 263.7 267.0 |
| 25 64 13 32 27 64 7 | .4075 .4407 .4753 .5111 | 132 16 16 132 158 | 6.2612 6.5194 6.7828 7.0514 | 3 3 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 28.751 29.301 29.856 30.417 | 6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 % 6 % | 115.00 117.20 119.43 121.67 | 10 1/6 10 1/8 10 1/6 10 1/4 | 270.4 273.8 277.1 280.6 |
| 29 655 3364 2 | .5483 .5867 .6265 .6676 | 121 116 123 132 134 | 7.3252 7.6043 7.8885 8.1780 | 332 316 315 312 31/2 | 30.983 31.554 32.130 32.712 | 613 67/8 615 7 | 123.93 126.22 128.52 130.85 | $\begin{array}{c} 10\frac{5}{16} \\ 10\frac{3}{8} \\ 10\frac{7}{16} \\ 10\frac{1}{2} \end{array}$ | 284.0 287.4 290.9 294.4 |
| 33/47/23/5/4 9/16 | .7100 .7536 .7986 .8449 | 2001-00-10-10-10-10-10-10-10-10-10-10-10- | 8.4726 8.7725 9.0776 9.3880 | 316 35/8 314 33/4 | 33.891 35.090 36.311 37.552 | 7 ¹ / ₁₆ 7 ¹ / ₈ 7 ³ / ₁₆ 7 ¹ / ₄ | 133.19 135.56 137.95 140.36 | 10 16 10 5/8 10 11 10 3/4 | 297.9 301.5 305.0 308.6 |
| 37 649 339 365 8 | .8925 .9414 .9916 1.0431 | 129/23/23 11/6/13/2 13/3/2 2 | 9.7035 10.0243 10.3502 10.6814 | 316 378 316 4 | 38.814 40.097 41.401 42.726 | 7 5 7 8 7 7 6 7 1/2 | 142.79 145.24 147.71 150.21 | 1018 1078 1015 1015 | 312.2 315.8 319.5 323.1 |
| 462433446 116 | 1.0959 1.1500 1.2054 1.2622 | 2 1 2 1 6 2 3 2 1 8 2 1 8 | 11.0178 11.3595 11.7063 12.0583 | 416 418 416 414 | 44.071 45.438 46.825 48.233 | 716 758 716 734 | 152.72 155.26 157.81 160.39 | 11 16 11 1/8 11 1/8 11 1/4 | 326.8 330.5 334.2 337.9 |
| 4600/0 4/000/ 5/40/0 7/4/4 | 1.3202 1.3795 1.4401 1.5021 | 2 \frac{5}{32} \\ 2 \frac{3}{16} \\ 2 \frac{7}{32} \\ 2 \frac{1}{4} | 12.4156 12.7781 13.1458 13.5187 | 4 1 6 4 1 2 | 49.662 51.112 52.583 54.075 | 7 ¹³ / ₁₆ 7 ⁷ / ₈ 7 ¹⁵ / ₁₆ 8 | 162.99 165.60 168.24 170.90 | 11 5 11 3/8 11 7 16 11 1/2 | 341.7 345.5 349.3 353.1 |
| 49 625 521 643 6 | 1.5653 1.6299 1.6957 1.7629 | 2 3 2 2 5 2 1 6 2 3 2 2 3 8 | 13.8968 14.2802 14.6687 15.0625 | 45/8 45/8 411 43/4 | 55.587 57.121 58.675 60.250 | 8 16 8 18 8 16 8 14 | 173.58 176.29 179.01 181.75 | 115/8 115/8 111/6/1 | 357.0 360.9 364.8 368.7 |
| 3 41 21 21 4 8 | 1.8313 1.9011 1.9721 2.0445 | 2 ¹³ / _{3²} 2 ⁷ / ₁₆ 2 ¹⁵ / ₂ 2 ¹ / ₂ | 15.4615 15.8657 16.2751 16.6898 | 41.5 47.8 41.5 5 | 61.846 63.463 65.100 66.759 | 8 ⁵ / ₁₆ 8 ³ / ₈ 8 ⁷ / ₁₆ 8 ¹ / ₂ | 184.52 187.30 190.11 192.93 | 1175 1178 1178 116 | 372.6 376.6 380.5 |
| 7 45520 0 4556 06220 5 671 | 2.1182 2.1931 2.2694 2.3470 | 2 ¹⁷ / ₃₂ 2 ⁹ / ₁₆ 2 ¹⁹ / ₃₂ 2 ⁵ / ₈ | 17.1096 17.5346 17.9650 18.4004 | 518 518 514 | 68.438 70.139 71.860 73.602 | 816 85/8 811 816 83/4 | 195.78 198.65 201.54 204.45 | | •••• |
| 66412366 | 2.4259 2.5061 2.5876 2.6704 | 231 216 233 233 233 234 | 18.841¢ 19.2870 19.7382 20.1946 | $ \begin{array}{c} 5_{16}^{5} \\ 5_{38}^{3} \\ 5_{16}^{7} \\ 5_{12}^{7} \end{array} $ | 75.364 77.148 78.953 80.778 | 813 87/8 87/8 815 9 | 207.38 210.33 213.31 216.30 | •••• | |

WEIGHTS OF HEXAGON BARS Pounds Per Lineal Foot

| Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot |
|--|---|--|--|----------------------------------|--------------------------------------|---|--------------------------------------|--|--------------------------------------|
| 1/8 5 32 3 16 7 32 1/4 | .0460 .0719 .1035 .1409 | 203 1 1 200 T 00 100 T 00 T 0 | 1.7972 1.9438 2.0962 | 1332 176 1352 1172 | 5.823 6.085 6.352 6.625 | $\begin{array}{c} 2\frac{1}{16} \\ 2\frac{1}{8} \\ 2\frac{3}{16} \\ 2\frac{1}{4} \end{array}$ | 12.525 13.296 14.089 14.907 | 3.5 3.8 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 | 32.309 33.540 34.793 36.070 |
| 1/4 82 86 16 11-1 32 3/8 | .1840 .2329 .2875 .3479 .4141 | 29/23/25/23/23/23/23/23/23/23/23/23/23/23/23/23/ | 2.2544 2.4183 2.5879 2.7633 2.9445 | 172 1732 166 132 158 | 6.904 7.189 7.479 7.775 | 2 5 6 2 7 8 2 7 2 1/2 | 15.746 16.609 17.494 18.403 | 316 35/8 316 33/4 | 37.370 38.692 40.038 41.407 |
| 133 32 7 16 15 32 1/2 | .4860 .5636 .6470 .7361 | 1 1/3 2 1 1/6 1 3/3 2 1 1/8 | 3.131 3.324 3.522 3.727 | 121 111 123 123 134 | 8.077 8.385 8.699 9.018 | 25/8 25/8 21/6 23/4 | 19.335 20.289 21.267 22.268 | 318 37/8 316 4 | 42.799 44.213 45.651 47.112 |
| 17 32 16 19 32 5/8 | .8310 .9316 1.0380 1.1502 | $ \begin{array}{c} 1\frac{5}{32} \\ 1\frac{3}{16} \\ 1\frac{7}{32} \\ 1\frac{1}{4} \end{array} $ | 3.937 4.152 4.374 4.601 | 135 116 127 132 17/8 | 9.343 9.673 10.009 10.352 | 213 27/8 215 216 3 | 23.291 24.338 25.408 26.500 | | |
| 2000000 | 1.2681 1.3917 1.5211 1.6563 | 1 9 32 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 4.834 5.072 5.317 5.567 | 1335 115 131 131 2 | 10.699 11.053 11.413 11.778 | 318 318 338 316 314 | 27.616 28.755 29.916 31.101 | | 1 1 -1 -1 |

Size of Hexagon Bars is the distance between opposite faces or the diameter of inscribed circle.

WEIGHTS OF OCTAGON BARS

Pounds Per Lineal Foot

| Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot | Size, Inches | Pounds, per Foot |
|--------------------------------------|--------------------------------------|------------------------|--------------------------------------|--|----------------------------------|--|----------------------------------|---------------------------------|--------------------------------------|
| 1/4 | 0.1760 | | | | | | | | |
| 9 32 5 16 11 32 38 | 0.2228 0.2751 0.3328 0.3961 | 1/21-16 m/m / 4 | 1.2130 1.3313 1.4551 1.5844 | $ \begin{array}{c} 1_{\frac{1}{32}} \\ 1_{\frac{1}{16}} \\ 1_{\frac{3}{32}} \\ 1_{\frac{1}{8}} \end{array} $ | 2.995 3.180 3.370 3.565 | $ \begin{array}{c} 1\frac{13}{32} \\ 1\frac{7}{16} \\ 1\frac{16}{32} \\ 1\frac{1}{2} \end{array} $ | 5.570 5.820 6.076 6.337 | 125 116 127 127 178 | 8.937 9.253 9.575 9.902 |
| 13 32 16 15 32 1/2 | 0.4649 0.5391 0.6189 0.7042 | 25/23/67/2 11/237/8 | 1.7191 1.8594 2.0052 2.1565 | $ \begin{array}{c} 1\frac{5}{32} \\ 1\frac{3}{16} \\ 1\frac{7}{32} \\ 1\frac{1}{4} \end{array} $ | 3.766 3.972 4.184 4.401 | 137 19 16 132 15/8 | 6.604 6.877 7.154 7.438 | 1332 1156 1332 2 | 10.235 10.573 10.917 11.267 |
| 17 32 16 19 35/8 | 0.7949 0.8912 0.9330 1.1003 | 29/3/2/15/5/15/6/3/3/2 | 2.3133 2.4756 2.6434 2.8167 | $ \begin{array}{c} 1\frac{9}{32} \\ 1\frac{6}{16} \\ 1\frac{11}{32} \\ 1\frac{3}{8} \end{array} $ | 4.624 4.852 5.086 5.325 | 121 116 123 132 134 | 7.727 8.021 8.321 8.626 | | |

Size of Octagon Bars is the distance between opposite faces or the diameter of inscribed eircle.

BIRMINGHAM WIRE GAGE (B. W. G.)

EQUIVALENTS IN INCHES AND MILLIMETERS CORRESPONDING WEIGHTS OF FLAT ROLLED STEEL

| <i>a</i> | | Thickness | | We | ight |
|----------------|-------------------|-------------------------|--------------|---------------------------|------------------------------|
| Gage Number | Decimal Inches | Fractional Inches | Millimeters | Pounds per Square Foot | Kilograms pe Square Meter |
| 0000 | .454 | 29/84 | 11.532 | 18.523 | 90.438 |
| 000 | .425 | 27/64 | 10.795 | 17.340 | 84.661 |
| 000 | .380 | 49/128 | 9.652 | 15.504 | 75.697 |
| 0 | .340 | 11/82 | 8.636 | 13.872 | 67.729 |
| 1 | .300 | 19/64 | 7.620 | 12.240 | 59.761 |
| 2 | .284 | 9/32 | 7.214 | 11.587 | 56.573 |
| $\frac{2}{3}$ | .259 | 9/32 83/128 | 6.579 | 10.567 | 51.593 |
| 4 | .238 | 15/64 | 6.045 | 9.710 | 47.410 |
| 5 6 7 | .220 | 7/82 | 5.588 | 8.976 | 43.825 |
| 6 | .203 | 18/64 | 5.156 | 8.282 | 40.438 |
| 7 | .180 | 23/128 | 4.572 | 7.344 | 35.856 |
| 8 | .165 | 21/128 | 4.191 | 6.731 | 32.868 |
| 9 | .148 | 19/128 | 3.759 | 6.038 | 29.482 |
| 10 | .134 | 17/128 | 3.404 | 5.467 | 26.693 |
| 11 | .120 | 15/128 | 3.048 | 4.896 | 23.904 |
| 12 | .109 | 7/64 | 2.769 | 4.447 | 21.713 |
| 13 | .095 | 3/32 | 2.413 | 3.876 | 18.924 |
| 14 | .083 | 21/256 87/512 | 2.108 | 3.386 | 16.534 |
| 15 16 | .072 | 87/512 | 1.829 | 2.938 | 14.343 |
| 16 | .065 | 88/512 | 1.651 | 2.652 | 12.948 |
| 17 | .058 | 15/256 25/512 | 1.473 | 2.366 | 11.554 |
| 18 | .049 | 25/512 | 1.245 | 1.999 | 9.761 |
| 19 | .042 | 11/256 | 1.067 | 1.714 | $8.366 \\ 6.972$ |
| 20 | .035 | 9/256 | .889 | 1.428 | 0.972 |
| 21 | .032 | 1/82 7/256 18/512 | .813 | 1.306 | 6.374 5.578 |
| 22 | .028 | 7/256 | .711 .635 | 1.142 | 4.980 |
| 23 | .025 | 18/512 | .559 | 1.020 0.898 | 4.382 |
| 24 | .022 | 11/512 | | | |
| 25 | .020 | 5/256 | .508 | 0.816 | 3.984 |
| 26 | .018 | 9512 | .457 | 0.734 | 3.586 |
| 27 | .016 | 1/64 | .406 | 0.653 | 3.187 |
| 28 | .014 | 7512 | .356 | 0.571 | 2.789 |
| 29 | .013 | 18/1024 | .330 | 0.530 | 2.590 |
| 30 | .012 | 8/256 | .305 | 0.490 | 2.390 1.992 |
| 31 | .010 | 5/512 | .254 | 0.408 | 1.793 |
| 32 | .009 | 9/1024 | .229 | 0.367 | |
| 33 | .008 | 1/128 | .203 | 0.326 | 1.594 |
| 34 | .007 | 71024 | .178 | $0.286 \\ 0.204$ | 1.394 0.996 |
| 35 | .005 | 51024 | .127 .102 | 0.204 | 0.996 |
| 36 | .004 | 1/256 | .102 | 0.100 | 0.191 |

Unless otherwise specified, all orders for flat rolled steel in gages will be executed by Carnegie Steel Company to Birmingham Wire Gage.

UNITED STATES STANDARD GAGE FOR

SHEET AND PLATE IRON AND STEEL

| C | 1 | Approximate Thi | kness | Weight_per | Weight per | Weight per |
|---|---|---|---|----------------------------|---|---|
| Gage Number | Fractional Inches | Decimal Inches | Millimeters | Square Foot Ounces, Av. | Square Foot Pounds, Av. | Sq. Meter, Kilograms |
| 0000000 000000 00000 | 1/ ₂ 15/ ₃₂ 7/16 | .5 .46875 .4375 | 12.7 11.90625 11.1125 | 320 300 280 | $20.00 \\ 18.75 \\ 17.50$ | $\begin{array}{c} 97.65 \\ 91.55 \\ 85.44 \end{array}$ |
| 0000 000 00 | 13/32 3/8 11/32 5/16 | .40625 .375 .34375 .3125 | $\begin{array}{c} 10.31875 \\ 9.525 \\ 8.73125 \\ 7.9375 \end{array}$ | 260 240 220 200 | 16.25 15.00 13.75 12.50 | 79.33 73.24 67.13 61.03 |
| $\begin{array}{c}1\\2\\3\\4\end{array}$ | 9/82 17/64 1/4 15/84 | .28125 .265625 .25 .234375 | 7.14375 6.746875 6.35 5.953125 | 180 170 160 150 | 11.25 10.625 10.00 9.375 | 54.93 51.88 48.82 45.77 |
| 5 6 7 8 | 7/82 13/64 3/16 11/64 | .21875 .203125 .1875 .171875 | 5.55625 5.159375 4.7625 4.365625 | 140 130 120 110 | 8.75 8.125 7.5 6.875 | $\begin{array}{r} 42.72 \\ 39.67 \\ 36.62 \\ 33.57 \end{array}$ |
| 9 10 11 12 | 5/82 9/64 1/8 7/64 | $\begin{array}{c} .15625 \\ .140625 \\ .125 \\ .109375 \end{array}$ | 3.96875 3.571875 3.175 2.778125 | 100 90 80 70 | $\begin{array}{c} 6.25 \\ 5.625 \\ 5.00 \\ 4.375 \end{array}$ | 30.52 27.46 24.41 21.36 |
| 13 14 15 16 | 3/32 5/64 9/128 1/16 | .09375 .078125 .0703125 .0625 | 2.38125 1.984375 1.7859375 1.5875 | 60 50 45 40 | 3.75 3.125 2.8125 2.50 | $18.31 \\ 15.26 \\ 13.73 \\ 12.21$ |
| 17 18 19 20 | 9/160 1/20 7/160 3/80 | .05625 .05 .04375 .0375 | 1.42875 1.27 1.11125 .95 2 5 | 36 32 28 24 | 2.25 2.00 1.75 1.50 | 10.99 9.765 8.544 7.324 |
| 21 22 23 24 | 11/ ₃₂₀ 1/ ₈₂ 9/ ₈₂₀ 1/ ₄₀ | .034375 .03125 .028125 .025 | .873125 .793750 .714375 .635 | 22 20 18 16 | 1.375 1.25 1.125 1.00 | 6.713 6.103 5.493 4.882 |
| 25 26 27 28 | 7/320 8/160 11/640 1/64 | .021875 .01875 .0171875 .015625 | .555625 .47625 .4365625 .396875 | 14 12 11 10 | .875 .75 .6875 .625 | $\begin{array}{r} 4.272 \\ 3.662 \\ 3.357 \\ 3.052 \end{array}$ |
| 29 30 31 32 | 9/640 1/80 7/640 13/1280 | .0140625 .0125 .0109375 .01015625 | $\begin{array}{c} .3571875 \\ .3175 \\ .2778125 \\ .25796875 \end{array}$ | 9 8 7 6½ | .5625 .50 .4375 .40625 | 2.746 2.441 2.136 1.983 |
| 33 34 35 36 | 3/320 11/ ₁₂₈₀ 5/ ₆₄₀ 9/ ₁₂₈₀ | .009375 .00859375 .0078125 .00703125 | .238125 .21828125 .1984375 .17859375 | 6 5½ 5 4½ | .375 .34375 .3125 .28125 | 1.831 1.678 1.526 1.373 |
| 37 38 | 17/2560 1/160 | .006640625 .00625 | .168671875 .15875 | 4 1/4 | .265625 .25 | 1.297 1.221 |

The United States Standard Gage is a weight gage based upon the weights per square foot, in ounces avoirdupois and approximate thicknesses based upon 480 pounds per cubic foot.


In the practical use and application of the United States Standard Gage, a weight variation of 2½ per cent either way may be allowed.


Unless otherwise specified, all orders for flat rolled steel in gages will be executed by Carnegie Steel Company to Birmingham Wire Gage.


DECIMAL TABLE

DECIMAL OF AN INCH AND OF A FOOT

| | Fractions of ch or Foot | Inch Equiva- lents to Foot Fractions | In | Fractions of ch or Foot | Inch Equiva- lents to Foot Fractions | In | Fractions of ch or Foot | Inch Equiva- lents to Foot Fractions | I | Fractions of ach or Foot | Inch Equiva- lents to Foot Fractions |
|------|-------------------------------|--|-------|-------------------------------|--|-------|-------------------------------|--|-------|--------------------------------|--|
| | .0052 .0104 | 1/16 1/8 | | .2552 .2604 | 31/16 31/8 | | .5052 .5104 | 6½16 6½ | | .7552 .7604 | 9½ 9½ 9½ |
| 1/64 | .015625 .0208 .0260 | 3/16 1/4 5/16 | 17/6 | .265625 $.2708$ $.2760$ | $\frac{33/16}{31/4}$ $\frac{35/16}{35/16}$ | 38/64 | .515625 .5208 .5260 | $6\frac{6}{6}\frac{1}{4}$ $6\frac{5}{16}$ | 49/64 | .765625 .7708 .7760 | 98/16 91/4 95/16 |
| 1/32 | .03125 .0365 .0417 | 3/8 7/16 1/2 | 9/82 | .28125 .2865 .2917 | 3% 3% 3½ | 17/82 | .53125 .5365 .5417 | $6\frac{3}{8}$ $6\frac{7}{16}$ $6\frac{1}{2}$ | 25/32 | .78125 .7865 .7917 | 93/8 97/16 91/2 |
| 3/64 | .046875 .0521 .0573 | 9/16 5/8 11/16 | 19/64 | .296875 .3021 .3073 | 3% 35% 311/16 | 85/64 | .546875 .5521 .5573 | 6% 65% 611/16 | 51/64 | .796875 .8021 .8073 | 9% 9% 911/16 |
| 1/16 | .0625 .0677 .0729 | 8/4 18/16 7/8 | 5/16 | .3125 .3177 .3229 | $\frac{3\%}{3^{18}16}$ | 9/16 | .5625 .5677 .5729 | 6¾ 6 ¹³ / ₁₆ 6 ⁷ / ₈ | 18/16 | .8125 .8177 .8229 | 93/4 918/16 97/8 |
| 5/84 | .078125 .0833 .0885 | 15/16 1 11/16 | 21/64 | .328125 .3333 .3385 | $\frac{3^{15}/16}{4}$ $\frac{4^{1}/16}{4}$ | 87/64 | .578125 .5833 .5885 | 615/16 7 71/16 | 58/64 | .828125 .8333 .8385 | 9 ¹⁵ / ₁₆ 10 10 ¹ / ₁₆ |
| 3/82 | .09375 .0990 .1042 | $\frac{1\frac{1}{8}}{1\frac{8}{16}}$ | 11/82 | .34375 .3490 .3542 | $\frac{4\frac{1}{8}}{4\frac{8}{16}}$ | 19/82 | .59375 .5990 .6042 | 71/8 78/16 71/4 | 27/82 | .84375 .8490 .8542 | 101/8 108/16 101/4 |
| 7/64 | .109375 .1146 .1198 | $1\frac{5}{16}$ $1\frac{3}{8}$ $1\frac{7}{16}$ | 28/64 | .359375 $.3646$ $.3698$ | $4\frac{5}{16}$ $4\frac{8}{8}$ $4\frac{7}{16}$ | 89/64 | $.609375 \\ .6146 \\ .6198$ | 75/16 78/8 77/16 | 55/64 | .859375 .8646 .8598 | 105/16 103/8 107/16 |
| 1/8 | .1250 .1302 .1354 | $\frac{1\frac{1}{2}}{1\frac{9}{16}}$ $\frac{1\frac{5}{8}}{1\frac{5}{8}}$ | % | .3750 $.3802$ $.3854$ | $4\frac{1}{2}$ $4\frac{9}{16}$ $4\frac{5}{8}$ | 5/8 | .6250 $.6302$ $.6354$ | $7\frac{1}{2}$ $7\frac{9}{16}$ $7\frac{5}{8}$ | 7/8 | .8750 .8802 .8854 | 10½ 10½ 10½ 105% |
| %4 | .140625 .1458 .1510 | $1^{11/16}$ $1^{3/4}$ $1^{13/16}$ | 25/84 | .390625 .3958 .4010 | 411/16 $43/4$ $413/16$ | 41/64 | .640625 .6458 .6510 | $71\frac{1}{16}$ $7\frac{3}{4}$ $71\frac{3}{16}$ | 57/64 | .890625 .8958 .9010 | $10^{11/16} \\ 10^{3/4} \\ 10^{18/16}$ |
| 5/32 | .15625 $.1615$ $.1667$ | $\frac{17/8}{1^{15}/16}$ | 18/32 | .40625 .4115 .4167 | $\frac{4\%}{4^{15}/18}$ | 21/32 | .65625 .6615 .6667 | 77/8 715/16 8 | 29/82 | .90625 .9115 .9167 | $10\frac{7}{8}$ $10\frac{15}{16}$ |
| 1/64 | .171875 .1771 .1823 | 2½6 2½8 2½8 | 27/64 | .421875 .4271 .4323 | 51/16 51/8 58/16 | 48/64 | .671875 .6771 .6823 | 8½6 8½ 8¾8 | 59/64 | .921875 .9271 .9323 | 111/16 111/8 118/16 |
| 316 | .1875 .1927 .1979 | 21/4 25/16 23/8 | 7/16 | .4375 .4427 .4479 | 51/4 55/16 53/8 | 11/16 | .6875 .6927 .6979 | 81/4 85/16 88/8 | 15/16 | .9375 .9427 .9479 | $11\frac{1}{4}$ $11\frac{5}{16}$ $11\frac{3}{8}$ |
| 3/64 | 203125 .2083 .2135 | 2½ 2½ 2½ 2% | 29/64 | .453125 .4583 .4635 | 57/16 51/2 59/16 | 45/64 | .703125 .7083 .7135 | 87/16 81/2 89/16 | 61/64 | .953125 .9583 .9635 | 117/16 111/2 119/16 |
| 82 | .21875 .2240 .2292 | 25/8 211/16 23/4 | 15/82 | .46875 .4740 .4792 | 55/8 511/16 58/4 | | .71875 .7240 .7292 | | 81/82 | .96875 .9740 .9792 | 115% 1111/16 1134 |
| 564 | .234375 .2396 .2448 | $2^{18/16}$ $2^{7/8}$ $2^{15/16}$ | | .484375 .4896 .4948 | 518/16 57/8 515/16 | | .734375 .7396 .7448 | | 63/64 | .984375 .9896 .9948 | 11 ¹³ / ₁₆ 11 ⁷ / ₈ 11 ¹⁵ / ₁₆ |
| 1/4 | .2500 | 3 | 1/2 | .5000 | 6 | | .7500 | 9 | 1 | 1.0000 | 12 |







SECTION NUMBER INDEX BEAMS, H-BEAMS AND CHANNELS

| Section Number | Page Number |
|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|
| СВ | | В | | C | | C | | C | |
| 61 | 28 | 1 | 32 | 1 | 41 | 506 | 55 | 605 | 56 |
| 82 | 27 | 2 | 33 | 2 | 41 | 508 | 54 | 606 | 56 |
| | | 3 | 33 | 3 | 41 | | | 607 | 56 |
| 83 | 27 | 4 | 34 | 4 | 42 | 510 | 54 | 608 | 56 |
| 92 | 26 | 5 | 35 | 5 | 42 | 511 | 54 | 609 | 56 |
| 93 | 26 | 6 | 35 | 6 | 42 | 513 | 54 | 000 | 00 |
| 101 | 25 | 7 | 35 | 7 | 43 | 516 | 54 | 614 | 51 |
| 102 | 24 | 8 | 36 | 8 | 43 | 518 | 54 | 614 | 167 |
| 103A | 24 | 9 | 36 | 9 | 43 | 519 | 54 | 620 | 51 |
| 104 | 23 | J | . 50 | 9 | 49 | 010 | 01 | 622 | 50 |
| 105 | 23 | 10 | 36 | 10 | 43 | 520 | 53 | 624 | 54 |
| | 1 | 11 | 37 | 10 | 43 | 522 | 53 | 024 | 04 |
| 121 | 22 | 12 | 37 | 00 | 40 | 523 | 53 | 001 | F 4 |
| 122 | 22 | | | 20 | 40 | 525 | 53 | 631 | 51 |
| 123 | 21 | 13 | 37 | 21 | 44 | 527 | 52 | 631 | 170 |
| 123B | 21 | 14 | 38 | 26 | 44 | 528 | 53 | 632 | 55 |
| 124B | 20 | 15 | 38 | 27 | 45 | 529 | 53 | 633 | 50 |
| 124C | 20 | 16 | 38 | 28 | 45 | 323 | 99 | 634 | 53 |
| 125 | 19 | 17 | 38 | | | 531 | 52 | | |
| 126 | 18 | 18 | 32 | 31 | 45 | 534 | 52 | 640 | 50 |
| 127 | 18 | 19 | 34 | 32 | 46 | 535 | 52 | | |
| 141 | 17 | | | 36 | 46 | 538 | 52 | | |
| 142 | 17 | 39 | 29 | 37 | 46 | | | | |
| 143 | 17 | 40 | 29 | | | 539 | 52 | 1000 | 57 |
| 144 | 16 | | | 41 | 47 | 541 | 57 | | |
| 145 | 16 | 112 | 39 | 42 | 47 | 542 | 57 | 1100 | 57 |
| 146 | 14, 15 | | | 46 | 47 | 543 | 57 | | |
| | | 580 | 203 | 47 | 48 | 949 | 31 | 1125 | 57 |
| 161 | 13 | | | 48 | 48 | 568 | 55 | | |
| 162 | 13 | 590 | 203 | | | 569 | 55 | 1250 | 57 |
| 163 | 13 | | | 60 | 40 | 303 | 00 | | |
| 164 | 12 | | | | | 570 | 55 | 1500 | 57 |
| 165 | 12 | | | 109 | 48 | 571 | 55 | | |
| 181 | 11 | | | 480 | 40 | 574 | 54 | | |
| 182 | 11 | | | 170 | 40 | 577 | 52 | | |
| 183 | 10 | | | 171 | 44 | | 02 | | |
| 211 | 9 | 1 | | 192 | 49 | 583 | 53 | | |
| 212 | 9 | | | 1:72 | 49 | 584 | 55 | | |
| 213 | 8 | | | 200 | 49 | 585 | 53 | 1 | |
| | | | | 200 | 10 | 587 | 57 | | |
| 241 | 7 | | | 210 | 101 | 588 | 55 | | |
| 242 | 7 | | | 211 | 49 | 589 | 54 | | |
| 243 | 6 | | | | | 300 | | | |
| 244 | 6 | | | 221 | 49 | 595 | 51 | (| |
| 271 | 5 | | | 221 | 50 | 597 | 51 | | |
| 272 | 5 | H | | | | 598 | 51 | | |
| 301 | 4 | ** | | 301 | 101 | 599 | 57 | | |
| 302 | 4 | | | 302 | 101 | | | | |
| | | 1 | 31 | | | 600 | 56 | | |
| 331 | 3 | 2 | 31 | 500 | 55 | 601 | 56 | | |
| 332 | 3 | 3 | 31 | 501 | 55 | 602 | 56 | | |
| 361 | 2 | 3A | 31 | 502 | 55 | 603 | 56 | | |
| 362 | 2 | 4 | 30 | 503 | 55 | 604 | 56 | | |

SECTION NUMBER INDEX—Continued ANGLES AND BULB ANGLES

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number |
|-------------------|----------------|-------------------|-----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|
| A | | Λ | | Λ | | | | BA | |
| | | 263 | 69 | 550 | 72 | | | 122 | 79 |
| 1 | 58 | 200 | 03 | 551 | 73 | | | 123 | 79 |
| 2 | 58 | 270 | 70 | 552 | 72 | | | 124 | 79 |
| 3 | 58 | 270 | 70 | 553 | 75 | | | 125 | 79 |
| 4 | 59 | 276 | $\frac{71}{72}$ | 554 | 72 | | | | |
| 5 | 59 | 278 | 12 | 555 | 75 | | | 303 | 78 |
| 7 | 59 | | | 556 | 72 | | | 305 | 78 |
| 8 | 60 | 330 | 66 | 556 | 136 | | | 306 | 78 |
| 9 | 60 | | | 000 | 100 | | | 307 | 78 |
| | | 345 | 210 | 613 | 70 | | | 308 | 77 |
| 10 | 60 | 346 | 74 | 019 | 10 | | | 309 | 77 |
| 11 | 61 | | | | | | | 303 | |
| 12 | 61 | 388 | 63 | 621 | 71 | | | 0.4.0 | en en |
| 13 | 61 | 900 | 00 | 624 | 72 | | | 310 | 77 |
| 15 | 61 | 000 | 00 | 627 | 73 | | | 311 | 76 |
| 16 | 62 | 392 | 63 | | | | | 312 | 76 |
| 17 | 62 | 396 | 63 | 633 | 72 | | | 313 | 76 |
| 18 | 64 | | | | | | | | |
| 19 | 65 | 400 | 63 | 645 | 71 | | | | |
| | | 409 | 63 | 040 | 11 | | | | |
| | | | | | =0 | | | | |
| 20 | 65 | 412 | 63 | 661 | 72 | | | | |
| 21 | 66 | 414 | 63 | | | | | | |
| 22 | 66 | 111 | 00 | 710 | 74 | | | | |
| 23 | 67 | 400 | 70 | | | | | 4 | |
| 24 | 67 | 430 | 73 | 720 | 75 | | | | |
| 25 | 67 | | | 120 | | | | | |
| 26 | 67 | 508 | 61 | 700 | 77 | | | 1 | |
| 27 | 68 | | | 730 | 75 | | | | |
| 28 | 68 | 513 | 62 | | | | | | |
| 29 | 69 | 515 | 62 | 740 | 75 | | | | |
| 32 | 69 | 528 | 73 | 910 | 75 | | | | |
| 33 | 69 | 528 | 120 | | | | | | |
| 35 | 70 | | | 950 | 73 | | | | |
| 37 | 71 | 538 | 71 | | | | | | |
| 39 | 71 | 539 | 73 | 955 | 73 | | | | |
| | | 999 | 10 | 955 | 127 | | | | |
| 40 | 70 | | | 900 | 144 | | | | |
| 40 | 72 | 540 | 71 | 0.50 | 50 | | | | |
| 42 | 73 | 541 | 72 | 956 | 73 | | | | |
| 48 | 70 | 542 | 73 | 956 | 132 | | | | |
| 49 | 70 | 543 | 73 | 000 | PECS | | | | |
| | | 544 | 62 | 960 | 73 | | | | |
| 53 | 64 | 544 | 127 | | | | | | |
| 55 | 68 | 545 | 71 | | | | | | |
| 56 | 68 | 546 | 69 | | | | | | |
| 58 | 69 | 547 549 | 75 75 | | | | | | |
| | | 040 | , | | | | | | |
| 81 | 62 | | | , | | J. | | | |

SECTION NUMBER INDEX—Continued TEES AND ZEES

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Numbe |
|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|---------------|
| Т | | Т | | Т | | | | Z | |
| 1 | 80 | 167 | 90 | 546 | 87 | | | 1 | 94 |
| 2 | 80 | 168 | 90 | 547 | 88 | | | 2 | 94 |
| 8 | 80 | 100 | 30 | 547 | 170 | | | 3 | 94 |
| 9 | 80 | 500 | 82 | 548 | 86 | | | 4 | 94 |
| •/ | 00 | 501 | 83 | 549 | 81 | | | 5 | 94 |
| 10 | 81 | 502 | 84 | 0.10 | 0.1 | | | 6 | 94 |
| 11 | 81 | 503 | 84 | 550 | 93 | | | 7 | 95 |
| 12 | 81 | 504 | 84 | 550 | 126 | | | 8 | 95 |
| 13 | 81 | 505 | 84 | 551 | 91 | | | 9 | 95 |
| 14 | 82 | 506 | 84 | 552 | 93 | | | | 0.0 |
| 15 | 82 | | | 552 | 135 | | | 10 | 95 |
| | | 510 | 83 | 554 | 83 | | | 11 | 95 |
| 40 | 80 | 511 | 83 | 555 | 83 | | | 12 | 95 |
| 44 | 86 | 512 | 83 | 555 | 170 | | | 19 | 96 |
| 46 | 80 | 513 | 83 | 556 | 93 | | | | |
| 20 | 0., | 514 | 82 | 556 | 136 | | | 501 | 96 |
| 50 | 85 | 515 | 84 | 557 | 93 | | | 501 | 118 |
| 57 | 85 | 516 | 84 | 557 | 126 | | | | |
| 58 | 85 | 519 | 88 | 558 | 93 | | | 510 | 96 |
| 59 | 85 | 010 | 00 | 558 | 120 | | | 511 | 97 |
| 99 | 00 | F0.4 | 0.0 | 559 | 93 | | | 512 | 97 |
| | 0.5 | 524 524 | 92 119 | 559 | 120 | | | | |
| 60 | 85 | 524 | 84 | 000 | 120 | | | 520 | 97 |
| 61 | 86 | 528 | 93 | 500 | 0.0 | | | 522 | 97 |
| 62 | 86 | 528 | 126 | 560 560 | 88 170 | | | 523 | 97 |
| 63 | 86 | 529 | 92 | 561 | 92 | | | | |
| | | 529 | 121 | 561 | 131 | | | 531 | 96 |
| 79 | 86 | 529 | 139 | 901 | 131 | | | 531 | 127 |
| 83 | 86 | | | 600 | 87 | | | 540 | 96 |
| (4) | 00 | 532 | 93 | 601 | 87 | | | | |
| 100 | 00 | 532 | 135 | 603 | 88 | | | | |
| 100 | 92 | 533 | 93 | 605 | 88 | | | | |
| 100 101 | 119 92 | 533 | 135 | 606 | 88 | | | | |
| 101 | 119 | 535 | 92 | | | | | | |
| 102 | 92 | 535 | 126 | | | | | | |
| 102 | 119 | 536 | 92 | | | | | | |
| 102 | 113 | 536 | 126 | | | | | | |
| | 0.0 | 537 | 88 | | | | | | |
| 157 | 89 | 538 | 88 | | | | | | |
| 157 | 201 | 538 | 138 | | | | | | |
| 158 158 | 89 201 | 539 | 88 | | | | | | |
| | | 540 | 93 | | | | | | |
| 160 | 91 | 540 | 120 | | | | | | |
| 161 | 91 | 541 | 93 | | 1 | | | | |
| 162 | 91 | 541 | 126 | | | | | | |
| 163 | 91 | 542 | 93 | | | | | 1 | |
| 164 | 90 | 542 | 126 | | | | | | |
| 165 | 90 | 544 | 87 | | | | | | |
| 166 | 90 | 545 | 87 | | | | | | |

SECTION NUMBER INDEX—Continued MISCELLANEOUS SECTIONS

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Numbe |
|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|---------------|
| М | | М | | М | | M | | М | |
| 18 | 281 | 243 | 277 | 511 | 237 | 875 | 245 | 1241 | 228 |
| 19A | 281 | 243A | 277 | 512 | 237 | 876 | 245 | 1243 | 139 |
| 2011 | 201 | 244A | 278 | 514 | 237 | 877 | 245 | 1244 | 228 |
| 20 | 281 | 244B | 278 | 515 | 237 | 0 | 210 | 1248 | 125 |
| 21 | 280 | 245A | 278 | 518 | 237 | 880 | 221 | 1210 | 120 |
| 22 | 281 | 245B | 278 | 010 | 20. | 881 | 212 | 1281 | 193 |
| 23 | 281 | 246A | 278 | 708 | 235 | 889 | 168 | 1289 | 121 |
| 24 | 280 | 246B | 278 | .00 | 200 | 000 | 100 | 1200 | 122 |
| 25 | 280 | 247 | 278 | 735 | 197 | 899 | 218 | 1298 | 125 |
| 26A | 281 | 247A | 278 | .00 | 10. | 000 | 210 | 1200 | 120 |
| 27 | 281 | 247B | 278 | 750 | 199 | 903 | 220 | 1316 | 215 |
| 29 | 280 | 248A | 278 | 100 | 199 | 908 | 193 | 1010 | 210 |
| 45 | 200 | 248B | 278 | 760 | 199 | 900 | 199 | 1341 | 187 |
| 41 | 102 | 249A | 278 | 764 | 218 | 930 | 218 | 1343 | 186 |
| 41 | 102 | 243A | 210 | 104 | 210 | 990 | 210 | 1345 | 187 |
| 65C | 192 | 250 | 279 | 778 | 218 | 0.40 | 109 | 1346 | 187 |
| 67 | 192 | 250A | 279 | 110 | 210 | 949 | 193 | 1010 | 101 |
| 68 | 192 | 250A 250B | 279 | 787 | 224 | | | 1364 | 187 |
| 69 | 192 | 250B 251 | 279 | 788 | 210 | 958 | 193 | 1004 | 101 |
| 03 | 192 | 251A | 279 | 100 | 210 | | | 1001 | 000 |
| 73 | 101 | 251A 251B | 279 | 794 | 224 | 965 | 237 | 1381 | 222 |
| 10 | 101 | 2516 | 279 | 794 | 224 | | | | |
| 106 | 98 | 253 | 279 | 191 | 224 | 971 | 237 | 1394 | 276 |
| 107 | 99 | 253 | 279 | 800 | 199 | | | 1394A | 276 |
| 108 | 99 | 410 | 108 | 807 | 208 | 989 | 237 | 1394B | |
| 109 | 98 | 410 411 | 108 | 809 | 198 | | | 1395 | 276 |
| 109 | 98 | 411 | 100 | 809 | 198 | 993 | 237 | 1395A | 276 |
| 110 | 98 | | | 811 | 198 | 994 | 237 | 1395B | |
| 110 | 90 | 420 | 110 | 813 | 198 | 995 | 211 | 1396 | 276 |
| 233 | 274 | 421 | 110 | 813 | 198 | 998 | 212 | 1396A | 276 |
| 233A | 274 | 422 | 110 | | 247 | 336 | 212 | 1396B | 276 |
| 233B | 274 | | | 815 816 | 247 | 1038 | 101 | 4 | |
| 235 | | 430 | 111 | | | | | 1402 | 229 |
| 235A | 274 | 431 | 111 | 817 | 247 | 1038 | 232 | 1403 | 186 |
| 235A $235B$ | 274 | | | 818 | 247 | 1000 | 000 | 1407 | 215 |
| 235B 236 | 274 274 | 440 | 107 | 819 | 247 | 1086 | 220 | 1409 | 222 |
| | | 441 | 107 | 0.00 | 0.00 | | | | |
| 236A 236B | 274 | 4.11 | 101 | 820 | 223 | 1090 | 222 | 1426 | 207 |
| | 274 | | 4.0 | 821 | 223 | 1094 | 201 | | |
| 237 | 275 | 450 | 107 | 822 | 223 | | | 1430 | 207 |
| 237A | 275 | 451 | 107 | 825 | 237 | 1101 | 211 | 1431 | 207 |
| 238 | 275 | | | | | | | 1434 | 125 |
| 238A | 275 | 460 | 109 | 835 | 247 | 1152 | 189 | 1439 | 125 |
| 239 | 275 | 461 | 109 | 836 | 247 | | | 1 100 | 120 |
| 239A | 275 | | | | | 1175 | 189 | 1518 | 247 |
| 940 | 977 | 470 | 109 | 856 | 181 | 11.0 | 100 | 1010 | 24 |
| 240 | 277 | 471 | 109 | 859 | 245 | 1213 | 121 | 1500 | 040 |
| 240A | | 7.1 | 100 | 000 | 210 | 1213 | 141 | 1520 | 249 |
| 241 | 277 | 7.07 | 007 | 0.00 | 045 | 1000 | 101 | 1523 | 247 |
| 241 A | | 507 | 237 | 863 | 245 | 1220 | 121 | 1524 | 247 |
| 242 | 277 | 508 | 237 | 867 | 245 | 1220 | 139 | 1525 | 247 |
| 242A | 277 | 509 | 237 | 869 | 245 | 1221 | 139 | 1526 | 247 |

SECTION NUMBER INDEX—Continued MISCELLANEOUS SECTIONS—Continued

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number |
|-------------------|----------------|-------------------|----------------|---------------------|----------------|-------------------|----------------|-------------------|----------------|
| М | | М | | М | | M | | М | |
| 1584 | 118 | 2100 | 183 | 2220 | 134 | 2531 | 130 | 2624 | 249 |
| 1585 | 185 | 2101 | 196 | 2221 | 134 | 2532 | 130 | 2625 | 100 |
| 1589 | 118 | 2102 | 196 | 2222 | 135 | 2533 | 130 | 2625 | 230 |
| 1000 | 110 | 2103 | 196 | 2223 | 134 | 2538 | 160 | 2626 | 100 |
| 1590 | 113 | 2104 | 196 | 2224 | 134 | 2000 | 100 | 2626 | 230 |
| 1597 | 183 | 2105 | 196 | 2226 | 135 | 2541 | 148 | 2628 | 169 |
| | 100 | 2106 | 196 | 2227 | 135 | 2543 | 160 | 2629 | 165 |
| 1633 | 222 | 2107 | 196 | 2229 | 134 | 2547 | 159 | 2020 | 100 |
| 1634 | 233 | 2108 | 196 | | 101 | 2548 | 160 | 2632 | 167 |
| 1635 | 212 | 2109 | 196 | 2241 | 245 | 2010 | 100 | 2634 | 138 |
| 1636 | 235 | -100 | 100 | 2245 | 134 | 2551 | 130 | 2639 | 165 |
| 1637 | 217 | 2110 | 196 | 2246 | 134 | 2552 | 130 | 2000 | 100 |
| | | 2111 | 196 | | | 2553 | 128 | 2641 | 184 |
| 1663 | 111 | 2112 | 196 | 2260 | 206 | 2554 | 128 | 2642 | 183 |
| 1664 | 217 | 2113 | 196 | 2266 | 208 | 2555 | 132 | 2643 | 123 |
| 1665 | 217 | 2114 | 196 | 2267 | 231 | 2556 | 129 | 2644 | 201 |
| 1666 | 217 | 2115 | 196 | | | 2557 | 161 | 2648 | 185 |
| 1667 | 194 | 2116 | 196 | 2273 | 197 | 2559 | 161 | 2649 | 125 |
| 100. | 101 | 2117 | 196 | 2274 | 197 | 2000 | 101 | | |
| 1689 | 239 | 2118 | 196 | 2278 | 194 | 2561 | 157 | 2651 | 163 |
| 1000 | 200 | 2110 | 100 | | | 2562 | 157 | 2653 | 160 |
| 1735 | 239 | 2122 | 120 | 2283 | 113 | 2563 | 157 | 2655 | 163 |
| 1736 | 239 | 2122 | 139 121 | 2289 | 125 | 2564 | 157 | 2657 | 159 |
| 1.00 | 200 | | | 0004 | 044 | 2565 | | | |
| 1741 | 163 | 2129 | 121 | 2291 | 211 | 2566 | 156 156 | 2660 | 161 |
| 1.11 | 100 | | | 2295 | 131 | 2567 | 156 | 2661 | 243 |
| 1762 | 225 | 2130 | 116 | 2296 | 222 | 2568 | 156 | 2662 | 243 |
| 1.02 | 220 | 2138 | 133 | 2297 | 123 | | | 2663 | 243 |
| 1850 | 100 | | | 2305 | 233 | 2569 | 156 | 2664 | 243 |
| 1850 | 230 | 2147 | 133 | | | 9571 | 110 | 2665 | 242 |
| 1851 | 100 | 2148 | 133 | $\frac{2306}{2307}$ | 249 249 | $2571 \\ 2573$ | 113 114 | 2666 | 242 |
| 1851 | 230 | 2149 | 133 | | | | | 2667 | 242 |
| 1001 | 200 | | | 2308 | 249 | 2574 | 115 | 2668 | 242 |
| 1871 | 141 | 2150 | 100 | 2309 | 136 | 2575 2576 | 115 120 | 2669 | 242 |
| | | 2150 | 230 | 2312 | 136 | 2577 | 116 | 1 | |
| 1881 | 132 | 2100 | 200 | 2313 | 136 | 2578 | 116 | 2670 | 242 |
| 1886 | 128 | 0100 | 4.04 | 2314 | 117 | | | 2671 | 241 |
| | | 2182 | 121 | 2315 | 117 | 2579 | 116 | 2672 | 241 |
| 1890 | 210 | 2184 | 128 | 2316 | 117 | 95.00 | 110 | 2673 | 241 |
| 1896 | 141 | | | 2317 | 117 | 2580 2583 | 116 194 | 2676 | 147 |
| | | 2192 | 190 | 2318 | 117 | 2583 | 116 | 2677 | 144 |
| 1900 | 133 | 2195 | 191 | 2319 | 117 | 2584 | 134 | 2678 | 144 |
| 1005 | 110 | 2197 | 220 | 2010 | 11. | | | 2679 | 144 |
| 1985 | 112 | | | 2320 | 219 | 2587 | 165 | 0000 | |
| 1989 | 120 | 2200 | 221 | 2321 | 219 | 2588 | 147 | 2680 | 144 |
| 1002 | 119 | 2201 | 231 | 2322 | 184 | 2589 | 233 | 2682 | 169 |
| $1993 \\ 1994$ | 112 112 | 2203 | 193 | 2328 | 185 | 9500 | 114 | 2683 | 220 |
| | | 2204 | 193 | 2020 | 100 | 2590 | 114 | 2684 | 239 |
| 1995 | 139 | | 100 | 2330 | 183 | 2597 | 165 | 2685 | 233 |
| 1996 | 114 | 9010 | 909 | 0500 | 107 | 2599 | 165 | 2687 | 214 |
| 1997 | 113 | 2210 | 203 | 2522 | 167 | 2000 | 1.00 | 2688 | 214 |
| 1999 | 112 | 2219 | 131 | 2528 | 160 | 2600 | 163 | 2689 | 129 |

SECTION NUMBER INDEX—Continued MISCELLANEOUS SECTIONS—Continued

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number |
|-------------------|----------------|---------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|
| M | | М | | М | | М | | М | |
| 2222 | 100 | 9700 | 105 | 2849 | 132 | 2920 | 160 | 2976 | 232 |
| 2690 | 130 | 2790 | 165 | 2849 | 132 | 2921 | 227 | 2977 | 174 |
| | 101 | 2791 | 118 | | | 2922 | 213 | 2978 | 175 |
| 2703 | 124 | 2792 | 115 | 2850 | 227 | 2923 | 213 | | |
| 2704 | 124 | 2793 | 233 233 | 2853 | 168 | 2924 | 170 | 2980 | 143 |
| 0211 | 004 | 2794 | 233 | 2855 | 225 | 2925 | 231 | 2981 | 100 |
| 2711 | 204 | 2795 2799 | 153 | 2856 | 181 | 2926 | 152 | 2981 | 230 |
| 2712 | 204 | 2799 | 100 | 2857 | 235 | 2927 | 146 | 2982 | 180 |
| 2713 | 204 | 9000 | 182 | 2858 | 184 | 2929 | 161 | 2983 | 200 |
| 2714 | 204 | $\frac{2800}{2801}$ | 184 | 2859 | 104 | 2020 | 101 | 2984 | 140 |
| 2715 | 204 | | | 2000 | 101 | 2930 | 161 | 2985 | 240 |
| 2716 | 204 | 2802 | 153 145 | | | 2932 | 235 | 2986 | 240 |
| 2718 | 204 | 2804 2805 | 145 | 2860 | 104 | 2933 | 209 | 2987 | 240 |
| 2719 | 204 | | | 2861 | 104 | 2934 | 182 | 2988 | 191 |
| 0700 | 904 | 2808 | 143 | 2862 | 105 | 2935 | 182 | 2989 | 191 |
| 2720 | 204 | | | 2863 | 105 | 2936 | 222 | 2990 | 171 |
| 2721 | 204 | 2811 | 188 | 2864 | 105 | 2937 | 178 | 2991 | 194 |
| 2722 | 204 | 2812 | 185 | 2865 | 145 | 2001 | 110 | 2992 | 171 |
| 2723 | 204 | 2813 | 169 | 2867 | 147 | 2941 | 176 | 2994 | 248 |
| 0200 | 000 | 2815 | 148 | 2868 | 237 | 2942 | 234 | 2995 | 248 |
| 2739 | 209 | 2816 | 168 | 2869 | 169 | 2943 | 152 | 2996 | 162 |
| O.W | 200 | 2818 | 181 | 2000 | | 2944 | 179 | 2997 | 209 |
| 2741 | 233 | 2819 | 148 | | | 2945 | 176 | 2998 | 166 |
| 2742 | 185 | | | 2870 | 224 | 2947 | 132 | 2999 | 122 |
| 2743 | 167 | 2820 | 181 | | | 2948 | 172 | 4900 | 122 |
| 2748 | 137 | 2822 | 179 | 0000 | 220 | 2949 | 172 | 3000 | 146 |
| 2749 | 137 | 2823 | 175 | 2892 | 173 | 2949 | 112 | 3001 | 185 |
| | 4.07 | 2824 | 195 | 2893 2894 | 106 | 0050 | 152 | 3002 | 171 |
| 2750 | 137 | 2825 | 195 | | 106 | 2950 | | 3003 | 173 |
| 2751 | 137 | 2826 | 185 | 2895 | 106 | 2954 | 106 | 3004 | 197 |
| 2753 | 151 | 2827 | 227 | 2896 | 181 | 2955 | , | 3005 | 202 |
| 2756 | 115 | 2828 | 163 | 2897 | | 2956 | 106 | 3006 | 202 |
| 2757 | 165 | 2829 | 227 | 2898 | 188 178 | 2957 | 166 | 3007 | 202 |
| 2758 | 165 | | | 2899 | 178 | 2958 | 178 | 3008 | 229 |
| 2759 | 165 | 2830 | 237 | | | 2959 | 216 | 3009 | 172 |
| | | 2831 | 208 | 2900 | 177 | 2960 | 216 | 3010 | 235 |
| 2762 | 162 | 2832 | 231 | 2901 | 177 | | 216 | 3010 | 195 |
| 2763 | 190 | 2833 | 226 | 2902 | 177 | 2961 | 216 | 3011 | 173 |
| 2767 | 181 | 2835 | 124 | 2903 | 152 | 2962 2963 | 216 | 3013 | 173 |
| 2768 | 194 | 2836 | 195 | 2904 | 234 | 2963 | 185 | | |
| | 0.00 | 2837 | 227 | li . | | 2964 | 149 | 3026 | 124 |
| 2771 | 233 | 2838 | 212 | 9010 | 127 | 2965 | 240 | 3027 | 124 |
| 2773 | 124 | 2839 | 167 | 2910 | | | 240 | 3028 | 127 |
| 2776 | 115 | 2000 | 101 | 2911 | 215 | 2967 | 240 | 3032 | 122 |
| 2777 | 147 | 004- | 150 | 2912 | 149 | 2968 | 240 | 3032 | 154 |
| 2779 | 152 | 2841 | 158 | 2913 | 176 | 2969 | 240 | 3034 | 150 |
| | | 2842 | 158 | 2914 | 179 | 2070 | 240 | 3034 | 206 |
| 2780 | 161 | 2843 | 151 | 2915 | 178 | 2970 | | | 229 |
| 2781 | 181 | 2844 | 231 | 2916 | 146 | 2971 | 240 | 3036 | 162 |
| 2782 | 218 | 2845 | 158 | 2917 | 146 | 2973 | 235 | 3037 | 162 |
| 2785 | 195 | 2846 | 167 | 2918 | 153 | 2974 | 153 | 3038 | 143 |
| 2786 | 195 | 2847 | 173 | 2919 | 160 | 2975 | 184 | 9099 | 140 |

SECTION NUMBER INDEX—Continued MISCELLANEOUS SECTIONS—Concluded

| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Numbe |
|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|---------------|
| M | | М | | M | | M | | | |
| 3040 | 161 | 3090 | 145 | 3144 | 123 | 3190 | 240 | | - |
| 3041 | 150 | 3091 | 235 | OIII | 120 | 3191 | 234 | | |
| 3042 | 150 | 3092 | 179 | | | 3192 | 153 | | |
| 3043 | 150 | 3093 | 142 | 3146 | 224 | 3193 | 226 | | |
| 3045 | 151 | 3094 | 142 | 3147 | 183 | 3194 | 226 | | |
| 3047 | 228 | 3096 | 148 | 3148 | 202 | 3195 | 142 | | |
| 3048 | 229 | 3097 | 227 | 0110 | 202 | 3196 | 149 | | |
| 3049 | 248 | 3098 | 201 | | | 3197 | 206 | | |
| 1 | | 3099 | 142 | 0150 | 150 | 3199 | 213 | | |
| 0000 | | .,,,,,, | 112 | 3150 | 172 | 0100 | 210 | | |
| 3050 | 249 | 3100 | 219 | 3151 | 137 | 3201 | 240 | | |
| 3051 | 249 | 3101 | 186 | 3152 | 231 | 3202 | 240 | | |
| 3052 | 248 | 3102 | 166 | 3153 | 240 | 3202 | 149 | | |
| 3053 | 248 | 3103 | 235 | 3154 | 233 | 3204 | 243 | | |
| 3054 | 186 | 3104 | 237 | 3155 | 249 | 3205 | 205 | | |
| 3055 | 231 | 3105 | 185 | 3156 | 240 | 3206 | 205 | | |
| 3056 | 180 | 3106 | 123 | 3157 | 180 | 3207 | 240 | | |
| 3057 | 154 | 3107 | 226 | 3158 | 163 | 3208 | 240 | | |
| 3058 | 154 | 3108 | 172 | 3159 | 180 | 3209 | 231 | | |
| 3059 | 214 | 3109 | 226 | | | 3203 | 201 | | |
| | | | | 3160 | 225 | 3210 | 213 | | |
| 3060 | 214 | 3110 | 245 | 3162 | 234 | 3211 | 221 | | |
| 3061 | 212 | 3111 | 191 | 3163 | 234 | 3212 | 189 | | |
| 3063 | 171 | 3112 | 207 | 3164 | 205 | 3213 | 168 | | |
| 3064 | 171 | 3113 | 227 | 3165 | 205 | 3214 | 184 | | |
| 3065 | 171 | 3114 | 241 | 3166 | 240 | 3215 | 159 | | |
| 3066 | 122 | 3115 | 226 | 3167 | 226 | 3216 | 154 | | |
| 3067 | 226 | 3116 | 155 | 3168 | 240 | 3217 | 213 | | |
| 3068 | 226 | 3117 | 155 | 3169 | 229 | 3218 | 155 | | |
| 3069 | 221 | 3118 | 155 | 0100 | 220 | |) | | |
| | | 3119 | 138 | İ | | 3224 | 155 | | |
| 3070 | 240 | 3123 | 224 | 3170 | 240 | | 1 | | |
| 3071 | 129 | 3124 | 232 | 3171 | 234 | | | | |
| 3072 | 132 | 3125 | 181 | 3172 | 122 | | - 1 | | |
| 3073 | 162 | 3126 | 182 | 3173 | 184 | | | | |
| 3074 | 240 | 3127 | 106 | 3174 | 219 | | | | |
| 3076 | 122 | 3129 | 226 | 3175 | 232 | | - 1 | | |
| 3077 | 162 | | | 3176 | 240 | | 1 | | |
| 3078 | 175 | 3130 | 180 | 3177 | 240 | | | | |
| 3079 | 174 | 3131 | 225 | 3178 | 240 | | | | |
| | 4 | 3132 | 169 | 3179 | 240 | | 1 | | |
| 2000 | | 3132 | 219 | | | | | | |
| 3080 | 174 | 3134 | 182 | | | | | | |
| 3081 | 227 | 3135 | 240 | 3180 | 240 | | | | |
| 3082 | 180 | 3136 | 225 | 3182 | 240 | | | | |
| 3083 | 200 | 3137 | 164 | 3184 | 166 | | | | |
| 3084 | 240 | 3138 | 164 | 3185 | 240 | | | | |
| 3086 | 245 | | | 3186 | 240 | | | U | |
| 3087 | 182 | 3140 | 173 | 3187 | 240 | | | | |
| 3088 | 227 | 3141 | 240 | 3188 | 240 | | | | |
| 3089 | 249 | 3142 | 176 | 3189 | 240 | | | 573 | 203 |

SECTION NUMBER INDEX—Continued RAILS, SPLICE BARS AND INSULATED JOINTS

| Ra | ils | Splice | Bars | Ra | ails | Splice | Bars | Insulated Joints | | |
|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|--|
| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | |
| | | s | | | | s | | PS | | |
| 15025 | 264 | | | 7020 | 262 | 7033 | 272 | 13031 | 273 | |
| 14025 | 264 | | | 7040 | 259 | 7040 | 268 | 10031 | 273 | |
| 13025 | 264 | | | 6540 | 259 | 6540 | 268 | | | |
| 13027 | 266 | | | 6040 | 259 | 6040 | 268 | | | |
| 13031 | 266 | 13031 C | 271 | 5540 | 259 | 5540 | 268 | | | |
| 12722 | 266 | 12722 | 271 | 5040 | 259 | 5040 | 268 | | | |
| 12025 | 265 | | | 4540 | 260 | 4540 | 269 | | | |
| 11522 | 266 | | | 4040 | 260 | 4040 | 269 | | | |
| 11523 | 267 | 11523 | 271 | 3540 | 260 | 3540 | 269 | | | |
| 11025 | 265 | 11025D | 271 | 3040 | 260 | 3040 | 269 | | | |
| 10524 | 267 | 10524 A | 272 | 2540 | 261 | 2540 | 269 | | | |
| 10020 | 262 | 10020 | 270 | 2040 | 261 | 2040 | 269 | | | |
| 10025 | 265 | $10025\mathrm{E}$ | 272 | 1640 | 261 | 1640 | 269 | | | |
| 10030 | 263 | | | 1440 | 261 | 1440 | 269 | | | |
| 10031 | 267 | 10031D | 272 | 1240 | 261 | 1240 | 269 | | | |
| 10032 | 267 | | | 1040 | 261 | 1040 | 269 | | | |
| 10040 | 258 | 10040 | 268 | 840 | 261 | 840 | 269 | | | |
| 9020 | 262 | 9020 | 270 | | | | | | | |
| 9030 | 263 | 9030 B | 270 | | | | | | | |
| 9040 | 258 | 9040 | 268 | | | | | | | |
| 8540 | 258 | 8540 es H A | 268 | | | | | | | |
| 8020 | 262 | 85 HA | 272 | | | | | | | |
| 8030 | 263 | 8030 | 270 | | | | | | | |
| 8040 | 258 | 8040 | 268 | | | | | | | |
| 7540 | 259 | 7540 | 268 | | | | | | | |

SECTION NUMBER INDEX—Concluded RAIL AND TRACK ACCESSORIES

| Frog | Fillers | Frog | Fillers | Reinford | ing Bars | Cross Tie | Sections | Rail Clips | |
|---|-------------------|-------------------|----------------|-------------------|-------------------|-------------------|----------------|-------------------|----------------|
| Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number | Section Number | Page Number |
| М | | М | | M | | M | | No. | |
| 233 233 A | 274 | 250 | 279 279 | 1394 1394A | 276 276 | 18 | 281 | 103 | 282 |
| 233 A 233 B | $\frac{274}{274}$ | 250A 250B | 279 | 1394B | 276 | 19A | 281 | 104 | 282 |
| 235 235A | 274 274 | 251 251A | 279 279 | 1395 1395A | 276 276 | 20 | 281 | 106 | 282 |
| 235B | 274 | 251B | 279 | 1395B | 276 | 21 | 280 | 114 | 282 |
| 236 236A | 274 274 | 252 | 279 | 1396 1396A | $\frac{276}{276}$ | 22 | 281 | 120 | 282 |
| 236B | 274 | 253 | 279 | 1396B | 276 | 23 | 281 | 128 | 282 |
| 237 237A | 275 275 | | | | | 24 | 280 | | |
| 238 | 275 | | | | | 25 | 280 | | |
| 238A | 275 | | | | | 26A | 281 | | |
| $\frac{239}{239A}$ | 275 275 | | | | | 27 | 281 | | |
| 240 240A | 277 277 | | | | | 29 | 280 | | |
| 241 241 A | 277 277 | | | | | | | | |
| $\begin{array}{c} 242 \\ 242 \Lambda \end{array}$ | 277 277 | | | | | | | | |
| 243 243A | 277 277 | | | | | | | | |
| 244A 244B | 278 278 | | | | | | | | |
| 245A 245B | 278 278 | | | | | | | | |
| 246A 246B | 278 278 | | | | | | | | |
| 247 247A 247B | 278 278 278 | | | | | | | | |
| 248A 248B | 278 278 | | | | | | | | |
| 249A | 278 | | | | | | | | |

SUBJECT INDEX

| | Page |
|---|----------|
| ADAPTER RING SECTION, Automobile | 162 |
| AGRICULTURAL SECTIONS, MISCELLANEOUS | 202, 203 |
| Angles: | |
| bulb angles, ship and car building | 76 - 79 |
| equal angles—structural and bar sizes | 58 - 63 |
| round back angles | 74, 75 |
| square root angles | 63 |
| tractor cleat angle | 210 |
| unequal angles—structural and bar sizes | 64 - 73 |
| Angle Splice Bars (see Splice Bar Sections) | |
| A. R. A. Rails, Series A and B | 262, 263 |
| A. R. A. Splice Bars, Series A and B | 270 |
| A. R. E. A. RAILS | |
| A. S. C. E. Rails. | |
| A. S. C. E. SPLICE BARS. | 268, 269 |
| AUGER SECTIONS. | 211 |
| | 211 |
| Automobile Sections: | 162 |
| adapter ring section | 169 |
| body sections | 170 |
| brake band channel | 4 27 0 |
| brake shoe tees | |
| bumper sections | 167 |
| channel lock sections | |
| clamp sections | |
| clamping ring sections | 163 |
| counterweight section. | 167 |
| door striker sections. | 182 |
| driving lug section | 162 |
| felloe bands | 159 |
| hinge sections | 174-179 |
| latch sections | 180, 181 |
| locking ring sections | 161 |
| magneto sections | 183–185 |
| motor cycle rim section | 168 |
| pressed-on channel rim sections | 156-158 |
| rear fender anchor section | 169 |
| rim base section | 168 |
| rim channel | 170 |
| rim latch section | 163 |
| rim seat ring section. | 163 |
| rim sections | |
| seat slide bar | 169 |
| side ring sections | |
| spacer section | |
| tire carrier channel | 51, 167 |

SUBJECT INDEX-Continued Page Bamboo Concrete Bars, Round..... 108 Bamboo Concrete Bars, Square.... 108 255 BAND EDGE FLATS.... BARS: bar-size shapes (see Channels, Angles, Tees and Zees) beyeled bars (see Beyel...) concrete reinforcement bars..... 250 merchant bars..... miscellaneous bar sections, etc. round edge bars (see Round Edge. . .) 219 Beaded Bar.... BEAMS: American standard sections..... 32 - 382 - 28Carnegie beam sections..... 39 203 cultivator beams..... H-Beams..... 30, 31 29 Belt Rail Section.... 101, 232 229 Bevel-Cornered Squares..... BEVEL EDGE: range of sizes..... 238 miscellaneous sizes..... 239 Bevel Edge, Round (see Round Bevel Edge) Bevel Edge Skelp..... 240 Bevel Nose.... 237 238 BEVEL SHAFT SECTIONS..... 238 Bevel Wagon Box Sections.... 345 BIRMINGHAM WIRE GAGE..... BLUNT OVALS: 340 tables of weights..... BODY SECTIONS, AUTOMOBILE—.... 169 Brake Band Channel, Automobile—..... 170 170 Brake Shoe Tees, Automobile—..... 218 BUCKLE BAR..... BULB ANGLES: car building bulb angles..... 79 ship building bulb angles..... 76 - 78

SUBJECT INDEX—Continued

| | Page |
|--|-----------|
| CAM SECTIONS | 212 |
| CAN RING SECTIONS | 193 |
| CARBON STEEL PLATES | 252, 254 |
| CAR BUILDING BULB ANGLES | 79 |
| CAR BUILDING CHANNELS | 40, 49 |
| CAR BUILDING SECTIONS, MISCELLANEOUS | 100, 101 |
| CAR DOOR TRACK SECTIONS | |
| Carline Sections | 101 |
| CARNEGIE BEAM SECTIONS | 2 - 28 |
| CARNEGIE FLOOR PLATES | 102 |
| CARNEGIE STEEL SHEET PILING: | |
| arch web sections | 98 |
| straight web sections | 99 |
| CASEMENT AND SASH SECTIONS | 112-141 |
| CENTER SILL SECTION. | 39 |
| CHANNEL LOCK SECTIONS, AUTOMOBILE— | 167 |
| CHANNEL RIM SECTIONS (see Automobile Sections) | |
| CHANNELS: | |
| American standard sections | 41 - 43 |
| bar sizes | 50-57 |
| brake band channels. | 170 |
| car building channels | 40, 49 |
| cushion tire channels | 57 |
| door spreader section | 101 |
| harrow channel | 57 |
| rake channel | 57 |
| round back channels | 57 |
| sharp toe channel | 51 |
| ship building channels | 40, 44-48 |
| solid rubber tire channels | 56 |
| tedder washer channel | 57 |
| tire carrier channel | 51, 167 |
| CHIME AND BARREL RING SECTIONS | 194, 195 |
| CIRCULAR PLATES: | |
| extreme sizes. | 252 |
| tables of weights | 329-331 |
| CLAMPING RING SECTIONS, AUTOMOBILE— | 163 |
| CLAMP SECTIONS, AUTOMOBILE— | 162, 169 |
| CLAMP SECTIONS, GUY AND SUSPENSION— | 216 |
| CLIP SECTIONS: | |
| rail clips. | 282 |
| vehicle spring clips | 215 |
| Concave Bars. | 218 |
| CONCAVE CONVEX HAME SECTION | 199 |
| | -50 |

| SUBJECT | INDEX- | Cont | inued |
|------------|----------|------------------------------------|--------|
| FUCIDATE L | TT TITLE | \cup \cup \cup \cup \cup | HILLEU |

| Concrete Reinforcement Bars: | Pa | ge |
|---|--------|--|
| bamboo round bars bamboo square bars corrugated round bars, type C. corrugated square bars, type D. eurb bar Dudley round bars Dudley square bars. Havemeyer flat bars. Havemeyer flat bars. Havemeyer square bars monotype bars rib bars, round, type B. rib bars, square, type A. wing bars, type A and B. Conductor Bar. Conductor Rail Tees. Corrugated Concrete Bars, Round, Type C. Corrugated Concrete Bars, Square, Type D. Counterweight Section, Automobile— Crane Tee. Crescent Hame Section. Crescent Sections, Miscellaneous. Cross-Tie Sections, Miscellaneous. Cultivator Bars. Cultivator Bars. Cultivator Beams. Cultivator Beams. Cultivator Beams. Curb Sections. Cushion Tire Channels. | 89, | 109 109 167 91 199 196 197 |
| DECIMALS OF AN INCH AND OF A FOOT, TABLE | 189, | 190 347 |
| DEFORMED BARS, (See CONCRETE REINFORCEMENT BARS) DOOR RACEWAY SECTION. DOOR SPREADER SECTION. | | 208 |
| Door Striker Sections, Automobile—. | | $\frac{101}{182}$ |
| DRAW BAR AND DRAFT KEY SECTIONS | 100, 2 | 230 |
| Dresser Pipe Coupling Sections. Drill Post Section. | 186-1 | |
| DRIVING LUG SECTION, AUTOMOBILE— | | 211 162 |
| Dudley Concrete Bar, Round | | 109 |
| DIDLEY CONCRETE BAR SQUARE | | 100 |

| SUBJECT INDEX—Continued | |
|---|-------------------|
| | Page |
| ELEVATOR GUIDE SPLICE BARS | 206 |
| ELEVATOR TEES | 90, 91 |
| EQUAL ANGLES, STRUCTURAL AND BAR SIZES | 58-63 80-84 |
| EQUAL TEES, STRUCTURAL AND BAR SIZES | 252-254 |
| EXTREME SIZES OF PLATES. | 94-97 |
| EQUAL-FLANGE ZEES, STRUCTURAL AND BAR SIZES | 94-91 |
| | 150 |
| FELLOE BANDS, AUTOMOBILE— | 159 |
| Fish Bars (see Light Rail Splice Bars) | 197 |
| FLAT-BOTTOMED CRESCENTS. | 197 |
| FLAT ROLLED STEEL: | 255 |
| band edge flats | 256 |
| nut steel flats | 230 |
| plates (see Plates, Flat Rolled Steel) | 256 |
| round edge baby carriage spring steel | $\frac{250}{256}$ |
| round edge concave spring steel | |
| round edge flats | |
| skelpsquare edge flats | |
| vehicle spring steel | |
| weights (see Tables of Flat Rolled Steel-Weights) | 200 |
| FLATS, GROOVED— | 224 |
| FLATS, GROOVED——————————————————————————————————— | 234 |
| FLATS, ROUND EDGE— | 255 |
| FLATTENED ROUNDS | 226, 227 |
| FLATTENED ROUNDS, 60° | 214 |
| FLOOR PLATES, CARNEGIE— | 102 |
| FOUNDRY FLASK SECTIONS | 232 |
| FRICTION SPRING SECTIONS | 214 |
| FROG FILLERS | 279 |
| Frog Fillers, Main and Third Rail—274, 275 | , 277, 278 |
| FURNACE BAND SECTION | 218 |
| | |
| GAGE TABLES: | |
| Birmingham wire gage | 345 |
| United States standard gage | 346 |
| Grass Hook Section | . 221 |
| Grooved Bars | . 225 |
| Grooved Flats | . 224 |
| GROOVED HAME SECTION | . 199 |
| GROOVED ROUNDS | . 226 |
| GROOVED SQUARES | . 225 |
| GROOVED TIRE | . 210 |
| Guide Bars | |
| GUY CLAMP SECTIONS | . 216 |

| SUBJECT INDEX—Continued | |
|---|-----------|
| Half Ovals: | Page |
| | 0.40 |
| range of sizes | 246 |
| table of weights | 341 |
| HALF OVALS, MISCELLANEOUS. | 247 - 249 |
| HALF ROUNDS, RANGE OF SIZES. | 250 |
| HALF ROUNDS, HOLLOW— | 223 |
| Hame Sections: | |
| concave-convex | 199 |
| crescent | 199 |
| grooved | 199 |
| Hanger Bar, Joist— | 218 |
| HARROW CHANNEL. | 57 |
| HAVEMEYER, CONCRETE BARS, FLAT | 110 |
| HAVEMEYER, CONCRETE BARS, ROUND. | 110 |
| HAVEMEYER, CONCRETE BARS, SQUARE. | 110 |
| H-BEAMS. | |
| | 30, 31 |
| HEXAGONS: | |
| range of sizes | 250 |
| table of weights | 344 |
| Hollow Half Rounds | 223 |
| HINGE SECTIONS, AUTOMOBILE— | 174 - 179 |
| I-Beams (see Beams) Insulated Rail Joints | 273 |
| Joist Hanger Bar | 218 |
| Tr. O | |
| KEY SECTIONS: | |
| draw bar and draft key sections | |
| miscellaneous key sections | 222 |
| LATCH SECTIONS, AUTOMOBILE— | 180, 181 |
| LIGHT RAILS, A. S. C. E | 260, 261 |
| LIGHT RAIL SPLICE BARS, A. S. C. E. | 269 |
| Lock Joint Pipe Sections | 191 |
| LOCK NUT WASHER. | 201 |
| Lock Washer Sections. | |
| Locking Bars, Pipe Coupling Sections. | 233 |
| Locking Bing Sections Automorite— | 192 |
| | |

| SUBJECT INDEX—Continued | |
|---|-----------|
| | Page |
| Magneto Sections, Automobile— | 183 - 185 |
| MERCHANT BARS | 250 |
| MONOTYPE CONCRETE BARS | 111 |
| MOTOR CYCLE RIM SECTION | 168 |
| Main Frog Fillers | 274, 278 |
| | |
| NECK YOKE AND POLE CAP SECTIONS. | 198 |
| NICKEL STEEL PLATES | 253 |
| NUT LOCK WASHER | 201 |
| Nut Sections, Miscellaneous | 204, 205 |
| NUT STEEL FLATS, RANGE OF SIZES | 256 |
| | |
| Octagons: | 228 |
| miscellaneous sections | 344 |
| table of weights | 944 |
| range of sizes | 244 |
| tables of weights. | 340 |
| Ovals, Miscellaneous | 245 |
| OVALS, NIBOBELIANEOUS | _10 |
| PILING SECTIONS, CARNEGIE STEEL SHEET PILING | 98, 99 |
| D-DT COTTO ING CEGMIONS: | |
| Dayton sections | 189, 190 |
| Dresser sections | |
| locking bars | 192 |
| lock joint pipe sections | 191 |
| PLATE AND SHEET GAGES FOR IRON AND STEEL | 345, 346 |
| PLATES, FLAT ROLLED STEEL, EXTREME SIZES: | |
| carbon steel, sheared, rectangular and circular | 252 |
| universal, rectangular | 254 |
| nickel steel, sheared, rectangular | 253 |
| universal, rectangular | 253 |
| PLATES, CARNEGIE FLOOR PLATES | 102 |
| POLE BAR | ~ 0 - |
| POLE CAP AND NECK YOKE SECTIONS. | 198 |
| Pressed-on Channel Rim Sections, Automobile— | |

207

Printing Press Sections....

SUBJECT INDEX—Continued Page RACK SECTIONS.... 209, 232 Rail Anchor Bars.... 201 RAILS, SPLICE BARS AND TRACK ACCESSORIES.... 257 - 285RAIL CLIPS.... 282 RAILS: RAKE CHANNEL. 57 RAKE TOOTH HOLDER..... 203 RATCHET SECTIONS..... 213 REAR FENDER ANCHOR SECTION, AUTOMOBILE—.... 169 RECTANGULAR FLATS (see Square Edge Flats) RECTANGULAR PLATES: carbon steel, extreme sizes..... 252, 254 nickel steel, extreme sizes..... tables of weights..... 289 - 328209 REINFORCEMENT BARS, CONCRETE—.... 107-111 Reinforcing Bars, Rail—.... 276 Retainer Section.... 213 Retarder Shoe Sections..... 200 RIB CONCRETE BARS, ROUND, TYPE B..... 107 RIB CONCRETE BARS, SQUARE, TYPE A..... 107 RIM BASE SECTION..... 168 170 RIM LATCH SECTION.... 163 RIM SEAT RING SECTION.... 163 RIM SECTIONS: motor cycle—..... 168 RING SECTIONS (see Automobile Sections) ROUND BACK ANGLES..... 74, 75 ROUND BACK CHANNELS.... 57 ROUND BEVEL EDGE: range of sizes..... 236 tables of weights..... 336 ROUND CONCRETE BARS (see Concrete Reinforcement Bars) ROUND CORNERED FLATS..... 234 ROUND CORNERED SQUARES, RANGE OF SIZES..... 250 ROUND EDGE BABY CARRIAGE SPRING STEEL..... 256 ROUND EDGE CONCAVE SPRING STEEL 256

SUBJECT INDEX—Continued

| SOBOLO I INDIA | |
|---|-----------|
| | Page |
| ROUND EDGE FLATS: | |
| range of sizes | 255 |
| tables of weights | 332-335 |
| ROUND EDGE FLATS, MISCELLANEOUS | 230, 231 |
| ROUND EDGE VEHICLE SPRING STEEL. | 256 |
| | 200 |
| Rounds: | 0.50 |
| range of sizes | 250 |
| table of weights | 343 |
| ROUNDS, FLATTENED | 226, 227 |
| ROUNDS, GROOVED— | 226 |
| RUBBER TIRE CHANNELS, SOLID— | 56 |
| | |
| | |
| | |
| | |
| | |
| | |
| SASH AND CASEMENT SECTIONS | 112 - 141 |
| SASH TEES | 92, 93 |
| SCARFED SKELP. | 241 - 243 |
| SCREEN BAR. | 206 |
| SEAT SLIDE BAR, AUTOMOBILE— | 169 |
| SHARP TOE CHANNEL. | |
| | |
| SHEARED PLATES | 202, 200 |
| SHEETS, WEIGHTS (see Tables of Flat Rolled Steel) | 0.45 0.40 |
| SHEET AND PLATE GAGES FOR IRON AND STEEL | |
| SHIP BUILDING BULB ANGLES | |
| SHIP BUILDING CHANNELS | 40, 44–48 |
| SIDE RING SECTIONS, AUTOMOBILE— | 167, 168 |
| SINGLE ROUND EDGE FLATS | 231 |
| SKELP, RANGE OF SIZES. | 256 |
| SKELP, BEVEL EDGE AND SCARFED— | 240 - 243 |
| SKYLIGHT SECTIONS. | |
| SLIDE BAR. | |
| SLIDE RAIL SECTION. | |
| Solid Rubber Tire Channels | |
| | |
| SPACER SECTION, AUTOMOBILE— | 199 |
| SPLICE BAR SECTIONS: | |
| A. R. A. rails, series A and B | 270 |
| A. S. C. E. rails, heavy and light | 268, 269 |
| miscellaneous rails | 271, 272 |
| insulated joints | |
| Splice Bars, Elevator Guide— | |
| Spring Clips, Vehicle— | 215 |
| | -10 |
| Spring Steel: | 050 |
| round edge baby carriage spring steel | 256 |
| round edge concave or vehicle spring steel | 256 |

| SUBJECT INDEX—Continued | |
|--|-------------------|
| | Page |
| SQUARES: | 050 |
| range of sizes | $\frac{250}{342}$ |
| table of weights | 229 |
| SQUARE BARS, BEVEL CORNERED— | 250 |
| SQUARE BARS, ROUND CORNERED— | 200 |
| Square Concrete Bars (see Concrete Reinforcement Bars) | |
| SQUARE EDGE FLATS: | 255 |
| range of sizestable of weights | 302-306 |
| Square Root Angles. | 63 |
| STANDARD MILL SECTIONS, BEAMS | 29 |
| STAR SECTIONS. | 220 |
| STEEL SHEET PILING, CARNEGIE— | 98, 99 |
| STRUCTURAL BEAMS: | , |
| American standard sections | 32-38 |
| Carnegie beam sections | 2-28 |
| H-Beams | 30-31 |
| standard mill sections—miscellaneous | 29 |
| STRUCTURAL CHANNELS: | |
| American standard sections | 41 - 43 |
| ear building channels | 40, 49 |
| ship building channels4 | 10, 44-48 |
| Suspension Clamp Sections | 216 |
| | |
| Tables of Decimals of an Inch and of a Foot | 347 |
| Tables of Extreme Sizes of Plates | 252 - 254 |
| TABLES OF FLAT ROLLED STEEL, WEIGHTS: | |
| I. pounds per square foot | 200 |
| thickness in decimals of an inch, 0.01" to 1" | 289 |
| II. pounds per lineal foot, widths from 1/4" to 12", | 290-295 |
| thickness from No. 24 to No. 1, B. W. gage | 200-200 |
| III. pounds per lineal foot, widths from 12¼" to 81", thickness from No. 12 to No. 1, B. W. gage | 296-301 |
| IV pounds per lineal foot, widths from %" to 132%", | |
| thickness from ½2" to 2¼" | 302 - 328 |
| V. pounds each, diameters from 16" to 134", | |
| thickness from No. 12, B. W. gage to 1" | 329-331 |
| Tables of Gages: | 0.17 |
| Birmingham wire gage | 345 |
| United States standard gage | 346 |
| Tables of Rails and Accessories | 283-285 |

SUBJECT INDEX—Continued

| | Page |
|--|-----------------|
| TABLES OF WEIGHTS: | |
| bevel edge | 337–33 9 |
| blunt ovals | 340 |
| flat rolled steel | 289 - 331 |
| half ovals | 341 |
| hexagons | 344 |
| octagons | 344 |
| ovals | 340 |
| rounds. | 343 |
| round bevel edge | 336 |
| round edge flats | 332-335 |
| squares | 342 |
| squares | 57 |
| TEDDER WASHER CHANNEL | 01 |
| Tees: | 00 001 |
| conductor rail tees | 89, 201 |
| crane tee | 91 |
| elevator tees | 90, 91 |
| equal tees, structural and bar sizes | 80-84 |
| sash tees | 92, 93 |
| unequal tees, structural and bar sizes | 85–88 |
| THIRD RAIL FROG FILLERS | 275, 277 |
| TIE SECTIONS, RAIL— | 280, 281 |
| TIRE CARRIER CHANNEL, AUTOMOBILE— | 51, 167 |
| TIRE CHANNELS, CUSHION— | 57 |
| TIRE CHANNELS, SOLID ROBBER— | 56 |
| Tire Sections, Automobile—(see Automobile Tire Sections) | |
| TONGUE CAP SECTIONS | 238 |
| Track Accessories | 274-285 |
| TRACTOR CLEAT ANGLE | 210 |
| Triangular Sections. | 220 |
| TRUCK LEVER SECTION. | 101 |
| TRUSS BARS, CHORD AND WEB SECTIONS | 104-106 |
| Tumbler Sections. | 212 |
| | |
| | |
| | |
| U-Bar | 203 |
| UNEQUAL ANGLES, STRUCTURAL AND BAR SIZES | 64 - 73 |
| UNEQUAL TEES, STRUCTURAL AND BAR SIZES | 85-88 |
| UNEQUAL ZEES, BAR SIZES | 96, 97 |
| UNITED STATES STANDARD GAGE | 346 |
| UNIVERSAL MILL PLATES | 253, 254 |
| | , |
| | |
| VEHICLE SPRING CLIPS | 015 |
| VEHICLE SPRING OLIPS | 215 |
| VEHICLE SPRING STEEL. | 256 |
| VELOCIPEDE SECTION | 221 |

SUBJECT INDEX—Concluded

| Wagon Box Sections Weight of Steel per Cubic Foot and Cubic Inch Window Screen Section Window Sections, Casement and Sash. Wing Concrete Bars, Type A and B. | Page 238 288 221 112-141 107 |
|--|------------------------------|
| Y-Bar. | 215 |
| Zees: | |
| equal-flange zees, structural sizes | 94, 95 96, 97 |

PUBLICATIONS

Carnegie Pocket Companion
Carnegie Shape Book
Carnegie Beam Sections
Reils and Angle Bars

Rails and Angle Bars

Light Rails

Mine and Industrial Cross Ties

Wrought Steel Wheels and other Circular Sections Forged Steel Axles

Standard Specifications

Rolled Steel Plates for Column Bases

Steel Sheet Piling

Steel Mine Timber

Carnegie Car Sill Sections

Flat Rolled Steel and Merchant Bars

Round Steel Bars

The Making, Shaping and Treating of Steel

Methods of Chemical Analysis of Various Products, etc.

WORKS

BLAST FURNACES

| Carrie Furnaces | . Rankin, Pa. |
|-------------------|-------------------|
| Isabella Furnaces | . Etna, Pa. |
| Lucy Furnaces | . Pittsburgh, Pa. |

STEEL WORKS, FURNACES AND ROLLING MILLS

| Clairton Steel Works and Furnaces |
|--|
| Duquesne Steel Works and FurnacesSouth Duquesne, Pa- |
| Edgar Thomson Steel Works and Furnaces Bessemer, Pa. |
| Farrell Steel Works and Furnaces Farrell, Pa. |
| Homestead Steel Works |
| Mingo Steel Works and Furnaces Mingo Junction, O. |
| New Castle Steel Works and Furnaces New Castle, Pa. |
| Ohio Steel Works and Furnaces |

ROLLING MILLS

| McDonald Bar Mills | ι, Ο. |
|----------------------------|--------|
| Upper Union Mills | vn, O. |
| Lower Union MillsYoungstow | vn. O. |

FORGE AND WHEEL WORKS

| Howard Axle Works | . Homestead, Pa. |
|--------------------------|-------------------------|
| Schoen Steel Wheel Works | . McKees Rocks, Pa. |

COKE WORKS

| Clairton By-Product Cok | Works | Clairton, Pa. |
|-------------------------|-------|---------------|
|-------------------------|-------|---------------|

WAREHOUSES

| Baltimore Warehouse | . Baltimore, Md. |
|-----------------------|-------------------|
| Cleveland Warehouse | |
| New England Warehouse | . Boston, Mass. |
| Pittsburgh Warehouse | . Pittsburgh, Pa. |
| Waverly Warehouses | Newark, N. J. |
| Texas Warehouse | . Houston, Tex. |

Warehouse Stock Lists will be sent on application to nearest District Office.

PRODUCTS

Blast Furnace Products.

Bessemer and Basic Pig Iron Ferro-Manganese

Semi-Finished Open-Hearth and Bessemer Products. Ingots, Blooms, Billets, Slabs, Sheet Bars

Structural Mill Products.

Carnegie Beam Sections, Standard Beams
H-Beams, Channels, Angles, Tees, Zees
Ship-and Car Building Channels and Bulb Angles
Beam and Channel Cross Tie Sections
Elevator Tees, Conductor Rail Tees
Steel Sheet Piling Sections
Miscellaneous Sections

Bar Mill Products.

Channels, Angles, Tees and Zees Square Root and Round Back Angles Flat Rolled Steel and Merchant Bars Squares, Rounds, Half Rounds, Hexagons, Half Ovals Welding and Threading Steel Square Edge, Band Edge and Round Edge Flats Hoop and Band Steel Cooperage Steel, Slack Barrel Hoop, Cotton Ties Spring Steel, Round Edge and Round Edge Concave Bevel Edge, Bevel Nose, Round Bevel Edge Sections Scarfed Skelp and Miscellaneous Bevels Automobile Sections, Rim Sections Bumper Sections, Hinge and Latch Sections Magneto and Pole Sections Barrel and Can Ring Sections Casement and Window Sash Sections Concrete Reinforcement Bars Crescents, Hame, Neck Yoke and Pole Cap Sections Key Sections, Cam Sections, Nut Sections Pipe Coupling and Locking Bar Sections Miscellaneous Sections for Special Manufacture

Plate Mill Products.

Sheared Plates, Rectangular and Circular Universal Mill Plates, Rectangular and Skelp Base Plates for Columns and Machinery Carnegie Floor Plates

PRODUCTS—Concluded

Alloy Steels for Various Purposes.

Rail Mill Products and Track Accessories.

Standard and Miscellaneous Rails
Heavy Rails, 50 pounds per yard and over
Light Rails, under 50 pounds per yard
Rail Joints, Angle Splice Bars and Fish Plates
Rail Frog Fillers and Reinforcing Bars
Cross Ties for Railroad and Industrial Use
Cross Ties for Mine and Portable Track Purposes
Tie Plates and Spikes

Forged Axles and Wrought Wheels.

Axles, Untreated, Annealed or Quenched and Tempered Electric and Steam Railway Car Axles
Locomotive Driving and Trailing Axles, Tender Axles
Mine Car and other Industrial Car Axles
Wheels, Solid Wrought, Carbon Steel
Wheels for Electric, Steam and Industrial Service
Wheels for Industrial and Mine Locomotives and Cars
Wheels for Crane Tracks
Miscellaneous Circular Sections
Flywheel Blanks and Brake Drums for Motor Trucks

Fabricated Products.

Steel Mine Timbers, Gangway Sets and Mine Props Steel Sheet Piling

Coke.

Foundry Coke and Blast Furnace Coke Domestic or Nut Coke and Coke Breeze

Coke By-Products.

Benzol, Industrial Pure, Industrial 90%, Motor Benzol Toluol and Industrial Pure Xylol Naphtha, Industrial Refined Light and Crude Heavy Industrial High Test Naphtha Ammoniacal Liquor, Sulphate of Ammonia Crude Naphthalene Tar, Creosote Oil, Cresylic Acid, Phenol and Cresol

By-Product Coke Oven Gas Furnace Slag.

Crushed, Granulated and Sand Slag, Concrete Slag Basic Phosphoric Slag

SUBSIDIARY OF UNITED STATES STEEL CORPORATION

OFFICES

GENERAL OFFICES:

PITTSBURGH, Carnegie Building, 434 Fifth Avenue.

DISTRICT OFFICES:

BIRMINGHAM, Brown-Marx Building, 2000 First Avenue, North, Boston, Statler Office Building, 20 Providence Street, Buffalo, The Marine Trust Co. Building, 233-239 Main Street, Chicago, 208 South La Salle Street,
Cincinnati, Union Trust Building, Fourth and Walnut Streets,
Cleveland, Rockefeller Building, 614 Superior Avenue, N. W.,
Denver, First National Bank Building, 17th and Stout Streets,
Detroit, Buhl Building, 535 Griswold Street,
New Orleans, Maison Blanche, 921 Canal Street,
New York, Empire Building, 71 Broadway,
Philadelphia, Widener Building, Chestnut and Juniper Streets,
Pittsburgh, Carnegie Building, 434 Fifth Avenue,
St. Louis, Liberty Central Trust Co. Building, 506 Olive Street,

EXPORT DISTRIBUTORS:

St. Paul, Merchants National Bank Building, Fourth & Robert Sts.

UNITED STATES STEEL PRODUCTS COMPANY NEW YORK, Hudson Terminal Building, 30 Church Street.

PACIFIC COAST DISTRIBUTORS:

UNITED STATES STEEL PRODUCTS COMPANY, PACIFIC COAST DEPT.

SAN FRANCISCO, Russ Building, 235 Montgomery Street,
Los Angeles, 2087 East Slauson Avenue,
PORTLAND, 777 Nicolai Street,
SEATTLE, Fourth Avenue South and Connecticut Street,
HONOLULU, T. H., Castle and Cook Building.

UNITED STATES STEEL CORPORATION

PRINCIPAL SUBSIDIARY MANUFACTURING COMPANIES

American Bridge Company
American Sheet and Tin Plate Company
American Steel and Wire Company
The Canadian Bridge Company, Limited
Canadian Steel Corporation, Limited
Carnegie Steel Company
Cyclone Fence Company
Federal Shipbuilding and Dry Dock Company
Illinois Steel Company
The Lorain Steel Company
Minnesota Steel Company
National Tube Company
Tennessee Coal, Iron and Railroad Company
Universal Portland Cement Company

EXPORT DISTRIBUTORS:
United States Steel Products Company

Book, entitled:

Products and Publications of the

Subsidiary Manufacturing Companies of the United States Steel Corporation

containing list of Products and Literature of the above-mentioned Companies, may be secured on request.

